



Fecal calprotectin levels correlated with endoscopic remission for Asian

[网页](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[搜索工具](#)

找到约 10,100 条结果 (用时 0.66 秒)

Google 学术: Fecal calprotectin levels correlated with endoscopic remission for Asian inflammatory bowel disease patients

... with the Simple Endoscopic Score for Crohn's disease ... - Schoepfer - 被引用次数: 212

... intestinal inflammation in inflammatory bowel diseases ... - Langhorst - 被引用次数: 362

... : useful markers of chronic inflammatory bowel disease - Angriman - 被引用次数: 85

Biomarkers of Inflammatory Bowel Disease

www.hindawi.com/journals/dm/2014/710915/ - [翻译此页](#)

作者: Y Fengming - 2014 - 被引用次数: 5 - [相关文章](#)

2014年5月6日 - But in east Asia, IL23R variants does not show any association with CD
.... More and more studies focus on fecal calprotectin in IBD and ... Røseth et al. show that fecal calprotectin level correlated with endoscopic mucosal healing [55]. CD patients when compared with HC and patients in remission, and ...

Levels of Fecal Calprotectin Are Associated With ... - Nature

www.nature.com > ... > Current issue > Original Contributions - [翻译此页](#)

作者: G Boschetti - 2015 - 被引用次数: 1 - [相关文章](#)

2015年3月17日 - Subject Category: Inflammatory Bowel Disease ... curve to discriminate between patients in endoscopic remission and recurrence ... We and others have previously shown that the levels of fecal calprotectin (fCal) are closely correlated with Nature jobs - Nature Asia - Nature Education - RSS web feeds.

D-047: The safety and effectiveness of carbon dioxide

1

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 21235

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Fecal calprotectin correlated with endoscopic remission for Asian inflammatory bowel disease patients

Wei-Chen Lin, Jau-Min Wong, Chien-Chih Tung, Ching-Pin Lin, Jen-Wei Chou, Horng-Yuan Wang, Ming-Jium Shieh, Chin-Hao Chang, Heng-Hsiu Liu, Shu-Chen Wei; Taiwan Society of Inflammatory Bowel Disease (TSIBD) multicenter study

Abstract:

Match Overview

1	CrossCheck 129 words Alves, Venâncio A. "Characterization of monocarboxylate transporter activity in hepatocellular carcinoma". World J	2%
2	CrossCheck 90 words Chang, Ming-Hui, Jen-Wei Chou, Shan-Ming Chen, Ming-Chang Tsai, Yu-Shu Sun, Chun-Che Lin, and Ching-Pin	2%
3	Internet 81 words crawled on 16-Jul-2015 www.gastro.org	1%
4	Internet 69 words crawled on 29-Sep-2014 www.ncbi.nlm.nih.gov	1%
5	CrossCheck 51 words Geert D'Haens. "Fecal calprotectin is a surrogate marker for endoscopic lesions in inflammatory bowel disease".	1%
6	CrossCheck 42 words Yamamoto, T., M. Shiraki, T. Bamba, S. Umegae, and K. Matsumoto. "Faecal calprotectin and lactoferrin as mark	1%
7	CrossCheck 37 words Taina Sipponen. "Fecal calprotectin, lactoferrin, and endoscopic disease activity in monitoring anti-TNF-alpha t...	1%
8	CrossCheck 34 words Allez, Matthieu. "Role of endoscopy in predicting the disease course in inflammatory bowel disease". World Jour	1%



Fecal calprotectin correlated with endoscopic remission for Asian infla

[网页](#) [新闻](#) [视频](#) [图片](#) [更多](#) [搜索工具](#)

找到约 12,700 条结果 (用时 0.65 秒)

Google 学术: Fecal calprotectin correlated with endoscopic remission for Asian inflammatory bowel disease patients

... with the Simple Endoscopic Score for Crohn's disease ... - Schoepfer - 被引用次数: 220

... intestinal inflammation in inflammatory bowel diseases ... - Langhorst - 被引用次数: 373

... ; useful markers of chronic inflammatory bowel disease - Angriman - 被引用次数: 87

C-Reactive Protein, Fecal Calprotectin, and Stool ... - Nature

www.nature.com > ... > Clinical and Systematic Reviews - [翻译此页](#)

作者: MH Mosli - 2015 - 被引用次数: 1 - [相关文章](#)

2015年5月12日 - Symptomatic remission has traditionally been used as the target; however, ... A good correlation exists between the migration of radionuclide-labeled white ... 28), prediction of relapse, and triage of IBD patients for endoscopy (29, 30, 31).

[Nature jobs](#) · [Nature Asia](#) · [Nature Education](#) · [RSS web feeds](#).

Biomarkers of Inflammatory Bowel Disease

www.hindawi.com/journals/dm/2014/710915/ - [翻译此页](#)

作者: Y Fengming - 2014 - 被引用次数: 6 - [相关文章](#)

2014年5月6日 - But in east Asia, IL23R variants does not show any association with CD [13–15]. ... or confirmation of clinical disease activity and endoscopically visible inflammation. ... More and more studies focus on fecal calprotectin in IBD and ... with HC and patients in remission, and ADA correlated with CRP (), which ...

P-045: The usefulness of fecal calprotectin in monitoring ...

www.oxfordjournals.org/content/esspc/8/1/S110.1.full.pdf - [翻译此页](#)



[网页](#) [新闻](#) [视频](#) [图片](#) [购物](#) [更多](#) [搜索工具](#)

找到约 12,700 条结果 (用时 0.80 秒)

Google 学术 : Fecal calprotectin correlated with endoscopic remission for Asian inflammatory bowel disease patients

... with the Simple Endoscopic Score for Crohn's disease ... - Schoepfer - 被引用次数 : 220

... intestinal inflammation in inflammatory bowel diseases ... - Langhorst - 被引用次数 : 373

... : useful markers of chronic inflammatory bowel disease - Angriman - 被引用次数 : 87

C-Reactive Protein, Fecal Calprotectin, and Stool ... - Nature

www.nature.com > ... > [Clinical and Systematic Reviews](#) - [翻译此页](#)

作者 : MH Moşli - 2015 - 被引用次数 : 1 - [相关文章](#)

2015年5月12日 - Symptomatic remission has traditionally been used as the target; however, ... A good correlation exists between the migration of radionuclide-labeled white ... 28), prediction of relapse, and triage of IBD patients for endoscopy (29, 30, 31). [Nature jobs](#) · [Nature Asia](#) · [Nature Education](#) · [RSS web feeds](#).

Biomarkers of Inflammatory Bowel Disease

www.hindawi.com/journals/dm/2014/710915/ - [翻译此页](#)

作者 : Y Fengming - 2014 - 被引用次数 : 6 - [相关文章](#)

2014年5月6日 - But in east Asia, IL23R variants does not show any association with CD [13–15]. ... or confirmation of clinical disease activity and endoscopically visible inflammation. ... More and more studies focus on fecal calprotectin in IBD and with HC and patients in remission, and ADA correlated with CRP (), which ...