

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 33606

Manuscript Type: Minireviews

Risk of liver disease in methotrexate treated patients

Conway R *et al.* Methotrexate and liver disease

Richard Conway, John J Carey

Abstract

Methotrexate is the first line drug treatment for a number of rheumatic and non-rheumatic diseases. It is effective in controlling disease activity and preventing disease-related damage, and significantly cheaper than many alternatives. Use in rheumatoid arthritis infers a significant morbidity and mortality benefit. Methotrexate is generally well tolerated but can cause symptomatic adverse events. Multiple serious adverse events have been attributed to methotrexate, based largely

Match Overview

1	Crossref 133 words Conway, Richard, Candice Low, Robert J. Coughlan, Martin J. O'Donnell, and John J. Carey. "Risk of liver injury am...	3%
2	Internet 15 words crawled on 10-Nov-2005 www.alphallc.net	<1%
3	Internet 15 words crawled on 18-Jun-2010 www.stats.waikato.ac.nz	<1%
4	Crossref 12 words O. H. Nielsen. "The treatment of inflammatory bowel disease with 6-mercaptopurine or azathioprine". <i>Alimentary Phar</i>	<1%

找到约 1,950,000 条结果 (用时 0.95 秒)

Google 学术: Risk of Liver Disease in Methotrexate Treated Patients

... developing **liver** fibrosis during **methotrexate** treatment - Rosenberg - 被引用次数: 122

... among **patients** receiving low - dose **methotrexate** for ... - Walker - 被引用次数: 173

... factors for **methotrexate**-induced lung injury in **patients** ... - Alarcon - 被引用次数: 251

Methotrexate - LiverTox - National Institutes of Health

<https://livertox.nih.gov/Methotrexate.htm>  [翻译此页](#)

The typical maintenance dose used to **treat** psoriasis and rheumatoid arthritis is 7.5 ... Well documented **cases** of cirrhosis arising during long term **methotrexate** therapy He denied alcohol use and any history or **risk** factors for **liver** disease.


Methotrexate Hepatotoxicity in Patients with Rheumatoid Arthritis

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: R Sotoudehmanesh - 2010 - 被引用次数: 10 - [相关文章](#)

The results of serial **liver** function tests, concurrent **MTX** dose, cumulative dose and ... **MTX** hepatotoxicity is a common complication of long-term **treatment** with **MTX**. ... the incidence of **MTX** induced transaminitis among RA **patients** and its **risk** ...

Psoriatic arthritis, methotrexate and the liver—are rheumatologists ...

rheumatology.oxfordjournals.org/content/47/7/939.full  [翻译此页](#)

作者: K Lindsay - 2008 - 被引用次数: 11 - [相关文章](#)

2008年5月12日 - **Liver** function tests are elevated in PsA compared with RA **treated** with **MTX** ...

Certainly, in **patients** who are at **risk** of NASH, with diabetes and ...

找到约 2,130,000 条结果 (用时 0.55 秒)


Google 学术: Risk of liver disease in methotrexate treated patients

... among **patients** receiving low-dose **methotrexate** for ... - Walker - 被引用次数: 181

... developing **liver fibrosis** during **methotrexate treatment** - Rosenberg - 被引用次数: 137

Methotrexate for the **treatment** of Crohn's **disease** - Feagan - 被引用次数: 931

Methotrexate - LiverTox - NIH

<https://livertox.nih.gov/Methotrexate.htm>  [翻译此页](#)

The typical maintenance dose used to **treat** psoriasis and rheumatoid arthritis is 7.5 to 25 mg

Serious **liver disease** in a **patient** receiving **methotrexate** and leflunomide. ... He denied alcohol use and any history or **risk** factors for **liver disease**.

Methotrexate is not associated with increased liver cirrhosis in a ...

<https://www.nature.com> > Scientific Reports > Articles - [翻译此页](#)

作者: KT Tang - 2016 - 被引用次数: 1 - 相关文章


2016年3月1日 - **MTX** has been regarded as the anchor drug in the **treatment** of RA. ... Nonetheless, the **risk** of **MTX-related liver cirrhosis** in RA **patients** seems ...

Methotrexate and Hepatic Toxicity in Arthritis - Medscape

www.medscape.com/viewarticle/528188_4  [翻译此页](#)

2006年4月4日 - Data regarding psoriatic **patients treated** with **methotrexate** are also influenced ... of psoriatic **patients**, with no other **risk** factors for **liver disease**.

Hepatotoxicity associated with chronic low-dose methotrexate for ...

<https://www.uptodate.com/.../hepatotoxicity-associated-with-chronic-low-do...>  [翻译此页](#)

2017年5月11日 - Use of **MTX** for neoplastic **diseases** has been associated with ... **MTX** hepatotoxicity in **patients** with psoriasis appears to increase with the total ... 2 are at high **risk** of developing **liver fibrosis** during **methotrexate treatment**.

Methotrexate-treated Rheumatoid Arthritis: No Liver Damage With ...

www.rheumatologyadvisor.com/liver-damage-methotrexate-treated.../64...  [翻译此页](#)

Risk of liver disease in methotrexate treated patients



全部 图片 视频 新闻 地图 图书

找到约 2,140,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Risk of liver disease in methotrexate treated patients](#)

[... among patients receiving low - dose methotrexate for ...](#) - Walker - 被引用次数: 181

[... developing liver fibrosis during methotrexate treatment](#) - Rosenberg - 被引用次数: 138

[Methotrexate for the treatment of Crohn's disease](#) - Feagan - 被引用次数: 931

[Methotrexate - LiverTox - NIH](#)

<https://livertox.nih.gov/Methotrexate.htm>

The typical maintenance dose used to treat psoriasis and rheumatoid arthritis is 7.5 to 25 mg Serious liver disease in a patient receiving methotrexate and leflunomide. ... He denied alcohol use and any history or risk factors for liver disease.

[Methotrexate-Associated Nonalcoholic Fatty Liver Disease with ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4058155/>

28 May 2014 ... Patients with RA tend to stay on MTX for years, making its long-term safety profile a major concern. ... Nonalcoholic fatty liver disease (NAFLD), which refers to ... Details regarding the demographic characteristics, treatment dosing, and ... diabetes mellitus is a well recognised risk factor for NAFLD [23, 24].

[Methotrexate is not associated with increased liver cirrhosis in a ...](#)

<https://www.nature.com/articles/srep22387>

1 Mar 2016 ... MTX has been regarded as the anchor drug in the treatment of RA. ... Nonetheless, the risk of MTX-related liver cirrhosis in RA patients seems ...

[Psoriatic arthritis, methotrexate and the liver—are rheumatologists ...](#)

<https://academic.oup.com/.../Psoriatic-arthritis-methotrexate-and-the-liver-are>

12 May 2008 ... There are numerous clinical cases of MTX-induced cirrhosis and death, though ... The mainstay of treatment of NASH is aggressive risk factor ...