

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 18286

Manuscript Type: REVIEW

Preoperative endoscopic diagnosis of superficial non-ampullary duodenal epithelial tumors, including magnifying endoscopy

Tsuji S *et al.* Endoscopic diagnosis of superficial duodenal tumors

Shigetsugu Tsuji, Hisashi Doyama, Kunihiro Tsuji, Sho Tsuyama, Kei Tominaga, Naohiro Yoshida, Kenichi Takemura, Shinya Yamada, Hideki Niwa, Kazuyoshi Katayanagi, Hiroshi Kurumaya, Toshihide Okada

Shigetsugu Tsuji, Hisashi Doyama, Kunihiro Tsuji, Kei Tominaga, Naohiro Yoshida, Kenichi Takemura, Shinya Yamada, Toshihide Okada, Department of Gastroenterology, Ishikawa Prefectural Central Hospital, Kanazawa, Ishikawa 920-8530, Japan

Match Overview

1	CrossCheck 163 words E. Culver, "Sporadic duodenal polyps: classification, investigation, and management", <i>Endoscopy</i> , 02/2011	2%
2	Internet 126 words crawled on 01-Jul-2015 www.wjgnet.com	2%
3	CrossCheck 99 words Pittayanon, Rapat, Boonlert Imraporn, Rungsun Rerknimitr, and Pinit Kullavanijaya, "Advances in diagnostic endoscopy", <i>World Journal of Gastroenterology</i> , 2014	1%
4	CrossCheck 79 words Willis, J., "Biology versus terminology: East meets West in surgical pathology", <i>Gastrointestinal Endoscopy</i> , 2003	1%
5	CrossCheck 35 words Kakushima, Naomi, Hiroyuki Ono, Toshitatsu Takao, Hideyuki Kanemoto, and Keiko Sasaki, "Method and timing of magnifying endoscopy for the diagnosis of duodenal polyps", <i>World Journal of Gastroenterology</i> , 2014	<1%
6	CrossCheck 32 words E H Baker, "Hyperglycaemia is associated with poor outcomes in patients admitted to hospital with acute exacerbation of chronic pancreatitis", <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014	<1%
7	CrossCheck 29 words Basford, P. J., and P. Bhandari, "Endoscopic management of nonampullary duodenal polyps", <i>Therapeutic Advances in Gastroenterology</i> , 2014	<1%
8	CrossCheck 28 words J. Tischendorf, "Value of magnifying chromoendoscopy and narrow band imaging (NBI) in classifying colorectal adenomas", <i>World Journal of Gastroenterology</i> , 2014	<1%
9	Internet 22 words crawled on 14-Jan-2015 www.pubfacts.com	<1%

学术搜索

找到约 22 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯**Endoscopic diagnosis of superficial non - ampullary duodenal epithelial tumors in Japan: Multicenter case series**K Goda, D Kikuchi, Y Yamamoto... - ... *Endoscopy*, 2014 - Wiley Online Library... a different result shown by the present case series was that an **endoscopically** estimated tumor... reliable **diagnosis** of final histology of HGD or SAC than **preoperative** biopsy. Further studies are warranted for establishing **endoscopic** features of SNADET with submucosal invasion ...

被引用次数: 6 相关文章 所有 3 个版本 引用 保存

[HTML] Treatment for superficial non-ampullary duodenal epithelial tumors

N Kakushima, H Kanemoto, M Tanaka... - World journal of ..., 2014 - ncbi.nlm.nih.gov

... **Preoperative diagnosis** to differentiate superficial NADETs between adenoma and **cancer** as well as between mucosal and ... among these previous studies was 0%-37%, and recurrent lesions were **endoscopically** re-treated by a second EMR or **endoscopic** ablation[37 ...

被引用次数: 5 相关文章 所有 9 个版本 引用 保存

nih.gov 中的 [HTML]

[HTML] Efficacy and long-term outcome of endoscopic treatment of sporadic nonampullary duodenal adenoma

HK Kim, WC Chung, BI Lee, YS Cho - Gut and liver, 2010 - ncbi.nlm.nih.gov

... However, it may be associated with **perioperative** morbidity, mortality, and long-term ... All lesions were histopathologically **diagnosed** by **preoperative endoscopic** biopsy specimens. ... 2003]. Review[Limited surgical resection versus local **endoscopic** therapy of early **cancers** of the ...

被引用次数: 21 相关文章 所有 10 个版本 引用 保存

nih.gov 中的 [HTML]

Neoplastic precursor lesions of the upper gastrointestinal tractRK Yantiss, RD Odze - *Diagnostic histopathology*, 2008 - Elsevier... Others that show atypical features, but do not meet criteria for a **diagnosis** of dysplasia ... often in an eccentric fashion (Figure 3a). Glandular dysplasia is usually **endoscopically** inapparent, which ... to the more recent use of vital dyes and other advanced **endoscopic** techniques, as ...

被引用次数: 10 相关文章 引用 保存

Diagnostic accuracy of probe-based confocal laser endomicroscopy and narrow band imaging in detection of dysplasia in duodenal polyps

MW Shahid, A Buchner, V Gomez... - Journal of clinical ..., 2012 - journals.lww.com

... basis of these histopathologic results, the adenomatous polyps are removed by **endoscopic** mucosal resection ... a dedicated **endoscope** (eCLE; Pentax Corp, Japan) or a through-the-**endoscope** probe (pCLE ... and individual accuracy of pCLE and NBI in the **diagnosis** of **duodenal** ...

被引用次数: 14 相关文章 所有 4 个版本 引用 保存

[网页](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多](#) [搜索工具](#)

找到约 22,200 条结果 (用时 0.77 秒)

Google 学术 : Preoperative endoscopic diagnosis of superficial non-ampullary duodenal epithelial tumors, including magnifying endoscopy

... superficial non-ampullary duodenal epithelial tumors ... - Goda - 被引用次数 : 6

... superficial non-ampullary duodenal epithelial tumors - Kakushima - 被引用次数 : 5

... and long-term outcome of endoscopic treatment of ... - Kim - 被引用次数 : 21

小提示 : 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Endoscopic and biopsy diagnoses of superficial ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : N Kakushima - 2015 - [相关文章](#)

2015年5月14日 - Primary nonampullary duodenal epithelial tumors (NADETs) are extremely rare[1,2]. Therefore, a preoperative diagnosis of superficial NADETs is required ... institution include lesions diagnosed as carcinoma endoscopically or lesions to tumor depth and magnifying endoscopic findings are required.

Treatment for superficial non-ampullary duodenal epithelial ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - [翻译此页](#)

作者 : N Kakushima - 2014 - 被引用次数 : 5 - [相关文章](#)

2014年9月21日 - The use of endoscopic treatment including endoscopic mucosal resection ... Core tip: Superficial non-ampullary duodenal epithelial tumors ... Preoperative diagnosis to differentiate superficial NADETs between ... In addition to the macroscopic features, findings of magnifying endoscopy with[30-32] or ...