



全部 图片 视频 新闻 地图 图书

找到约 1,120 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Liquid biopsy in patients with pancreatic cancer ... - NCBI - NIH](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4932201/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4932201/>

7 Jul 2016 ... This concept, called "liquid biopsy" has been focused on as a less invasive, ...
Liquid biopsy, Circulating tumor cells, Cell-free nucleic acids ... for nucleic acids, and a
negative marker, leukocyte-specific CD45. ... Funaki et al[28] first reported the clinical utility of
CTCs in patients with PCa using RT-PCR.

[Liquid biopsy in patients with pancreatic cancer: Circulating ... - NCBI](https://www.ncbi.nlm.nih.gov/pubmed/27433079)

<https://www.ncbi.nlm.nih.gov/pubmed/27433079>

7 Jul 2016 ... Liquid biopsy in patients with pancreatic cancer: Circulating tumor cells and cell-
free nucleic acids ... in all phases of management from early detection to staging, treatment
monitoring, and prognosis. ... studies have demonstrated their potential clinical utility as a
biomarker for certain types of cancer.

[Liquid biopsy of gastric cancer patients: Circulating tumor cells and ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3964398/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3964398/>

28 Mar 2014 ... To improve the clinical outcomes of cancer patients, early detection and
accurate ... Liquid biopsy, Circulating tumor cells, Cell-free nucleic acids, MicroRNA ... to
verify its relevance and to eliminate the possibility of adverse effects. ... Identification of
appropriate DNA/RNA-based markers expressed by ...

[PDF] Download Pdf - cSlide

Match Overview

1	Internet 52 words crawled on 23-Feb-2017 www.wjgnet.com	2%
2	Crossref 50 words Steinberg, William M., Michael A. Nauck, Bernard Zinman, Gilbert H. Daniels, Richard M. Bergenstal, Johannes	2%
3	Internet 24 words crawled on 17-Mar-2017 gut.bmj.com	1%
4	Internet 21 words crawled on 15-Nov-2015 www.kaim.or.kr	1%
5	Internet 19 words crawled on 27-Oct-2015 kjpöt.org	1%
6	Crossref 18 words "Management of Medical Complications of Gallstone Disease", Multidisciplinary Management of Common Bile D	1%
7	Internet 18 words crawled on 15-May-2016 clinicalgate.com	1%
8	Internet 17 words crawled on 14-Dec-2015 journals.plos.org	1%

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 33152

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Clinical significance of the neutrophil-lymphocyte ratio as an early predictive marker for adverse outcomes in patients with acute pancreatitis

Tae Joo Jeon, Ji Young Park

Abstract

AIM

To investigated the prognostic value of the neutrophil-lymphocyte ratio (NLR) in

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 58,700 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[A reduced lymphocyte ratio as an early marker for predicting acute ...](https://www.nature.com/articles/srep44087)<https://www.nature.com/articles/srep44087>

7 Mar 2017 ... The **early** diagnosis and severity grading for **acute pancreatitis** (AP) are ... It can cause **significant** morbidity and with a mortality rate of 5–10%. ... Therefore, the **patients** who are diagnosed with AP through **clinical**, ... **Neutrophil-lymphocyte ratio** as a **predictor** of **adverse outcomes** of **acute pancreatitis** .

[The association between the neutrophil-to-lymphocyte ratio and ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4344736/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4344736/>

19 Jan 2015 ... The **neutrophil-to-lymphocyte ratio** (NLR) is a biological **marker** that has been ... care unit (ICU) **patients** based on records in a large **clinical** database. ... NLR has been investigated for its association with **adverse outcomes** in **acute pancreatitis** and has been identified as a **significant predictor** of ICU ...

[Comparison of the prognostic values of inflammation markers in ...](http://bmjopen.bmj.com/content/7/3/e013206)bmjopen.bmj.com/content/7/3/e013206

Acute pancreatitis (AP) is rapid-onset inflammation of the pancreas that varies in ... Red cell distribution width (RDW), **10 neutrophil-lymphocyte ratio** (NLR), prognostic ... ORs of prognostic factors for **predicting** SAP in **patients** with AP ... might be used **clinically** as a simple **early predictor** of an **adverse outcome** in SAP .24 ...

[\[PDF\] Neutrophil-Lymphocyte Ratio as a Predictor of Disease Severity in ...](https://onlinelibrary.wiley.com/doi/10.1002/jcla.21564/pdf)onlinelibrary.wiley.com/doi/10.1002/jcla.21564/pdf

Journal of **Clinical** Laboratory Analysis 27: 72–76 (2013) ... Key words: **Neutrophil-to-lymphocyte ratio**; ulcerative colitis; noninvasive ... ers may add a **significant** advantage for **predicting** disease severity ... has been used to predict **outcomes** in **patients** with cancer ... as a **predictor** of **adverse outcomes** of **acute pancreatitis** .

[The Comparison of Apache II Scores with Neutrophil Lymphocyte ...](#)

找到约 29,800 条结果 (用时 0.67 秒)

A reduced lymphocyte ratio as an early marker for predicting acute ...

<https://www.nature.com> › Scientific Reports › Articles - 翻译此页

作者: X Qi - 2017

2017年3月7日 - The **early** diagnosis and severity grading for **acute pancreatitis** (AP) are ... It can cause **significant** morbidity and with a mortality rate of 5–10%. ... Therefore, the **patients** who are diagnosed with AP through **clinical**, **Neutrophil-lymphocyte ratio** as a predictor of **adverse outcomes** of **acute pancreatitis** .

The association between the neutrophil-to-lymphocyte ratio and ...

<https://ccforum.biomedcentral.com/articles/10.1186/s13054-014-0731-6> - 翻译此页

作者: JD Salciccioli - 2015 - 被引用次数: 25 - 相关文章

2015年1月19日 - The **neutrophil-to-lymphocyte ratio** (NLR) is a biological **marker** that has ... unit (ICU) **patients** based on records in a large **clinical** database. ... In **patients** with sepsis, there was no statistically **significant** NLR has been investigated for its association with **adverse outcomes** in **acute pancreatitis** and has ...

^[PDF] WCIM2014 초록집 표지.indd - Korean J Med

https://ekjm.org/func/download_ekjm.php?filename...path... ▼ 翻译此页

Clinical Significance of The Neutrophil-Lymphocyte. Ratio (NLR) as an Early Predictive Marker for Adverse. Outcomes in Patients with Acute Pancreatitis.

WCIM2014 초록집 표지.indd

https://www.kaim.or.kr/func/download_ekjm.php?filename...path... - 翻译此页

作者: YR CHOI

Clinical Significance of The Neutrophil-Lymphocyte. Ratio (NLR) as an Early Predictive Marker for Adverse. Outcomes in Patients with Acute Pancreatitis.

Neutrophil–Lymphocyte Ratio as a Predictor of Disease Severity in ...