



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER REVIEW REPORT

Name of journal: World Journal of Hepatology

ESPS manuscript NO: 13557

Title: Staging of liver fibrosis or cirrhosis - The role of HVPG measurement

Reviewer code: 00011373

Science editor: Fang-Fang Ji

Date sent for review: 2014-08-28 15:47

Date reviewed: 2014-09-27 01:09

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> Existing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> Existing	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

No comments



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER REVIEW REPORT

Name of journal: World Journal of Hepatology

ESPS manuscript NO: 13557

Title: Staging of liver fibrosis or cirrhosis - The role of HVPG measurement

Reviewer code: 01560498

Science editor: Fang-Fang Ji

Date sent for review: 2014-08-28 15:47

Date reviewed: 2014-11-02 18:58

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> Existing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> Existing	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

This paper is well-written. Currently, many researchers also reported that HVPG measurement is a safe and reliable marker of quantifying portal pressure. These important papers, especially reported from Asia, should be listed in the Reference section.