

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 35828

Manuscript Type: Original Article

Retrospective Study

Women receive more inpatient resections and ablations for hepatocellular carcinoma than men

Lindsay Sobotka, Alice Hinton, Lanla Conteh

Abstract

AIM

The aim of this study is to evaluate disparities in the treatment of hepatocellular carcinoma (HCC) based on gender.

Methods

A retrospective database analysis using the Nationwide Inpatient Sample (NIS) was

Match Overview

- | | | |
|---|--|----|
| 1 | Crossref 42 words
Krishna, Somashekar G, Alice Hinton, Veeral Oza, Phil A Hart, Eric Swei, Samer El-Dika, Peter P Stanich, Hisham Husa | 2% |
| 2 | Internet 15 words
crawled on 23-Oct-2017
jnls.bmj.com | 1% |
| 3 | Internet 13 words
crawled on 18-Dec-2016
pdfs.semanticscholar.org | 1% |
| 4 | Crossref 13 words
Benjamin H. Leach. "Hepatitis C and hepatocellular carcinoma", <i>Current Hepatitis Reports</i> , 08/2007 | 1% |

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 65,700 条结果 (用时 0.31 秒)

Women in the United States Receive More Resections and Ablations ...

[atcmeetingabstracts.com/.../women-in-the-united-states-receive-more-resecti...](#) - [翻译此页](#)

Women in the United States Receive More Resections and Ablations for Hepatocellular Carcinoma Than Men. ... a liver transplant and women more likely to undergo hepatic resection. ... Methods: A retrospective database analysis on the Nationwide Inpatient Sample (NIS) database was performed from 2010 to 2013.

United States Women Receive More Curative Treatment for ...

[link.springer.com/article/10.1007/s10620-013-2731-9](#) - [翻译此页](#)

2013年6月29日 - We performed a retrospective database analysis of inpatient admission data from the ... US women more often receive invasive treatment for HCC (especially resection) than US men with no observed disparity in transplantation rates when adjusted ... Resection Hepatocellular carcinoma Gender Disparities ...

Treatment strategy for hepatocellular carcinoma in China ...

[jjco.oxfordjournals.org/content/early/2016/09/27/jjco.hyw134.full](#) - [翻译此页](#)

作者: Z Zhu - 2016 - 被引用次数: 2 - 相关文章

2016年9月27日 - Liver resection or hepatic resection and radiofrequency ablation is widely ... leading causes of cancer death among both men and women in China (2). (n = 64) who received open LR for HCC; the result showed that laparoscopic LR ... This combination therapy is safer and more effective than the control ...

Radio Frequency Ablation for Primary Liver Cancer

[www.ncbi.nlm.nih.gov](#) > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: Health Quality Ontario - 2004 - 被引用次数: 1 - 相关文章

2004年6月1日 - ... for surgery. Resection is associated with a 50% survival rate at 5 years. ... Population: patients with primary hepatocellular carcinoma. Procedure: (3/6) About 5% of



文章

找到约 2,130 条结果 (用时0.09秒)

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯小提示：只搜索中文(简体)结果，可在 [学术搜索设置](#) 指定搜索语言

Treatment and outcomes of treating of hepatocellular carcinoma among Medicare recipients in the United States: a population-based study

[HB El-Seraq](#), [AB Siegel](#), [JA Davila](#), [YH Shaib](#)... - Journal of ..., 2006 - Elsevier

... Patients infected with HBV were more likely to receive curative therapy than patients with other risk ... Sociodemographic characteristics of SEER-Medicare patients with HCC (n=2963) by therapy received, 1992-1999 ... Female, 939, 12, 44.4, 92, 37.9, 36, 29.5, 40, 30.5, 759, 31.1, 0.1340 ...

☆ 00 被引用次数: 197 相关文章 所有 7 个版本

Current approaches to primary therapy for papillary and follicular thyroid cancer

[EL Mazzaferri](#), [RT Kloos](#) - The Journal of Clinical Endocrinology ..., 2001 - academic.oup.com

We use cookies to enhance your experience on our website. By continuing to use our website, you are agreeing to our use of cookies. You can change your cookie settings at any time. Find out more ...

☆ 00 被引用次数: 1398 相关文章 所有 11 个版本

Operative mortality after hepatic resection: are literature-based rates broadly applicable?

[B Asiyambola](#), [D Chang](#), [AL Gleisner](#), [H Nathan](#)... - Journal of ..., 2008 - Springer

... this manner, the NIS cohort was adjusted to match the average age, percent female, percent HCC ... There were 5,941 (52.0%) women and 5,477 (48.0%) men with a median age of 59 years ... Overall, 1,910 patients received a blood transfusion for an overall transfusion rate of 16.7 ...

☆ 00 被引用次数: 120 相关文章 所有 6 个版本

United States women receive more curative treatment for hepatocellular carcinoma than men

[S Cauble](#), [A Abbas](#), [L Balart](#), [L Bazzano](#)... - Digestive diseases and ..., 2013 - Springer

... The disparity between male and female resection rates in our study appears to derive from ... and females both present with no features of liver decompensation are women more likely to ... of severity of decompensation, females are still more likely to receive curative resection than ...

☆ 00 被引用次数: 8 相关文章 所有 7 个版本

[HTML] In-hospital mortality from liver resection for hepatocellular carcinoma

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 36,100 条结果 (用时 0.51 秒)

Women in the United States Receive More Resections and Ablations ...

atcmeetingabstracts.com/.../women-in-the-united-states-receive-more-resecti... ▼ [翻译此页](#)

Women in the United States Receive More Resections and Ablations for Hepatocellular Carcinoma Than Men. L. Sobotka ... Aims: The aim of this study is to use the Nationwide Inpatient Sample to assess gender differences in the treatment of ...

Current Management of Hepatocellular Carcinoma - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4014047/> ▼ [翻译此页](#)

作者: AM Crissien - 2014 - 被引用次数: 64 - 相关文章

Hepatocellular carcinoma (HCC) is the most common primary liver malignancy. ... Several treatment modalities are available, but only surgical resection and OLT ... Other treatment options include radiofrequency ablation, microwave ablation, ... Overall, liver cancer is more common in men than women, with a ratio of 2.4:1.

缺少字词: inpatient

Epidemiology, clinical-treatment patterns and outcome in 256 ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3671072/> ▼ [翻译此页](#)

作者: L Fenoglio - 2013 - 被引用次数: 10 - 相关文章

2013年6月7日 - Core tip: Hepatocellular carcinoma (HCC) is the 5th most common cancer ... disease (48 cases, 18.7%), more frequently in men than in women (P = 0.01). ... curative procedures: surgical resection in 14 cases, percutaneous ablation ... Notably, almost one-third of HCC patients did not receive any specific ...

Treatment and outcomes of treating of hepatocellular carcinoma ...

www.sciencedirect.com/science/article/pii/S0168827805006616 ▼ [翻译此页](#)

Among patients who received potentially curative therapy (n=392), resection was ... Transplantation had the