# World Journal of *Gastroenterology*

World J Gastroenterol 2024 November 14; 30(42): 4518-4596





Published by Baishideng Publishing Group Inc

WJG

# World Journal of Gastroenterology

#### Contents

Weekly Volume 30 Number 42 November 14, 2024

#### **EDITORIAL**

4518 Sepsis-associated liver injury: Mechanisms and potential therapeutic targets

Chen JW, Liu CY, Li S, Wu SW, Cai C, Lu MQ

#### **ORIGINAL ARTICLE**

#### **Retrospective Study**

4523 Comparing gastrointestinal dysfunction score and acute gastrointestinal injury grade for predicting shortterm mortality in critically ill patients

Shen C, Wang X, Xiao YY, Zhang JY, Xia GL, Jiang RL

#### **Prospective Study**

4532 Strategic insights into the cultivation of pancreatic cancer organoids from endoscopic ultrasonographyguided biopsy tissue

Yang JL, Zhang JF, Gu JY, Gao M, Zheng MY, Guo SX, Zhang T

#### **Basic Study**

4544 Transfection of 12/15-lipoxygenase effectively alleviates inflammatory responses during experimental acute pancreatitis

Sun HW, Bai YY, Qin ZL, Li RZ, Madzikatire TB, Akuetteh PDP, Li Q, Kong HR, Jin YP

#### **CASE REPORT**

4557 Esophageal melanosis: Two case reports and review of literature

Kazacheuskaya L, Arora K

#### LETTER TO THE EDITOR

- 4566 Colon cancer screening programs prevent cancer Flynn DJ, Feuerstein JD
- 4569 Does hemorrhoidal artery embolization really benefit patients with hemorrhoids?

Lei ML, Dong LL, Zhang HP, Yu YB

4576 Metabolic dysfunction-associated steatotic liver disease: The question of long-term high-normal alanine aminotransferase as a screening test

Moyana TN

4583 Endoscopic polidocanol foam sclerobanding for treatment of internal hemorrhoids: A novel outpatient procedure

Mou AN, Wang YT



Conto	World Journal of Gastroenterology
Conte	Weekly Volume 30 Number 42 November 14, 2024
4587	Evaluation of the GATIS score for predicting prognosis in rectal neuroendocrine neoplasms
	Feng YN, Liu LH, Zhang HW
4591	Helicobacter pylori, esophageal precancerous lesions, and proton pump inhibitor overuse
	Zhang F, Zhang H, Liu YM, Tang FS

#### Contents

Weekly Volume 30 Number 42 November 14, 2024

#### **ABOUT COVER**

Editorial Board Member of World Journal of Gastroenterology, Ce-Fan Zhou, PhD, Professor, School of Life and Health Sciences, Vice Dean of Biomedical Research Institute, National "111" Center for Cellular Regulation and Molecular Pharmaceutics, Hubei University of Technology, Wuhan 430068, Hubei Province, China. cefan@hbut.edu.cn

#### **AIMS AND SCOPE**

The primary aim of World Journal of Gastroenterology (WJG, World J Gastroenterol) is to provide scholars and readers from various fields of gastroenterology and hepatology with a platform to publish high-quality basic and clinical research articles and communicate their research findings online. WIG mainly publishes articles reporting research results and findings obtained in the field of gastroenterology and hepatology and covering a wide range of topics including gastroenterology, hepatology, gastrointestinal endoscopy, gastrointestinal surgery, gastrointestinal oncology, and pediatric gastroenterology.

#### **INDEXING/ABSTRACTING**

The WJG is now abstracted and indexed in Science Citation Index Expanded (SCIE), MEDLINE, PubMed, PubMed Central, Scopus, Reference Citation Analysis, China Science and Technology Journal Database, and Superstar Journals Database. The 2024 edition of Journal Citation Reports® cites the 2023 journal impact factor (JIF) for WJG as 4.3; Quartile: Q1. The WJG's CiteScore for 2023 is 7.8.

#### **RESPONSIBLE EDITORS FOR THIS ISSUE**

Production Editor: Ying-Yi Yuan; Production Department Director: Xiang Li; Cover Editor: Jia-Ru Fan.

NAME OF JOURNAL	INSTRUCTIONS TO AUTHORS					
World Journal of Gastroenterology	https://www.wjgnet.com/bpg/gerinfo/204					
ISSN	GUIDELINES FOR ETHICS DOCUMENTS					
ISSN 1007-9327 (print) ISSN 2219-2840 (online)	https://www.wjgnet.com/bpg/GerInfo/287					
LAUNCH DATE	GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH					
October 1, 1995	https://www.wjgnet.com/bpg/gerinfo/240					
FREQUENCY	PUBLICATION ETHICS					
Weekly	https://www.wjgnet.com/bpg/GerInfo/288					
EDITORS-IN-CHIEF	PUBLICATION MISCONDUCT					
Andrzej S Tarnawski	https://www.wjgnet.com/bpg/gerinfo/208					
EXECUTIVE ASSOCIATE EDITORS-IN-CHIEF	POLICY OF CO-AUTHORS					
Jian-Gao Fan (Chronic Liver Disease)	https://www.wjgnet.com/bpg/GerInfo/310					
EDITORIAL BOARD MEMBERS	ARTICLE PROCESSING CHARGE					
http://www.wjgnet.com/1007-9327/editorialboard.htm	https://www.wjgnet.com/bpg/gerinfo/242					
PUBLICATION DATE	STEPS FOR SUBMITTING MANUSCRIPTS					
November 14, 2024	https://www.wjgnet.com/bpg/GerInfo/239					
COPYRIGHT	ONLINE SUBMISSION					
© 2024 Baishideng Publishing Group Inc	https://www.f6publishing.com					
PUBLISHING PARTNER	PUBLISHING PARTNER'S OFFICIAL WEBSITE					
Shanghai Pancreatic Cancer Institute and Pancreatic Cancer Institute, Fudan	https://www.shca.org.cn					
Biliary Tract Disease Institute, Fudan University	https://www.zo-hospital.siteti					
© 2024 Baishideng Publishing Group Inc. All rights reserved. 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA						
E-mail: office@baishideng.com https://www.wjgnet.com						



WÙ

# World Journal of Gastroenterology

Submit a Manuscript: https://www.f6publishing.com

World J Gastroenterol 2024 November 14; 30(42): 4557-4565

DOI: 10.3748/wjg.v30.i42.4557

ISSN 1007-9327 (print) ISSN 2219-2840 (online)

CASE REPORT

## Esophageal melanosis: Two case reports and review of literature

Liubou Kazacheuskaya, Kshitij Arora

Specialty type: Gastroenterology and hepatology

Provenance and peer review:

Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's classification

Scientific Quality: Grade B, Grade В Novelty: Grade B, Grade B Creativity or Innovation: Grade B, Grade B

Scientific Significance: Grade B, Grade C

P-Reviewer: Popovic DD; Yan JX

Received: July 26, 2024 Revised: September 29, 2024 Accepted: October 14, 2024 Published online: November 14, 2024 Processing time: 97 Days and 9.8

Hours

Liubou Kazacheuskaya, Kshitij Arora, Department of Pathology, Louisiana State University Health, Shreveport, LA 71103, United States

Corresponding author: Kshitij Arora, MBBS, MD, Assistant Professor, Department of Pathology, Louisiana State University Health, 1501 Kings Hwy Medical School Building B, Room 2-318C, Shreveport, LA 71103, United States. kshitij.arora@lsuhs.edu

#### Abstract

#### BACKGROUND

Esophageal melanosis (EM) is a rare condition characterized by melanin pigmentation in the esophageal mucosa. It is not well understood and has been documented in less than 100 cases worldwide.

#### CASE SUMMARY

We report two cases of African American patients who complained of significant weight loss (over 20 pounds in approximately six months) and abdominal pain during their first visit. The first case involves a 54-year female with a history of hepatic steatosis and polysubstance abuse, who also experiences nausea and vomiting. The second case is a 59-year-old male with hypertension and gastroesophageal reflux disease (GERD), who was diagnosed with esophageal squamous cell carcinoma. Both cases show benign melanocytes in the basal layer on the esophagus biopsy and are diagnosed as EM.

#### CONCLUSION

It is important to note that EM has been associated with malignancies such as carcinoma and melanoma. Therefore, accurate diagnosis and appropriate management are crucial. Patients with EM, especially those with concurrent risk factors (e.g., GERD, smoking), should be carefully monitored for any signs of malignancy.

Key Words: Esophagus; Melanoblasts; Esophageal melanosis; Gastroesophageal reflux disease; Case report

©The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.



WJG | https://www.wjgnet.com

**Core Tip:** Esophageal melanosis is a rare condition. Its causes and natural progression are not fully understood. Some studies have reported an association with malignancy and as a potential precursor for malignancy. Extended research is required to establish an additional correlation for this rare entity.

Citation: Kazacheuskaya L, Arora K. Esophageal melanosis: Two case reports and review of literature. World J Gastroenterol 2024; 30(42): 4557-4565

URL: https://www.wjgnet.com/1007-9327/full/v30/i42/4557.htm DOI: https://dx.doi.org/10.3748/wjg.v30.i42.4557

#### INTRODUCTION

De La Pava et al[1] first described melanoblasts in esophageal mucosa in 1963, with its prevalence reported as 4% in autopsy cases. The recognition of this condition has been emphasized over the past few decades. While there is some correlation between microscopic and endoscopic findings, microscopic diagnosis is more common than endoscopic diagnosis due to the requirement of a large number of melanocytes to be present for it to be visible during endoscopy [2]. The specific cause of this condition and its connection to other medical conditions is still not fully understood. Some reports have suggested a link between esophageal melanosis (EM), esophageal malignancies, and esophageal injury [1,3, 4]. While there is a strong connection between gastroesophageal reflux disease (GERD) and chronic esophagitis, the association with Barrett's esophagus has not been confirmed [5]. Recent reviews identified only fifty-five reported cases of EM[6-8]. This exceptionally rare condition significantly hinders the ability of endoscopists to diagnose and follow up. We aim to raise awareness of this rare condition by presenting two cases of EM and reviewing the existing literature.

This study retrospectively assessed the data of patients who underwent upper gastrointestinal endoscopy at our hospital between March 2021 and June 2024. Of these, two patients of EM were identified. The demographic, clinical, endoscopic, medication uses, histopathologic and immunohistochemical stains evaluation was conducted by two gastrointestinal pathologists independently. This retrospective study was approved by our institutional review board, which waived the requirement for informed consent. Patient anonymity was ensured prior to assessment of the data.

A review of the literature was conducted with the use of PubMed (https://pubmed.ncbi.nlm.nih.gov/?term= esophageal%20melanosis&filter=years.1979-2024&page=8). Search terms EM were used and yielded 80 results; dates of publications were between 1980-2024. The titles and abstracts of these publications were screened, and only articles containing actual case reports were included. A total of 55 case reports were identified, and literature on EM was reviewed. Full texts of all 33 articles containing 55 reported cases were examined (Table 1)[3,5-7,9-33]. From the data collected, we proposed updates on EM's clinical, histopathologic, and immunohistochemical features.

#### CASE PRESENTATION

#### Chief complaints

Case 1: An African American female patient, 54 years old, arrived at the emergency department with sharp left-sided abdominal/chest pain, an unintentional weight loss of 20 pounds over the last six months, as well as nausea, vomiting, and poor appetite.

Case 2: A 59-year-old African American male came to the emergency department with main complaints of right upper quadrant abdominal pain and a 20-pound weight loss despite maintaining a good appetite.

#### History of present illness

Case 1: Patient presents to the emergency department due to hypotension, altered mental status, left-sided sharp abdominal/chest pain, and an unintentional weight loss of 20 pounds over the span of the last six months. She reported increased nausea and vomiting, along with a poor appetite, which has progressively worsened.

Case 2: The patient presented to the emergency department with chief complaints of right upper quadrant abdominal pain, which he describes as constant, sharp, and non-radiating, intermittently worsening and 20 pounds of weight loss despite maintaining a good appetite.

#### History of past illness

Case 1: Past medical history includes hepatic steatosis, iron deficiency anemia, polysubstance abuse (cocaine, alcohol, and marijuana), tobacco use, and hypertension (HTN).

Case 2: HTN, GERD, and seizures.

WJG https://www.wjgnet.com

#### Table 1 Review of published cases of clinical and pathological characteristics of esophageal melanosis

Ref.	Age	Sex	Esophagus location	Exact location of the lesion	Country	Associated clinical diagnosis	Clinical symptoms	Medication	Smoking	Alcohol drinking
Kuo <i>et al</i> [9], 2011	76	F	NA	Not specified	Australia	Celiac disease	NA	Azathioprine	NA	NA
Dubail <i>et al</i> [7], 2022	57	F	Middle/lower esophagus	Middle and lower esophagus	Beljium	Peptic ulcer disease	NA	PPI	Yes	No
Dubail <i>et al</i> [ <b>7</b> ], 2022	66	М	Upper esophagus	Upper esophagus	Beljium	Gastritis	NA	NA	No	Yes
Horowitz et al[ <mark>10]</mark> , 1998	49	М	NA	Not specified	Brazil	Anal melanoma	NA	NA	NA	NA
Dumas <i>et al</i> [ <mark>11</mark> ], 1990	66	F	Lower esophagus	32-35 cm from incisor	Cedax	Mental anorexia	NA	NA	NA	NA
Bogomoletz et al[12], 1997	75	М	Middle esophagus	20 cm below Killian's line	France	NA	Epigastric pain, dysphagia	NA	NA	NA
Maroy <i>et al</i> [ <mark>13]</mark> , 2013	65	М	Middle/lower esophagus	Mid esophagus 19 cm (1 <sup>st</sup> lesion) and distal esophagus 38 cm (2 <sup>nd</sup> lesion)	France	Tonsil squamous cell carcinoma	NA	NA	Yes	Yes
Sarbia <i>et al</i> [ <mark>14]</mark> , 2012	69	М	Middle/lower esophagus	Middle and the lower thirds of the esophagus	Germany	Adenocarcinoma of the esophago- gastric junction, acanthosis nigricans of the esophagus	Pain	NA	NA	NA
Kleikamp et al[15], 2006	48	М	NA	No data	Germany	Adenocarcinoma of the esophago- gastric junction, acanthosis nigricans of the esophagus	Pain	NA	NA	NA
Agarwal <i>et al</i> [ <b>6</b> ], 2022	53	F	Middle/lower esophagus	Mid and lower esophagus	India	Iron deficiency anemia	NA	Iron	NA	NA
Sharma <i>et al</i> [ <b>5</b> ], 1991	50	М	Lower esophagus	Lower third of esophagus	India	Peptic ulcer disease	NA	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	60	М	Lower esophagus	Lower third of esophagus	India	Peptic ulcer disease	NA	NA	NA	NA
Sharma <i>et al</i> [ <b>5</b> ], 1991	68	М	Middle esophagus	Middle third of esophagus	India	Peptic ulcer disease	NA	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	51	F	Middle esophagus	Middle third of esophagus	India	Peptic ulcer disease	NA	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	57	F	Middle esophagus	Middle third of esophagus	India	Peptic ulcer disease	NA	NA	NA	NA
Sharma et al [ <mark>5</mark> ], 1991	70	М	Middle esophagus	Middle third of esophagus	India	Peptic ulcer disease	NA	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	45	М	Upper esophagus	Upper third of esophagus	India	Peptic ulcer disease	NA	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	55	М	Upper esophagus	Upper third of the esophagus	India	Peptic ulcer disease	NA	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	60	М	Middle esophagus	Middle third of esophagus	India	Peptic ulcer disease	Non-ulcer dyspepsia	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	50	F	Middle esophagus	Middle third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	49	М	Lower esophagus	Lower third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA



#### Kazacheuskaya L et al. Esophageal melanosis review

Sharma et al [ <mark>5</mark> ], 1991	40	F	Middle esophagus	Middle third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA
Sharma et al [ <mark>5</mark> ], 1991	43	F	Middle esophagus	Middle third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	48	М	Middle esophagus	Middle third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	50	М	Middle esophagus	Middle third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	58	М	Middle esophagus	Middle third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	59	М	Middle esophagus	Middle third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA
Kumari <i>et al</i> [ <mark>16]</mark> , 2016	66	М	NA	No data	India	NA	Chest pain and dysphagia	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	50	М	Upper esophagus	Upper third of esophagus	India	NA	Non-ulcer dyspepsia	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	56	М	Middle esophagus	Middle third of esophagus	India	Gastritis	NA	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	59	М	Middle esophagus	Middle third of esophagus	India	Gastritis	NA	NA	NA	NA
Sharma <i>et al</i> [ <mark>5</mark> ], 1991	48	М	Middle esophagus	Middle third of esophagus	India	Gastritis	NA	NA	NA	NA
Vincent Comraj <i>et al</i> [17], 2023	70	М	NA	No data	India	Gastritis	NA	NA	No	No
Geramizadeh et al[18], 2014	75	М	Middle esophagus	Middle part of the esophagus	Iran	NA	Epigastric pain and dysphagia	NA	Yes	No
							510			
Kinugasa <i>et al</i> [ <mark>19</mark> ], 2020	77	М	Lower esophagus	Lower part of the esophagus	Japan	Eosinophilic esophagitis	NA	Antihypertensive medications	NA	NA
Kinugasa <i>et al</i> [19], 2020 Mori <i>et al</i> [20], 2005	77 70	M M	Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth	Japan Japan	Eosinophilic esophagitis None	NA NA	Antihypertensive medications NA	NA NA	NA NA
Kinugasa <i>et al</i> [19], 2020 Mori <i>et al</i> [20], 2005 Mori <i>et al</i> [20], 2005	77 70 60	M M F	Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth 30 cm from the incisor	Japan Japan Japan	Eosinophilic esophagitis None NA	NA NA Dysphagia	Antihypertensive medications NA NA	NA NA NA	NA NA NA
Kinugasa <i>et al</i> [19], 2020 Mori <i>et al</i> [20], 2005 Mori <i>et al</i> [20], 2005 Yamazaki <i>et</i> <i>al</i> [21], 1991	77 70 60 56	M M F M	Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth 30 cm from the incisor 30-33 cm from incisor	Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA	NA NA Dysphagia NA	Antihypertensive medications NA NA NA	NA NA NA NA	NA NA NA
Kinugasa et al [19], 2020 Mori et al [20], 2005 Mori et al [20], 2005 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991	<ul><li>77</li><li>70</li><li>60</li><li>56</li><li>62</li></ul>	M F M	Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth 30 cm from the incisor 30-33 cm from incisor 35 cm from incisor	Japan Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA	NA NA Dysphagia NA NA	Antihypertensive medications NA NA NA	NA NA NA NA	NA NA NA NA
Kinugasa et al [19], 2020 Mori et al [20], 2005 Mori et al [20], 2005 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991	<ul> <li>77</li> <li>70</li> <li>60</li> <li>56</li> <li>62</li> <li>70</li> </ul>	M F M M F	Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth 30 cm from the incisor 30-33 cm from incisor 35 cm from incisor Lower third of esophagus	Japan Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA NA	NA NA Dysphagia NA NA	Antihypertensive medications NA NA NA NA	NA NA NA NA NA	NA NA NA NA
Kinugasa et al [19], 2020 Mori et al [20], 2005 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991	<ul> <li>77</li> <li>70</li> <li>60</li> <li>56</li> <li>62</li> <li>70</li> <li>66</li> </ul>	M F M F F F	Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth 30 cm from the incisor 30-33 cm from incisor 35 cm from incisor Lower third of esophagus	Japan Japan Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA NA NA	NA NA Dysphagia NA NA NA	Antihypertensive medications NA NA NA NA NA	NA NA NA NA NA	NA NA NA NA NA
Kinugasa et al [19], 2020 Mori et al [20], 2005 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamamoto et al[22], 1999	<ul> <li>77</li> <li>70</li> <li>60</li> <li>56</li> <li>62</li> <li>70</li> <li>66</li> <li>62</li> </ul>	M F M F M F	Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus35 cm from the incisor teeth30 cm from the incisor30 cm from the incisor35 cm from incisor35 cm from incisorLower third of esophagusLower third of esophagusMiddle esophagus 30 cm from the incisor	Japan Japan Japan Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA NA NA NA Laugier-Hunziker syndrome	NA NA Dysphagia NA NA NA NA	Antihypertensive medications NA NA NA NA NA NA	NA NA NA NA NA NA	NA NA NA NA NA NA
Kinugasa et al [19], 2020 Mori et al [20], 2005 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[22], 1999 Kaneko et al [23], 2022	<ul> <li>77</li> <li>70</li> <li>60</li> <li>56</li> <li>62</li> <li>70</li> <li>66</li> <li>62</li> <li>62</li> <li>62</li> </ul>	M F M F M F M	Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth 30 cm from the incisor 30-33 cm from incisor 35 cm from incisor Lower third of esophagus Lower third of esophagus Middle esophagus 30 cm from the incisor	Japan Japan Japan Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA NA NA NA Laugier-Hunziker syndrome	NA NA Dysphagia NA NA NA NA NA	Antihypertensive medications NA NA NA NA NA NA	NA NA NA NA NA NA	NA NA NA NA NA NA
Kinugasa et al [19], 2020 Mori et al [20], 2005 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamamoto et al[22], 1999 Kaneko et al [23], 2022	<ul> <li>77</li> <li>70</li> <li>60</li> <li>56</li> <li>62</li> <li>70</li> <li>66</li> <li>62</li> <li>62</li> <li>71</li> </ul>	M F M F M F M M	Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth 30 cm from the incisor 30-33 cm from incisor 35 cm from incisor Lower third of esophagus Lower third of esophagus Middle thoracic esophagus	Japan Japan Japan Japan Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA NA NA Laugier-Hunziker syndrome Hypopharyngeal Esophageal	NA NA Dysphagia NA NA NA NA NA	Antihypertensive medications NA NA NA NA NA NA	NA NA NA NA NA NA NA	NA NA NA NA NA NA NA
Kinugasa et al [19], 2020 Mori et al [20], 2005 Mori et al [20], 2005 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamamoto et al[22], 1999 Kaneko et al [23], 2022 Kato et al [24], 2013	<ul> <li>77</li> <li>70</li> <li>60</li> <li>56</li> <li>62</li> <li>70</li> <li>66</li> <li>62</li> <li>62</li> <li>71</li> <li>71</li> </ul>	M F M F M F M M M	Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus 35 cm from the incisor teeth 30 cm from the incisor 35 cm from incisor 35 cm from incisor Lower third of esophagus Cower third of esophagus Middle thoracic esophagus Middle thoracic esophagus 35 cm away from the incisor	Japan Japan Japan Japan Japan Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA NA NA NA Laugier-Hunziker syndrome Hypopharyngeal cancer, Esophageal melanoma	NA NA Dysphagia NA NA NA NA NA NA NA	Antihypertensive medications NA NA NA NA NA NA NA NA	NA NA NA NA NA NA NA NA	NA NA NA NA NA NA NA NA
Kinugasa et al [19], 2020 Mori et al [20], 2005 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamazaki et al[21], 1991 Yamamoto et al[22], 1999 Kaneko et al [23], 2022 Kato et al [24], 2013 Oshiro et al [25], 2007	<ul> <li>77</li> <li>70</li> <li>60</li> <li>56</li> <li>62</li> <li>70</li> <li>66</li> <li>62</li> <li>71</li> <li>71</li> <li>67</li> </ul>	M F M F M F M M M M	Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus Lower esophagus	Lower part of the esophagus35 cm from the incisor teeth30 cm from the incisor30 cm from the incisor30 cm from the incisor35 cm from incisorLower third of esophagusLower third of esophagusMiddle thoracicMiddle thoracic esophagusMiddle thoracic esophagusS5 cm away from the incisorLower thoracic esophagus	Japan Japan Japan Japan Japan Japan Japan Japan Japan	Eosinophilic esophagitis None NA NA NA NA NA Augier-Hunziker syndrome Esophageal melanoma Esophageal melanoma	NA NA Dysphagia NA NA NA NA NA NA NA	Antihypertensive medications NA NA NA NA NA NA NA PPI NA	NA NA NA NA NA NA NA NA NA NA	NA NA NA NA NA NA NA NA NA



Walter <i>et al</i> [27], 2000	64	F	Middle/lower esophagus	Lower half of the esophagectomy specimen	Netherlands	Esophageal SCC	NA	PPI	Yes	Yes
Destek <i>et al</i> [28], 2016	55	F	Middle/lower esophagus	Middle, the front incisor teeth from 20 cm to the starting 30 cm	Turkey	Gastritis	NA	NA	No	No
Chang <i>et al</i> [ <b>3</b> ], 2006 (unpublished data)	80	F	Lower esophagus	Distal esophagus 30-34 cm from the incisor teeth	United Kingdom	Gastritis	NA	NA	NA	NA
Berry <i>et al</i> [ <mark>29</mark> ], 1995	51	F	NA	NA	United States	NA	NA	NA	NA	NA
Nagra <i>et al</i> [ <mark>30</mark> ], 2020	57	F	Middle esophagus	Middle esophagus	United States	Iron deficiency anemia	NA	NA	NA	NA
Jones <i>et al</i> [ <mark>31</mark> ], 2005	22	М	Lower esophagus	38 cm from the incisor	United States	Addison's disease	Dysphagia	NA	NA	NA
Dinneen <i>et al</i> [32], 2014	65	F	Upper/middle esophagus	Upper and middle esophagus	United States	Esophageal wall thickening on CT	Abdominal pain	NA	NA	NA
Changela <i>et al</i> [33], 2017	48	F	Upper esophagus	Upper third of the esophagus	United States	NA	Weight loss and dyspepsia	NA	Yes	NA
Current study, 2024	59	М	Upper and lower esophagus	Upper esophagus and lower esophagus	United States	Esophageal SCC	NA	PPI	No	No
Current study, 2024	54	F	Middle esophagus	Middle esophagus	United States	None	Weight loss	Losartan	Yes	Yes

NA: Not available; PPI: Proton pump inhibitor; SCC: Squamous cell carcinoma.

#### Personal and family history

Case 1: Family history of colon cancer in her grandfather. No personal and family history of melanocytic lesions and malignancy.

Case 2: Family history of HTN in his mother.

#### Physical examination

Case 1: Normal appearance. Abdomen is flat soft on palpation with tenderness in the left lower quadrant. Bowel sounds are normal.

Case 2: He is not in acute distress. Abdomen is flat, soft and abnormal tenderness on right side and no guarding.

#### Laboratory examinations

**Case 1:** White blood cell counts 8.85 × 10°/L (3.50-9.50 × 10°/L); hematocrit 29.7% (40%-50%); hemoglobin 9.40 g/dL, platelets 135 K/ $\mu$ L (150-450 K/ $\mu$ L); serum calcium 8.20 mg/dL (8.70-10.50 mg/dL); alanine aminotransferase 100 U/L (0-40 U/L); aspartate aminotransferase 159 U/L (0-40 U/L); serum triglycerides 568 mg/dL (30-150 mg/dL).

**Case 2:** White blood cell counts  $10.02 \times 10^{\circ}/L$  (3.50-9.50  $\times 10^{\circ}/L$ ); hematocrit 34.6% (40.0%-50.0%); serum calcium 10.80 mg/dL (8.70-10.50 mg/dL); alanine aminotransferase 7 U/L (0-40 U/L); aspartate aminotransferase 13 U/L (0-40 U/L).

#### Imaging examinations

**Case 1**: During the upper gastrointestinal endoscopy, a normal Z-line was observed at 36 cm from the incisors, and brown/black pigmentation was seen in the middle one-third of the esophagus (Figure 1A). The abdominal X-ray showed normal results. A computed tomography (CT) scan of the abdomen/pelvis revealed the presence of uterine fibroids and bilateral hydroureteronephrosis. Additionally, an upper abdominal ultrasound indicated the presence of hepatic steatosis.

Case 2: During an upper gastrointestinal endoscopy, a narrowing was found in the upper part of the esophagus. Additionally, a single raised, cancerous-looking, and ulcerated mass measuring 50 mm in size was discovered in the lower esophagus, located 35 cm from the incisors. A CT scan of the abdomen revealed thickening of the esophageal wall



Zaishidena® WJG | https://www.wjgnet.com



Figure 1 Imaging examinations. A: Endoscopic poorly delineated pigmented lesion (arrow) on the mucosa; B and C: Hematoxylin and eosin stain shows basal cell hyperplasia, intercellular edema, and presence on non-atypical cells with melanin deposition (arrow) along the basal layer of the epithelium, 10 × and 40 × magnification; D: SRY-related HMG box 10 immunohistochemistry red nuclear positivity in the melanocytes.

in the middle to lower part of the esophagus.

#### **FINAL DIAGNOSIS**

#### Case 1

On the targeted biopsies, histopathologic examination of the specimen with hematoxylin and eosin staining showed basal cell hyperplasia, intracellular edema, and melanin pigment deposition in the basal layer without atypia (Figure 1B and C). Immunochemistry stains show scattered SRY-related HMG box 10 (SOX10) (Figure 1D) and S100-positive melanocytes in the basal layer, consistent with EM. The iron stain was negative.

#### Case 2

The esophageal biopsies from the stricture in the upper esophagus show squamous mucosa with melanin pigment deposition in the basal layer, without atypia. Immunohistochemistry stains show scattered SOX10-positive melanocytes in the basal layer, consistent with EM. The iron stain was negative. The biopsies from the mass show moderately differentiated squamous cell carcinoma.

#### TREATMENT

#### Case 1

Antihypertensive (losartan and carvedilol) and selective serotonin reuptake inhibitors (paroxetine).

#### Case 2

Neoadjuvant chemoradiation therapy for squamous cell carcinoma.



#### OUTCOME AND FOLLOW-UP

#### Case 1

The patient's upper gastrointestinal symptoms have resolved at the one-year follow-up, and no follow-up endoscopy data is available.

#### Case 2

One year follow up imaging showed metastatic squamous cell carcinoma in thoracic vertebra.

#### DISCUSSION

A review of 55 reported cases and a cohort of 2 cases from our hospital (total n = 57) was performed (Table 1). Patients had a mean age of 59 (range 22-80) years, with male predominance (M:F = 1.9:1.0). Endoscopically visible pigmented lesions were present in 89% (51 out of 57) of the patients. In 84 % (n = 43/51) of the patients, the lesion is present in the middle one-third or lower one-third of the esophagus, six patients have lesions in the upper one-third, two patients have lesions in the upper and middle one-third of esophagus. A clinical association with various diseases has been reported in 38 of 57 patients. The most frequent association was present in 45 % (n = 17/38) of the patients with peptic ulcer diseases and gastritis. Other less frequent associations have been reported with esophageal melanoma (n = 4), anal melanoma (n = 1), esophageal squamous cell carcinoma (n = 3), hypopharyngeal squamous cell carcinoma (n = 1). There is a rare association with systemic disorders like celiac disease (n = 1), Addison's disease (n = 1). Laugier-Hunziker syndrome (n = 1), and mental anorexia (n = 1). No association was reported in two cases (n = 2). Medication history is available for eight patients, and four of these patients are on proton pump inhibitors, two are on antihypertensive medications (losartan), one is on iron medication, and one is on azathioprine. A clinical history of alcohol use is present in 55 % (6/11), and smoking is present in 67% (8/12) of patients.

EM is a relatively rare condition characterized by the presence of melanin pigment and melanocytes at the basal layer of the esophagus. EM was described for the first time in 1963 by De La Pava *et al*[1], and its prevalence was reported to be 4% in autopsy series. While EM is generally considered a benign condition, its clinical significance and potential association with other gastrointestinal disorders have been subjects of interest in medical literature.

Although the pathogenesis of melanocytosis is not clearly defined, there are two theories. The first is the aberrant migration of neural crest cells during embryogenesis, and the second is the differentiation of stem cells located in the basal layer of the epithelium into melanoblasts due to various injuries. The second theory seems to be preferred as melanocytosis has been associated with esophagitis and gastroesophageal reflux diseases, described in patients with a history of alcohol abuse and smoking and in the surrounding esophageal carcinomas[13-28]. One case from our cohort (case 2) also showed an association with stricture of the upper esophagus and squamous cell carcinoma of the lower esophagus. It is worth noting that this patient does not have a history of smoking or alcohol consumption. This finding may suggest that EM could potentially be considered an independent risk factor for the development of malignancy. Walter *et al*[27] reported EM associated with esophageal squamous cell carcinoma, and Dinneen *et al*[32] reported an association with esophageal wall thickness on CT scans. Sarbia *et al*[14] and Kleikamp *et al*[15] reported EM associated with gastroesophageal junction adenocarcinoma. Maroy *et al*[13] reported EM associated with tonsillar squamous cell carcinoma and esophageal melanoma. The association with other rare systemic disorders reported in the literature include Laugier-Hunziker syndrome, Addison's disease, and celiac disease[3,28,34].

The other case in our cohort (case 1) shows the presence of melanin pigment and melanocytes in the basal layer, along with basal cell hyperplasia and intercellular edema. Case series of Sharma *et al*[5] have shown an association of histological features of esophageal injury (such as basal cell proliferation, intercellular edema, and esophagitis) with EM in seven of twenty-one cases. Destek *et al*[28] and Vincent Comraj *et al*[17] reported EM in association with esophageal injury. The observed association between histological features of injury may provide support for the hypothesis that the stem cells situated in the basal layer differentiate towards the melanocytes in response to injury as one of the initial events.

The differential diagnosis of EM includes pseudomelanosis, tumoral melanocytic lesion, and other rare entities such as blue rubber bleb nevus syndrome. Pseudo melanosis is an accumulation of various substances in macrophages, fibroblasts, or epithelial cells and is caused by exogenous deposition (dye injection and anthracosis), hemosiderosis or hemochromatosis, and lipofuscin pigment deposition. Periodic-Acid Schiff and Prussian blue iron stains highlight lipofuscin and iron pigments accumulation, respectively. The most important differential diagnosis of esophageal melanocytosis has to be made with tumoral melanocytic lesions. The two main entities described in the literature are blue nevus and primary malignant esophageal melanoma (PMME). The blue nevus is rare and shows the presence of heavily pigmented melanocytes in the lamina propria without junctional activity and cytonuclear atypia. PMME is also sparce and appears mainly as a pigmented mass or a polypoid pigmented lesion in the middle or lower esophagus. Although PMME can occasionally present as flat and poorly delineated macules exhibiting the same endoscopic picture as melanosis, histologically in PMME, there is invasion and destruction of the basal lamina and nests of epithelioid cells or spindle cells with cytonuclear atypia, abnormal mitotic figures, and junctional activity [3,35,36].

Zaishideng® WJG https://www.wjgnet.com

#### CONCLUSION

EM is a rare but well-characterized condition. Although it can be treated conservatively, it is essential to consider it when diagnosing esophageal pigmented lesions. The causes and natural progression of the condition are not fully understood, but various studies have reported an association with malignancy and as a potential precursor for malignancy. We recommend following up with a gastroenterologist for further evaluation. Extended research is necessary to establish additional correlations for the condition.

#### FOOTNOTES

Author contributions: Kazacheuskaya L and Arora K designed the research study, analyzed the data, and wrote the manuscript; and all authors have read and approved the final manuscript.

Informed consent statement: Informed written consent was obtained from the patients for the publication of this report and any accompanying images.

**Conflict-of-interest statement:** The authors declare that they have no conflict of interest to disclose.

CARE Checklist (2016) statement: The authors have read the CARE Checklist (2016), and the manuscript was prepared and revised according to the CARE Checklist (2016).

**Open-Access:** This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: https://creativecommons.org/Licenses/by-nc/4.0/

Country of origin: United States

ORCID number: Kshitij Arora 0009-0004-9254-612X.

S-Editor: Chen YL L-Editor: A P-Editor: Zheng XM

#### REFERENCES

- De La Pava S, Nigogosyan G, Pickren JW, Cabrera A. Melanosis of the esophagus. Cancer 1963; 16: 48-50 [PMID: 14025842 DOI: 1 10.1002/1097-0142(196301)16:1<48::aid-cncr2820160107>3.0.co;2-m]
- 2 Özden A, Seven G, Savaş B, Üstün Y, Ensari A, Yusifova A. Özofageal melanositozis - Üç olgu ve literatürün gözden geçirilmesi. 2008. [cited 20 September 2024]. Available from: https://akademik.tgv.org.tr/index.asp?islem=makaledetay&sayfa=281
- Chang F, Deere H. Esophageal melanocytosis morphologic features and review of the literature. Arch Pathol Lab Med 2006; 130: 552-557 3 [PMID: 16594751 DOI: 10.5858/2006-130-552-EMMFAR]
- 4 Yokoyama A, Omori T, Yokoyama T, Tanaka Y, Mizukami T, Matsushita S, Higuchi S, Takahashi H, Maruyama K, Ishii H, Hibi T. Esophageal melanosis, an endoscopic finding associated with squamous cell neoplasms of the upper aerodigestive tract, and inactive aldehyde dehydrogenase-2 in alcoholic Japanese men. J Gastroenterol 2005; 40: 676-684 [PMID: 16082583 DOI: 10.1007/s00535-005-1610-3]
- Sharma SS, Venkateswaran S, Chacko A, Mathan M. Melanosis of the esophagus. An endoscopic, histochemical, and ultrastructural study. 5 Gastroenterology 1991; 100: 13-16 [PMID: 1983815 DOI: 10.1016/0016-5085(91)90576-7]
- Agarwal S A, Gnanamoorthy K, K A, Athani AV. Esophageal Melanosis: An Unknown Entity. Cureus 2022; 14: e29064 [PMID: 36249600 6 DOI: 10.7759/cureus.29064]
- Dubail A, Dano H, de Suray N, Hassaini H, Jouret-Mourin A. Esophageal Melanocytosis: report of two cases and review of a rare and 7 misunderstood entity. Acta Gastroenterol Belg 2022; 85: 390-392 [PMID: 35709783 DOI: 10.51821/85.2.10126]
- 8 Voltaggio L, Montgomery EA. Biopsy Interpretation of Gastrointestinal Tract mucosa. Philadelphia: Wolter Kluwer, 2018: 8-9
- Kuo P, Takahashi H, Ruszkiewicz A, Schoeman M. Education and imaging. Gastrointestinal: esophageal melanocytosis--the esophagus that 9 seemed "off-color". J Gastroenterol Hepatol 2011; 26: 1463 [PMID: 21884250 DOI: 10.1111/j.1440-1746.2011.06696.x]
- Horowitz M, Nobrega MM. Primary anal melanoma associated with melanosis of the upper gastrointestinal tract. Endoscopy 1998; 30: 662-665 [PMID: 9826150 DOI: 10.1055/s-2007-1001373]
- Dumas O, Barthélémy C, Billard F, Dumollard JM, Boucheron S, Calmard P, Rousset H, Audigier JC. Isolated melanosis of the esophagus: 11 systematic endoscopic diagnosis. Endoscopy 1990; 22: 94-95 [PMID: 2335153 DOI: 10.1055/s-2007-1012807]
- Bogomoletz WV, Lecat M, Amoros F. Melanosis of the oesophagus in a Western patient. Histopathology 1997; 30: 498-499 [PMID: 9181376 12 DOI: 10.1046/j.1365-2559.1997.00540.x]
- Maroy B, Baylac F. Primary malignant esophageal melanoma arising from localized benign melanocytosis. Clin Res Hepatol Gastroenterol 13 2013; 37: e65-e67 [PMID: 22959400 DOI: 10.1016/j.clinre.2012.08.003]
- Sarbia M, Ringelhan M, Siveke J, Bettstetter M, Karimi D. [Paraneoplastic acanthosis nigricans of the esophagus: a case report]. Z 14 Gastroenterol 2012; 50: 680-683 [PMID: 22760680 DOI: 10.1055/s-0031-1299503]



- Kleikamp S, Böhm M, Frosch P, Brinkmeier T. [Acanthosis nigricans, papillomatosis mucosae and "tripe palms" in a patient with metastasized 15 gastric carcinoma]. Dtsch Med Wochenschr 2006; 131: 1209-1213 [PMID: 16721709 DOI: 10.1055/s-2006-941753]
- Kumari NS, Srujana S, Sireesha A, Krishna L, Kumar OS. Esophageal Melanocytosis An Unusual Melanocytic Entity. J Assoc Physicians 16 India 2016; 64: 75-76 [PMID: 27735158]
- Vincent Comraj D, Zainab A, Arthur M, Chauhan J, Pandurangan V, Srinivasan D. A Case Report of Hereditary Palmoplantar Keratoderma 17 with Esophageal Melanosis. Middle East J Dig Dis 2023; 15: 141-143 [PMID: 37546510 DOI: 10.34172/mejdd.2023.335]
- Geramizadeh B, Asadian F, Taghavi A. Esophageal melanocytosis in oral opium consumption. Iran Red Crescent Med J 2014; 16: e7820 18 [PMID: 24719715 DOI: 10.5812/ircmj.7820]
- Kinugasa H, Tanaka T, Okada H. Esophageal melanosis with eosinophilic esophagitis. Gastrointest Endosc 2020; 91: 1203-1204 [PMID: 19 31863738 DOI: 10.1016/j.gie.2019.12.006]
- Mori A, Tanaka M, Terasawa K, Hayashi S, Shimada Y. A magnified endoscopic view of esophageal melanocytosis. Gastrointest Endosc 20 2005; 61: 479-481 [PMID: 15758930 DOI: 10.1016/s0016-5107(04)02638-0]
- Yamazaki K, Ohmori T, Kumagai Y, Makuuchi H, Eyden B. Ultrastructure of oesophageal melanocytosis. Virchows Arch A Pathol Anat 21 Histopathol 1991; 418: 515-522 [PMID: 2058085 DOI: 10.1007/BF01606502]
- 22 Yamamoto O, Yoshinaga K, Asahi M, Murata I. A Laugier-Hunziker syndrome associated with esophageal melanocytosis. Dermatology 1999; 199: 162-164 [PMID: 10559586 DOI: 10.1159/000018227]
- Kaneko Y, Miyoshi K, Tsurui K, Matsumoto M, Enomoto M, Iwasaki K, Ota Y, Katsumata K, Nagakawa Y. [A Case of Esophageal 23 Malignant Melanoma during Follow-Up of Esophageal Melanosis Metastasis]. Gan To Kagaku Ryoho 2022; 49: 1998-2000 [PMID: 36733070]
- Kato T, Harano M, Ono S, Sato D. [A case of superficial primary malignant melanoma of the esophagus]. Gan To Kagaku Ryoho 2013; 40: 24 2109-2111
- Oshiro T, Shimoji H, Matsuura F, Uchima N, Kinjo F, Nakayama T, Nishimaki T. Primary malignant melanoma of the esophagus arising from 25 a melanotic lesion: report of a case. Surg Today 2007; 37: 671-675 [PMID: 17643212 DOI: 10.1007/s00595-006-3444-x]
- Suzuki H, Nakanishi Y, Taniguchi H, Shimoda T, Yamaguchi H, Igaki H, Tachimori Y, Kato H. Two cases of early-stage esophageal 26 malignant melanoma with long-term survival. Pathol Int 2008; 58: 432-435 [PMID: 18577112 DOI: 10.1111/j.1440-1827.2008.02249.x]
- 27 Walter A, van Rees BP, Heijnen BH, van Lanschot JJ, Offerhaus GJ. Atypical melanocytic proliferation associated with squamous cell carcinoma in situ of the esophagus. Virchows Arch 2000; 437: 203-207 [PMID: 10993284 DOI: 10.1007/s004280000220]
- Destek S, Gul VO, Ahioglu S, Erbil Y. A Rare Disease of the Digestive Tract: Esophageal Melanosis. Gastroenterology Res 2016; 9: 56-60 28 [PMID: 27785326 DOI: 10.14740/gr670w]
- 29 Berry MA, DiPalma JA. Esophageal melanosis. J Clin Gastroenterol 1995; 21: 79 [PMID: 7560842]
- Nagra N, Tolentino L, Singhvi G. Esophageal Melanosis: A Rare Condition of Undetermined Significance. Clin Gastroenterol Hepatol 2020; 30 18: e59 [PMID: 30902599 DOI: 10.1016/j.cgh.2019.03.025]
- Jones BH, Fleischer DE, De Petris G, Heigh RI, Shiff AD. Esophageal melanocytosis in the setting of Addison's disease. Gastrointest Endosc 31 2005; 61: 485-487 [PMID: 15758932 DOI: 10.1016/s0016-5107(04)02845-7]
- Dinneen HS, Protopapas G, Fitzhugh V, Ahlawat S. Darkest before dawn: esophageal melanocytosis mimicking primary esophageal 32 melanoma. Gastrointest Endosc 2014; 80: 1203-1205 [PMID: 25434669 DOI: 10.1016/j.gie.2014.07.042]
- Changela K, Reddy M. Smoker's melanosis: Isolated pigmented lesion in the laryngopharynx and esophagus. Turk J Gastroenterol 2017; 28: 33 524-525 [PMID: 29086722 DOI: 10.5152/tjg.2017.17186]
- 34 Ohashi K, Kato Y, Kanno J, Kasuga T. Melanocytes and melanosis of the oesophagus in Japanese subjects--analysis of factors effecting their increase. Virchows Arch A Pathol Anat Histopathol 1990; 417: 137-143 [PMID: 2114692 DOI: 10.1007/BF02190531]
- Lam KY, Law S, Chan GS. Esophageal blue nevus: an isolated endoscopic finding. Head Neck 2001; 23: 506-509 [PMID: 11360315 DOI: 35 10.1002/hed.1068]
- Ohnuma H, Ishikawa K, Hirakawa M, Kikuchi S, Sato Y, Miyanishi K, Kato J. Cases of primary malignant melanoma and melanocytosis of 36 the esophagus observed by magnifying endoscopy: Application to differential diagnosis: case series. Medicine (Baltimore) 2017; 96: e6701 [PMID: 28445275 DOI: 10.1097/MD.00000000006701]



WJG | https://www.wjgnet.com



### Published by Baishideng Publishing Group Inc 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA Telephone: +1-925-3991568 E-mail: office@baishideng.com Help Desk: https://www.f6publishing.com/helpdesk https://www.wjgnet.com

