

国内版

国际版

An extremely rare pedunculated lipoma of the hypopharynx: A case report



All

Images

Videos

翻译成中文

关闭取词

32,300 Results

Any time ▾

A rare case of a pedunculated lipoma in the pharynx ...

https://www.researchgate.net/publication/11396278_A_rare_case_of_a...

While **lipomas** on the trunk and limbs are common, they are **rare** in the upper aerodigestive tract. **A case** is reported of an 18 cm long **pedunculated lipoma** arising from the **hypopharynx** in a 73 year ...

Lipoma of the larynx: a case report - PubMed Central (PMC)

www.ncbi.nlm.nih.gov › ... › v.30(1); 2010 Feb

Nov 10, 2007 · **Lipoma** is a benign tumour of **mesenchymal** origin with a very **rare** occurrence in the upper aero-digestive tract. To date, approximately 100 **cases** have been described in the literature. This lesion has a slow growth and, therefore, can present with various symptoms due to the mass effect with obstruction and compression on neighbouring structures, including dysphagia for liquid and solid food, ...

Cited by: 11

Author: M De Vincentiis, A Greco, A Mascelli, P S...

Publish Year: 2010

A rare case of a pedunculated lipoma in the pharynx ...

emj.bmj.com › Archive › Volume 19, Issue 3 ▾

May 01, 2002 · While **lipomas** on the trunk and limbs are common, they are **rare** in the upper aerodigestive tract. **A case** is reported of an 18 cm long **pedunculated lipoma** arising from the **hypopharynx** in a 73 year old man. The tumour was asymptomatic until it appeared in the mouth of the patient after a coughing episode.

Cited by: 11

Author: R A P Persaud, R Kotnis, C C Ong, D A ...

Publish Year: 2002

Rare Giant Pedunculated Liposarcoma of the Hypopharynx

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 48478

Manuscript Type: CASE REPORT

An extremely rare pedunculated lipoma of the hypopharynx: A case report

Qiang S *et al.* A pedunculated lipoma of the hypopharynx

Qiang Sun, Chun-Lin Zhang, Zhao-Hui Liu

Abstract

BACKGROUND

Hypopharyngeal lipoma is a rare disease that can lead to asphyxiation after aspiration. Sclerotic lipoma in the hypopharynx is extremely rare histological

Match Overview

1 **Crossref** 18 words
S R Hart. "Spontaneous haemopneumothorax: are guidelines overdue?", *Emergency Medicine Journal*, 5/1/2002 2%



国内版 国际版

An extremely rare pedunculated lipoma of the hypopharynx: A case report



All

Images

Videos

翻译成中文

关闭取词

35,500 Results

Any time ▾

A rare case of a pedunculated lipoma in the pharynx ...

<https://emj.bmj.com/content/19/3/275> ▾

May 01, 2002 · While **lipomas on the trunk and limbs** are common, they are **rare in the upper aerodigestive tract**. A **case is reported of an 18 cm long pedunculated lipoma** arising from the **hypopharynx** in a 73 year old man. The tumour was asymptomatic until it appeared in the mouth of the patient after a coughing episode.

Cited by: 12 **Author:** R A P Persaud, R Kotnis, C C Ong, D A ...

Publish Year: 2002

A rare case of a pedunculated lipoma in the pharynx ...

https://www.researchgate.net/publication/11396278_A_rare_case_of_a_pedunculated_lipoma...

A **case is reported of an 18 cm long pedunculated lipoma** arising from **the hypopharynx** in a **73 year old man**. The **tumour** was asymptomatic until it appeared in the mouth of the patient after a ...

(PDF) Lipoma of the larynx: A case report - ResearchGate

https://www.researchgate.net/publication/44684143_Lipoma_of_the_larynx_A_case_report

Lipomas of the oropharynx, hypopharynx, larynx are very **rare**, typically accounting for less than 1% of all **hypopharyngeal and laryngeal benign neoplasms**.

Lipoma of the larynx: a case report - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2881609>

Possible malignant transformation is **rare in cases** of a single **lipoma** whereas it has been described in association with multiple **laryngo-pharyngeal lipomatosis** and histological features of **malignancy** are more evident in **recurrent lipoma** 32 33.

Cited by: 13 **Author:** M De Vincentiis, A Greco, A Mascelli, P ...

Publish Year: 2010

A Pedunculated Fibrolipomatous Polyp of Tonsil: A Rare ...

<https://www.scirp.org/Journal/PaperInformation.aspx?PaperID=74659> ▾

Lipoma being the most common mesenchymal tumour of the body is **rare** in head and neck region. **Fibrolipoma** is a **rare benign tumour of palatine tonsil** which may present a **pedunculated lesion** in **oropharynx** and can cause dysphagia, foreign body sensation in ...

Author: Dheeraj Lambor, Surender Kumar, N **Publish Year:** 2017



All

Images

Videos

翻译成中文

开启取词

36,200 Results

Any time ▾

A rare case of a pedunculated lipoma in the pharynx ...

<https://emj.bmj.com/content/19/3/275> ▾

May 01, 2002 · While **lipomas on the trunk and limbs** are common, they are **rare in the upper aerodigestive tract**. A **case is reported of an 18 cm long pedunculated lipoma** arising from the **hypopharynx** in a 73 year old man. The tumour was asymptomatic until it appeared in the mouth of the patient after a coughing episode.

Cited by: 12

Author: R A P Persaud, R Kotnis, C C Ong, D A B...

Publish Year: 2002

A rare case of a pedunculated lipoma in the pharynx ...

https://www.researchgate.net/publication/11396278_A_rare_case_of_a_pedunculated_lipoma...

A **case is reported of an 18 cm long pedunculated lipoma** arising from **the hypopharynx** in a **73 year old man**. The **tumour** was asymptomatic until it appeared in the mouth of the patient after a ...

Lipoma of the larynx: a case report - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2881609>

Possible malignant transformation is **rare in cases** of a single **lipoma** whereas it has been described in association with multiple **laryngo-pharyngeal lipomatosis** and histological features of **malignancy** are more evident in **recurrent lipoma** 32 33.

Cited by: 13

Author: M De Vincentiis, A Greco, A Mascelli, P S...

Publish Year: 2010

(PDF) Lipoma of the larynx: A case report - ResearchGate

https://www.researchgate.net/publication/44684143_Lipoma_of_the_larynx_A_case_report

Lipoma of the larynx: a case report. ... a **pedunculated lipoma** in the pharynx. Emerg Med J ...

Lipomas of the oropharynx, **hypopharynx**, larynx are **very rare**, typically accounting for less than 1% ...

Giant pedunculated lipoma of the esophagus: A case report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5133468>

Although **Esophageal lipoma** is **extremely rare** and pathologically benign, **surgical excision of the lipoma** is recommended when symptomatic or uncertain biological behavior. In general, some of the **esophageal lipoma** has a stalk. The **pedunculated non-invasive tumor** can be removed by **stalk ligation**, which is either endoscopic or surgical approach.