

NH	SEXO	EDAD	PESO	TALLA	IMC	CINTURA	TA	FIBROSIS FS>7.0	OH	FSCAN	IQR	APRI	SMT	criterio
1	0	75	66.1	150.0	29.38	100.0	179/96	0	0	5.8	0.3	0.346	1	4
2	0	54	51.6	165.0	18.95	68.0	110/80	0	0	4.1	0.8	0.423	0	0
3	0	61	76.1	166.0	27.62	101.0	178/106	0	0	5.0	0.8	0.292	1	4
4	0	67	64.5	160.0	25.20	82.5	128/84	0	0	3.9	0.4	0.185	0	1
5	0	54	60.0	162.0	22.86	84.0	113/86	0	0	2.9	0.2	0.226	0	1
6	0	64	56.9	161.0	21.82	75.5	100/73	0	0	5.6	0.6	0.327	0	0
7	1	72	63.6	165.0	23.36	94.5	126/74	0	0	4.8	0.5	0.624	0	1
8	0	62	63.0	159.5	24.76	83.0	118/75	0	0	4.2	0.7	0.237	0	0
9	0	56	52.0	166.0	18.87	73.0	101/78	0	0	2.9	0.4	0.289	0	1
10	1	81	60.0	159.5	23.58	98.0	120/74	0	0	3.1	0.4	0.380	0	1
11	0	55	73.3	162.0	29.93	98.0	106/77	0	0	3.3	0.3	0.395	0	1
12	0	38	64.3	156.0	26.40	85.0	87/60	0	0	2.8	0.3	0.107	0	1
13	1	72	82.0	172.5	27.56	99.0	139/85	0	0	3.3	0.4	0.276	1	4
14	0	66	49.9	157.0	20.24	81.5	145/95	0	0	3.9	0.7	0.337	0	1
15	1	65	72.9	163.5	27.27	96.0	129/89	0	0	4.3	1.0	0.207	0	2
16	0	76	66.2	152.0	28.65	86.5	142/91	0	0	5.2	1.4	0.130	0	2
17	1	69	77.5	166.0	28.12	105.0	154/91	0	0	3.5	0.5	0.423	0	2
18	0	78	70.0	144.5	29.33	101	121/95	0	0	3.1	0.7	0.555	0	2
19	1	63	73.0	166.5	26.33	94.5	113/60	1	0	13.1	2.3	0.575	0	2
20	0	36	67.2	153.0	28.71	89	107/79	0	0	3.5	0.4	0.211	0	1
21	0	58	57.3	161.5	21.97	70	103/74	0	0	4.1	0.9	0.34	0	0
22	0	69	70.5	164.5	26.07	106.5	138/86	0	0	4.1	0.9	0.291	0	1
23	0	65	66.5	158.5	26.47	90	165/98	0	0	4.8	0.9	0.225	0	2
24	0	58	70.0	162.0	26.67	86	127/81	0	0	5.4	1.5	0.313	0	1
25	0	37	70.0	159.0	27.69	81.2	100/77	0	0	4.3	1	0.218	0	0
26	0	56	59.2	155.0	24.64	78.5	84/57	0	0	2.9	0.7	0.216	0	0
27	1	55	87.5	185.0	25.57	102.5	120/73	0	0	6.1	0.9	0.242	0	0
28	0	65	54.5	152.5	23.43	81.5	115/67	0	0	4.5	0.3	0.193	0	0
29	0	56	57.8	164.2	21.44	71.5	101/77	0	0	5.2	0.8	0.277	0	0
30	0	76	79.0	168.0	27.99	99.5	170/90	1	0	11.5	4.6	0.349	1	5
31	0	59	60.0	154.0	25.30	77	136/88	1	0	8.3	0.6	0.405	0	0
32	0	38	75.3	163.5	28.17	84.5	117/83	0	0	3.8	0.4	0.338	0	1
33	1	53	70.0	160.0	27.34	97	132/81	0	0	4.6	1.1	0.364	0	2
34	0	79	56.0	155.0	23.31	84.5	150/90	0	0	3.4	0.8	0.274	0	1

35	0	59	81.0	178.5	25.42	99	115/85	0	0	5.5	0.9	0.679	0	2
36	0	66	73.0	160.0	28.52	91	185/90	0	0	5.6	0.6	0.33	0	2
37	0	50	72.0	162.5	27.27	82	130/103	0	0	4	0.9	0.242	0	2
38	1	63	80.0	175.0	26.12	104	130/80	0	0	4.8	0.6	0.168	0	1
39	1	81	58.0	153.0	24.78	93	187/97	0	0	6.9	1.2	0.429	0	1
40	1	65	72.0	162.5	27.27	100	120/75	0	0	6.6	0.8	0.242	0	2
41	0	64	53.6	154.5	22.45	69	112/80	0	0	4.8	0.4	0.243	0	0
42	0	44	56.5	159	22.35	77	111/79	0	0	2.5	0.5	0.213	0	0
43	0	72	39	151	16.99	72.5	130/84	1	0	9.3	2.1	1.087	0	3
44	0	56	78.0	163.0	29.63	93	126/78	0	0	5.4	0.7	0.217	0	1
45	1	82	80.6	169.0	28.22	104.5	147/88	0	0	4.2	1	0.46	0	1
46	0	53	58.0	160.0	22.66	80	130/85	0	0	3.5	0.5	0.33	0	0
47	0	73	80.5	164.0	29.93	95	158/89	0	0	3.8	0.5	0.25	1	1
48	0	59	55.0	164.0	20.45	73	99/80	0	0	3.8	0.3	0.38	0	0
49	0	72	65.5	155.0	27.26	85	129/87	0	0	6.1	0.5	0.47	0	1
50	0	45	60.0	160.0	23.44	72.5	104/69	0	0	4	0.6	0.12	0	0
51	0	46	70.0	168.0	24.80	85.5	96/61	0	0	4.2	0.7	0.18	0	1
52	1	66	78.0	170.0	26.99	92.5	136/73	0	0	3.9	1.6	0.25	0	0
53	0	76	60.9	155.5	25.19	78	149/74	0	0	5.4	0.8	0.5	0	2
54	0	56	68.5	160.0	26.76	91.5	139/91	0	0	5.3	0.6	0.27	1	3
55	1	74	65.0	165.0	23.88	92		0	0	3.5	0.4	0.26	0	1
56	1	51	70.0	167.0	25.10	90	128/82	0	0	4.6	0.3	0.41	0	0
57	0	44	74.0	157.2	29.95	100	123/86	1	0	8.3	2.4	0.23	0	0
58	0	73	72.0	167.0	25.82	102	147/94	0	0	4.6	0.4	0.22	1	3
59	0	56	77.1	161.0	29.71	96	117/76	1	0	13.2	3.6	0.28	1	
60	1	61	97.4	186.5	28.00	107	157/88	0	0	5.7	1.7	0.24	1	4

SMT	ECO	DAS28	GOT	GPT	GGT	FAL	BIL	ALB	COAG	GLU	TG	COLEST	HDL-COL	TTO HTA
si (4/5)	esteatosis.1	2.41	35	43	29	87	0.4	4.7	0.9/120%	104	244	199		49 1
no (0/5)	no esteatosis. 0	2.81	30	39	48	75				90	108			67 0
SI(4/5)	esteatosis moderada	1.71	43	28	22	51	0.6	4.8	0.8/138%	131	150	279		56 1
NO (1/5)	normal. No est	1.75	14	16	49	85	0.1	4.2	0.9/125%	84	110	235		80 1
NO(1/5)	no esteatosis.	1.75	20	17	20	92	1	4.6	0.9/119%	93	105	254		66 0
NO(0/5)	no	1.51	21	19	48	149				87	110	219		92 0
NO (1/5)	NO	2.28	20	27	30	78	1.35			101	46	106		58 0
NO(0/5)	no	1.20	19	16	11	94				89	71	217		58 0
NO((1/5)	NO EST	1.94	30	36	36	80	0.6	4.5	0,9/110	92	79	234		47 0
NO(1/5)	no	2.74	22	12	23	58				117		226		0
NO(1/5)	no est	2.04	29	33	20	85	0.4	4.3	1,0/105	107	71	259		82 0
NO(1/5)	esteatosis	1.86	11	13	15	50	0.5	4.1	1,0/106	85	127	173		64 0
SI(4/5)	esteatosis	3.27	19	30	31	86	0.5	3.6	1,1/85	133	73	144		56 1
NO(1/5)		2.55	26	26	24	67				98	57	211		103 0
NO (2/5)	no est. Normal.	2.67	17	13	82	120	0.3	4	1,0/103%	92	60	173		63 0
NO(2/5)	normal. No est	2.91	14	16	14	48				131				1
NO(2/5)	normal. No est	4.05	21	19	19	57	0.7	4.5	1.0(104)	127	90	185		58 0
NO(2/5)	no est	2.51	26	15	21	82	0.5	4	NV	99	69	197		78 1
NO(2/5)	No. Normal	2.18	37	53	45	133		4.1		77	77	118		34 0
NO(1/5)	no	1.90	23	20	15	56				97				0
NO(0/5)	no est	2.31	20	20	24	97	0.4	4.7	0,9(130)	88	72	245		82 0
NO(1/5)	SI	6.10	15	15	12	69				102				0
NO(2/5)			20	16	24			4.65		85				1
NO(1/5)	NO	1.60	19	16	16	56				124	114	252		61 0
NO(0/5)	no est	2.19	18	16	11	64	0.5	4.3	1,0(100)	93	61	176		63 0
NO(0/5)	NO EST		19	18		72								0
NO(2/5)	no est	2.21	25	26	17	78	0.5	4.3	1,0(95%)	122	95	180		45 0
NO(2/5)	no est	0.42	19	15	20	54	0.8	4.6	1,0(100%)	93	102	165		68 1
NO(0/5)	NO est.		24	21	19	101	0.3	4.7	1,0(98%)	85	76	181		49 0
SI(5/5)	NO	2.44	20	19	12	62				101	136	143		43 1
NO(0/5)	esteatosis		24	33	32	95	0.4	4.4	0,9(113)	86	86	230		54 0
NO(1/5)	NO EST	2.31	27	26	9	52				89				0
NO(2/5)	SI	1.85	30	23	23	70				89	73	197		33 0
NO(1/5)	no est	1.71	17	11	16	48	0.3	4.5	1(100%)	97				0

NO(2/5)	SI	2.52	20	13	17	103	0.5	4.8	1,0(101%)	110	56	159	80	0
no (2/5)	NO	2.02	21	16	22	74				94				0
NO(2/5)	SI	5.5	23	14	19	119	0.4	4.5	0,9(124)	96	86	182	68	1
NO(1/5)	SI		17	14	20					110				
n(1/5)	NO	1.88	27	21	32	71				114				
no(2/5)	NO	2.892	26	25	57	60				92	107	249	58	0
no(0/5)	NO	1.49	93	19	11	20				93	80	189		0
no(0/5)	NO	1.94	20	12	11	67				91				0
si(3/5)		1.47	63	61	16	57				94	196	268	68	1
no(1/5)	NO est	1.56	19	21	18	78	0.3	4.2	1,0(102)	100	63	218	74	0
no(1/5)	SI	3.1	49	73										0
no(0/5)	NO	2.32	20	13	12	52				104				0
si(5/5)	SI		25	22	16	76	0.4	4.7	1,0(98%)	114	176	197	71	1
no(0/5)	NO	1.15	29	34	18	105				92	62	223	61	0
no(1/5)	SI	1.78	30	28	20	57				107				0
no(0/5)	NO	6.369	13	8	8	53	0.4	4.3	1,0(100%)	88	35	155	56	0
no(1/5)	NO	1.57	14	10	16	46				87	66	209	55	0
no(0/5)	NO	1.94	17	14	23	85				101	77	199	63	0
no (2/5)	SI	1.13	21	21		68				84				1
si(3/5)	NO		20	16	17	116				124		321	71	0
no (1/5)	NO	3.08	17	9	15	81				97				1
no(0/5)	NO	2.31	27	25	32	81				102	152	214	44	0
no(2/5)	SI	2.99	15	15	22	56				98	154	206	57	0
si(3/5)		1.85	19	17	18	100				113	209	182		0
si(3/5)	SI	4.27	25	16	36	89				111	96	259	79	0
si(4/5)	SI	0.97	23	25	23	70				167				1

TTO COLES	VHC	VHB	TTO DM2	TTO TGS	NASH	MTX_dura(m)	MTX-duració	dosis_acu	dosis acumulada	FR	APC
0	NEG	NEG	0	0	0	72.5	72.5	3070	3070mg (2090)	28.0	48
0	NEG	NEG	0	0	0	16	68 sem(16m)	680	680mg	17.4	351
0	NEG	NEG	0	0	0	15	64s(15m)	700	700mg	16.5	106
0	NEG	NEG	0	0	0	9	36s(9m)	487	487mg	27.4	500
0	NEG	NEG	0	0	0	13	56s(13m)	840	840mg	10.1	311
0			0	0	0	72	312s(72m)	6545	6545mg	120.1	500
0	NEG	NEG	0	0	0	73	313s(73m)	5870	5870mg	37.0	500
0	NEG	NEG	0	0	0	70	300s(70m)	5850	5850mg	153.1	0
0	NEG	NEG	0	0	0	71	308s(71m)	5340	5340mg	96.2	500
0			0	0	0	142	614s(142m)	13220	13.220mg	102.0	
0	NEG	NEG	0	0	0	29	116s(29m)	2090	2,090	362.0	500
0	NEG	NEG	0	0	0	20	56s(20m)	1385	1385	183.0	0
1	NEG	NEG	1	0	0	27	118s(27m)	2485	2485	105.0	323
0		NEG	0	0	0	187	748s(187m)	10655	10,655	190.0	186
0	neg	neg	0	0	0	104	451S(104M)	10090	10090	168.0	476
0	NEG	NEG	0	0	0	54	234S(54M)	5080	5080	159.0	500
0	NEG	NEG	0	0	0	72	312(72)	4910	4910	360.0	0
0	neg	neg	0	0	0	192	768(192)	9580	9580		
1	neg	neg	0	0	0	48	192(48)	4380	4380	200	400
0			0	0	0	97	388(97)	8170	8170	107	137
0	neg	neg	0	0	0	23	92(23)	1540	1540		
0			0	0	0	26	104(26)	2000	2000	43	500
0	neg	neg	0	0	0	440	1760(440)	17,400	17400		
0			0	0	0	146	564(146)	7600	7600		
0	NEG	NEG	0	0	0	39	156(39)	1550	1550		
0	NEG	NEG	0	0	0	249	996(249)	16380	16380		
0	NEG	NEG	0	0	0	13	52(13)	920	920	266	500
1	neg	NEG	0	0	0	23	92(23)	980	980		
0	neg	neg	0	0	0	264	1056(264)	15840	15840		
1			0	0		144	576(144)	11380	11380		
0	neg	neg	0	0	0	17	68(17)	1020	1020		251
0			0	0	0	7	28(7)	370	370		
0			0	0	0	20	80(20)	980	980		
0	neg	neg	0	0	0	122	488(122)	4710	4710	32	

1	neg	neg	0	0	0	47	200(47)	5160	5160		
						32	136(32)	2804	2804		
0	neg	neg	0	0	0	6	24(6)	600	600		500
						192	832(192)	6240	6240		
	NEG	NEG				82	352(82)	7430	7430	16	
1	neg	neg	0	0	0	74	320(74)	4280	4280		
0			0	0	0	164	708(164)	6380	6380		
0			0	0	0	32	136(32)	2900	2900		
1			0	0	0	121	524(121)	9390	9390		
0	neg	neg	0	0	0	55	236(55)	4000	4000		
0			0	0	0	71	277(71)	2000	2000		
0			0	0	0	76	328(76)	6760	6760		
1	neg	neg	0	0	0	240	1040(240)	15600	15600		
0			0	0	0	37	160(37)	2150	2150		
0	neg	neg	0	0	0	78	336(78)	6230	6230	0	27.9
0	neg	neg	0	0	0	162	700(162)	7850	7850		
0			0	0	0	115	460	7540	7540		
0	neg	neg	0	0	0	98	392	4074	4074	126	137
1			0	0	0	96	384	3840	3840		
0			0	0	0	84	336	5290	5290		
0			0	0	0	125	500	6550	6550	100	0
0	neg	neg	0	0	0	182	720	6990	6990	118	500
0			0	0	0	72	288	2870	2870		
0	neg	neg	0	0	0	16	64	950	950	28	500
1			0	0	0	87	348	9920	9920		
1			1	0	0	43	172	3160	3160		

PCR	VSG	CAP	IQR	enfermedad	FIB-4	PLt	EST-CAP	
1.8		7	315	31	Mar-12	1.19	337	1
3		16	230	35	Oct-17	1.11	233	0
1.5		9	325	30		1.12	303	1
5		51	215	36		0.96	244	0
0.9		7	251	25		0.82	319	1
3.6		8	233	51		1.49	207	0
2		14	181	83		3.72	117	0
1.2		4	215	44		1.14	259	0
3.7		21	174	29		0.57	337	0
2.2		7	253	25		2.75	187	1
3.2		26	238	37		1.14	224	0
2.8		8	307	12		0.49	323	1
8.8		13	248	13		1.13	222	0
2.7		5	285	6	2003	1.35	249	1
10.3		20	196	51	0	1.15	266	0
7.3		48	223	28	Jan-14	0.76	348	0
7.9		10	299	35	May-13	1.97	163	1
			231	50	Jun-05	2.59	202	0
3.2		2	248	24	Sep-15	1.82	174	0
3.3			298	88	2011	0.53	352	1
1.4		5	235	48	2017	1.37	190	0
1.3		15	372	44	2016	1.61	166	1
10.4		22	254	35	1979	1.13	287	1
1.6			246	63	2007	1.41	196	0
0.9			152	19	2016	0.63	266	0
			246	28	1999	0.83	266	0
30.9			230	27	2018	0.97	279	0
0.3		19	228	22	2016	1	318	0
			187	33	1991	1.05	279	0
0.3		12	271	52	2007	1.88	185	1
5.2		15	286	62	1996	1.29	191	1
5.1		8	246	31	2017	0.78	258	0
2.6		7	286	61	2016	1.49	223	1
2.7		9	267	72	2008	2.02	200	1

9.9	24	309	47	2015	3.44	95*	1
7.8	3	189	18	2017	1.69	205	0
24.9	27	274	35	2019	1	306	1
7.6	5	251	34	2003	0.86	276	1
4.9	24	199	25	2012	2.35	203	0
4.3	12	281	63	2013	0.17	290	1
0.8	15	227	35	2003	1.45	252	0
3.8	17	242	29	2017	0.84	303	0
0.3	6	237	39	1999	3.11	187	0
1.4	3	273	38	2015	0.82	283	1
7.3	5	347	92	2012	1.62	291	1
1.2	17	224	23	2013	1.48	198	0
0.4	24	220	26	1989	1.2	345	0
0.7	2	191	34	2016	1.2	245	0
2		329	56	2013	2.04	207	1
1	25	155	11	2000	0.61	339	0
0.7	4	164	25	2010	0.79	257	0
5.3	5.3	286	33	2014	1.36	221	1
0.6	1	260	25	2006	2.58	135	1
3.4	25	238	32	2012	1.18	238	0
10.7	12	226	43	2009	2.4	175	0
0.3	6	238	28	2004	1.56	177	0
0.3		335	35	2003	0.87	196	1
4.5	4	256	70	2018	1.19	283	1
0.3	1	400	34	2012	1.22	287	1
6.3	4	261	86	2016	1.1	256	1