

找到约 45,700 条结果 (用时 0.52 秒)

Google 学术: Identification of patients with pancreatic adenocarcinoma due to inheritable mutation: challenges of daily clinic practice.

Cancer risk in mutation carriers of DNA-mismatch- ... - Aarnio - 被引用次数: 1277

... : Exploiting a synthetic lethal strategy in the clinic - Yap - 被引用次数: 161

... syndrome (hereditary nonpolyposis colorectal cancer) - Hampel - 被引用次数: 1075

Gene mutations linked to pancreatic cancer -- ScienceDaily

<https://www.sciencedaily.com/releases/2018/06/180619123003.htm> ▾ [翻译此页](#)

2018年6月19日 - That's according to Mayo Clinic research published in the June 19 ... These genetic mutations were identified in 5.5 percent of all pancreatic cancer patients, including 5.2 ... The risks of developing pancreatic cancer due to mutations in these ... Association Between Inherited Germline Mutations in Cancer ...

缺少字词: praetiee

Identification of Germline Genetic Mutations in Pancreatic Cancer ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5193099/> ▾ [翻译此页](#)

作者: EE Salo-Mullen - 2015 - 被引用次数: 64 - [相关文章](#)

2015年10月6日 - We identified 175 consecutive PAC patients who underwent clinical genetics ... Pancreatic cancer has been linked to inherited cancer susceptibility syndromes ... or other genetic testing remains a significant clinical challenge. in a Large Clinic-Based Cohort of Patients With Pancreatic Adenocarcinoma.

缺少字词: daily

Association Between Inherited Germline Mutations in Cancer ...

<https://www.ncbi.nlm.nih.gov/pubmed/29922827> - [翻译此页](#)

作者: C Hu - 2018 - 被引用次数: 1 - [相关文章](#)

2018年6月19日 - Association Between Inherited Germline Mutations in Cancer Predisposition ... (1

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 41708

Manuscript Type: ORIGINAL ARTICLE

Retrospective study

Identification of patients with pancreatic adenocarcinoma due to inheritable mutation: Challenges of daily clinical practice

Alexander JP Fulton, Angela Lamarca, Christina Nuttall, Lynne McCallum, Rille Pihlak, Derek O'Reilly, Fiona Laloo, Mairéad G McNamara, Richard A Hubner, Tara Clancy, Juan W Valle

Match Overview

- | Match Number | Source | Similarity |
|--------------|---|------------|
| 1 | Crossref 32 words
Angela Lamarca, Lynne McCallum, Christina Nuttall, Jorge Barriuso et al. "Somatostatin analogue-induced pancreatic e | 1% |
| 2 | Crossref 29 words
Rille Pihlak, Juan W. Valle, Mairéad G. McNamara. "Germi...
e mutations in pancreatic cancer and potential new therapeu | 1% |

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 446,000 条结果 (用时 0.38 秒)

Google 学术 : Identification of patients with pancreatic adenocarcinoma due to inheritable mutation: Challenges of daily clinical practice

Cancer risk in mutation carriers of DNA-mismatch- ... - Aarnio - 被引用次数 : 1300

Breast-cancer risk in families with mutations in PALB2 - Antoniou - 被引用次数 : 477

Cancer of the pancreas: ESMO Clinical Practice ... - Ducreux - 被引用次数 : 290

Association Between Inherited Germline Mutations in Cancer ...

https://www.researchgate.net/.../325863922_Association_Between_Inherited... - 翻译此页

Genes that predispose to pancreatic cancer and the risks of pancreatic cancer ... Design, Setting, and Participants Case-control analysis to identify pancreatic cancer ... pancreatic cancer and enrolled in a Mayo Clinic registry between October 12, ... by comparing frequency of mutations in genes of pancreatic cancer patients ...

Cancer of the pancreas: ESMO Clinical Practice Guidelines for ...

https://academic.oup.com/annonc/article-pdf/26/suppl_5/.../mdv295.pdf - 翻译此页

作者 : M Ducreux - 2015 - 被引用次数 : 289 - 相关文章

curable, depends on the ability to identify and screen high-risk populations before their symptoms arise. Defining the treatment strategy for patients suffering from pancreatic carcinoma requires ... (<10%) are due to inherited germline mutations. ... clinical practice guidelines However, MRI is useful for solving problems.

Pancreatic Adenocarcinoma - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6140147/> - 翻译此页

作者 : AA Vareedayah - 2018

Challenges to effective screening for pancreatic cancer include low disease ... to identify those patients with higher risk due to genetic mutations early in order to ... the highest proportion of known causes of inherited pancreatic cancer.⁶ Another ... Current medical practice relies on family history as the primary assessment of

找到约 495,000 条结果 (用时 0.60 秒)

Google 学术 : Identification of patients with pancreatic adenocarcinoma due to inheritable mutation: Challenges of daily clinical practice

Cancer risk in mutation carriers of DNA-mismatch- ... - Aarnio - 被引用次数 : 1300

Breast-cancer risk in families with mutations in PALB2 - Antoniou - 被引用次数 : 477

Cancer of the pancreas: ESMO Clinical Practice ... - Ducreux - 被引用次数 : 290

Evaluating Susceptibility to Pancreatic Cancer: ASCO Clinical Practice ...

ascopubs.org/doi/full/10.1200/JOP.18.00629 - 翻译此页

2 天前 - This PCO addresses identification and management of patients and family ... People diagnosed with pancreatic adenocarcinoma and families or ... for known hereditary syndromes that are linked to pancreatic cancer et al: Association between inherited germline mutations in cancer ASCO Daily News

Cancer of the pancreas: ESMO Clinical Practice Guidelines for ...

https://academic.oup.com/annonc/article-pdf/26/suppl_5/.../mdv295.pdf ▼ 翻译此页

作者 : M Ducreux - 2015 - 被引用次数 : 290 - 相关文章

curable, depends on the ability to identify and screen high-risk populations before their symptoms arise. Defining the treatment strategy for patients suffering from pancreatic carcinoma requires ... (<10%) are due to inherited germline mutations. ... clinical practice guidelines However, MRI is useful for solving problems.

Identification of Germline Genetic Mutations in Pancreatic Cancer ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5193099/> ▼ 翻译此页

作者 : EE Salo-Mullen - 2015 - 被引用次数 : 70 - 相关文章

2016年12月28日 - We identified 175 consecutive PAC patients who underwent clinical genetics assessment ... Pancreatic cancer has been linked to inherited cancer susceptibility syndromes ... BRCA1/BRCA2 or other genetic testing remains a significant clinical challenge. NCCN Clinical Practice Guidelines in Oncology.

缺少字词 : daily

Hereditary pancreatic cancer: related syndromes and clinical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5490219/> - 翻译此页

作者 : S Carrera - 2017 - 被引用次数 : 7 - 相关文章

2017年6月28日 - Main hereditary cancer syndromes related to an increased risk in PNETs ... PNETs occur in 20-75% and anterior pituitary tumors occur in 30% of patients [24]. ... BRCA2 gene mutations constitute the most frequent inherited risk factor ... hereditary cancer syndromes; ESMO Clinical