

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 16971

Columns:

EDITORIAL

Primary biliary cirrhosis: Clinical and laboratory criteria for its diagnosis

Reshetnyak VI. Clinical and laboratory diagnostic criteria for PBC

Vasiliy Ivanovich Reshetnyak

Vasiliy Ivanovich Reshetnyak, V.A. Negovsky Research Institute of General

Reanimatology, 107031 Moscow, Russia

Author contributions: Reshetnyak VI solely contributed to this paper.

Match Overview

Match Number	Source	Words	Percentage
1	Internet crawled on 29-Jul-2010 www.wjnet.com	1657	7%
2	Internet crawled on 23-May-2014 www.ncbi.nlm.nih.gov	115	<1%
3	Internet crawled on 28-Oct-2014 www.karger.com	87	<1%
4	Internet crawled on 05-Mar-2015 www.tropicalgastro.com	73	<1%
5	CrossCheck Qin, Baodong, Jiaqi Wang, Jia Chen, Yan Liang, Zaixing Yang, and Renqian Zhong. "Association of Human Leuk	72	<1%
6	CrossCheck Jung, Ho Eun, Jae Young Jang, Soung Won Jeong, Jin Nyoung Kim, Hee Yoon Jang, Yun Ju Cho, Sung Ae Wo	69	<1%
7	Publications S D Shepeleva. "[Protein-copper complex in primary biliary cirrhosis and other chronic diffuse diseases of the liver	48	<1%
8	Internet crawled on 15-May-2014 www.ici2013.org	40	<1%
9	Internet crawled on 25-Aug-2013 publicationslist.org	34	<1%

学术搜索

找到约 35,000 条结果 (用时0.17秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯**Tissue antibodies in primary biliary cirrhosis, active chronic (lupoid) hepatitis, cryptogenic cirrhosis and other liver diseases and their clinical implications**D Doniach, IM Roitt, JG Walker... - *Clinical and experimental ...*, 1966 - ncbi.nlm.nih.gov

... ten), gall stones (eight), carcinoma of the pancreas (five), carcinoma of the bile ducts (five ... Fourteen primary biliary cirrhosis patients fixed complement also with thyroid microsomes in titres of 1:8 to ... have been partly organ-specific in four of the patients who had clinical evidence of ...

被引用次数: 450 相关文章 所有 4 个版本 引用 保存

nih.gov 中的 [PDF]

A model to predict survival in patients with end - stage liver disease

PS Kamath, RH Wiesner, M Malinchoc, W Kremers... - ..., 2001 - Wiley Online Library

... to cirrhosis in the following categories: postnecrotic cirrhosis, alcohol-induced cirrhosis, and primary biliary cirrhosis. ... it difficult, if not impossible to determine which is the primary cause of liver ... indicator of physi- ologic reserve of patients with decompensated cirrhosis, the validity ...

被引用次数: 2993 相关文章 所有 10 个版本 引用 保存

wiley.com 中的 [PDF]

[引用] International Autoimmune Hepatitis Group Report: review of criteria for diagnosis of autoimmune hepatitisF Alvarez, PA Berg, FB Bianchi, L Bianchi... - *Journal of ...*, 1999 - Elsevier

被引用次数: 2069 相关文章 所有 6 个版本 引用 保存

Incidence, clinical spectrum, and outcomes of primary sclerosing cholangitis in a United States communityK Bambha, WR Kim, J Talwalkar, H Torgerson... - *Gastroenterology*, 2003 - Elsevier

... Primary sclerosing cholangitis (PSC) is a chronic cholestatic liver disease of uncertain etiology that is characterized ... if performed), and (3) absence of conditions associated with secondary sclerosing cholangitis (previous bile duct injury, biliary neoplasm, immunodeficiency ...

被引用次数: 279 相关文章 所有 4 个版本 引用 保存

Primary biliary cirrhosis–autoimmune hepatitis overlap syndrome: clinical features and response to therapy

O Chazouillères, D Wendum, L Serfaty... - ..., 1998 - Wiley Online Library

... 3) combination of UDCA and corticosteroids is required in most patients to obtain a complete clinical and biochemical ... Vyberg M. The hepatitis-associated bile duct lesion. ... Antimitochondrial antibody negative primary biliary cirrhosis: a distinct syndrome of autoimmune cholangitis ...

被引用次数: 503 相关文章 所有 6 个版本 引用 保存

wiley.com 中的 [PDF]

Natural history of early primary biliary cirrhosis

[网页](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多](#) [搜索工具](#)

找到约 269,000 条结果 (用时 0.44 秒)

Google 学术 : Primary biliary cirrhosis: Clinical and laboratory criteria for its diagnosis

Tissue antibodies in primary biliary cirrhosis, active ... - Doniach - 被引用次数 : 450

A model to predict survival in patients with end-stage ... - Kamath - 被引用次数 : 3009

... Hepatitis Group Report: review of criteria for diagnosis ... - Alvarez - 被引用次数 : 2082

Primary Biliary Cirrhosis - Medscape Reference

emedicine.medscape.com/article/171117-overview [▼ 翻译此页](#)

2014年4月28日 - Of patients with PBC, 25% are incidentally diagnosed during a routine ... Abnormalities on laboratory studies include the following: ... Some patients have clinical, biochemical, and histologic features of PBC, but their sera are ...

Primary biliary cirrhosis

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) [▼ 翻译此页](#)

作者 : T Kumagi - 2008 - 被引用次数 : 95 - 相关文章

2008年1月23日 - Its prevalence is estimated to be between 6.7 and 940 cases per ... The diagnosis of PBC is based on a combination of clinical features, an abnormal liver biochemical ... A "probable" diagnosis requires the presence of two of these three criteria, and a "definite" diagnosis requires all three. ... Laboratory tests.

Primary biliary cirrhosis Tests and diagnosis - Mayo Clinic

www.mayoclinic.org/.../primary-biliary-cirrhosis/...diagnosis/co... [▼ 翻译此页](#)

2014年11月22日 - The following tests and procedures may be used to diagnose primary biliary cirrhosis. Laboratory tests: Blood tests to check liver function.