

Name of Journal: *World Journal of Clinical Infectious Disease*

ESPS Manuscript NO: 23120

Manuscript Type: Review

Osmolyte transport in *Staphylococcus aureus* and the role in pathogenesis

William R Schwan*, Keith J Wetzel

Match Overview

1	CrossCheck 71 words Keith J. Wetzel. "Mutational and transcriptional analyses of the <i>Staphylococcus aureus</i> low-affinity proline transpo	2%
2	CrossCheck 31 words Schwan, William R. "Regulation of <i>fim</i> genes in uropat... ogenic <i>Escherichia coli</i> ", <i>World Journal of Clinical Infecti</i>	1%
3	Internet 20 words crawled on 18-May-2010 www.saddleback.edu	<1%
4	CrossCheck 11 words R. A. Patchett. "Transport of glycine-betaine by <i>Listeria m</i> <i>onocytogenes</i> ", <i>Archives of Microbiology</i> , 08/1994	<1%
5	Publications 11 words Sonawane, Avinash M.. "Regulation of <i>Pseudomonas</i> ... <i>tida</i> genes involved in the metabolism of acidic amino a	<1%
6	CrossCheck 10 words B. Pourkomailian. "Glycine betaine transport by <i>Staphylo</i> <i>coccus aureus</i> : evidence for feedback regulation of the ...	<1%

Staphylococcus aureus osmoregulation: roles for choline, glycine betaine, proline, and taurine.

JE Graham, BJ Wilkinson - Journal of bacteriology, 1992 - Am Soc Microbiol

... TABLE 3. Radiochemical estimations of **osmolyte** pools in **S. aureus** Adjusted pool levels in IOx ... medium and extracted with cold trichloroacetic acid, and pool levels of **osmolytes** (in millimolar ... Taurine accumulated in Escherichia coli via the ProU and ProP **transport** systems and ...

Cited by 129 Related articles All 7 versions Web of Science: 91 Cite Save

[PDF] from asm.org

Find It@UW-L

[HTML] Bacterial osmoadaptation: the role of **osmolytes** in bacterial stress and virulence

RD Siewator, C Hill - FEMS microbiology reviews, 2002 - fems.oxfordjournals.org

... bacteria have evolved sophisticated mechanisms for the uptake and accumulation of **osmolytes** released into ... While physiological investigations of **osmolyte** uptake in Listeria implicated a single highly speci ... The PutP system serves to **transport** proline solely for use as a carbon ...

Cited by 368 Related articles All 13 versions Web of Science: 188 Cite Save More

[HTML] from oxfordjournals.org

Identification and disruption of the proBA Locus in Listeria monocytogenes: Role of Proline Biosynthesis in salt tolerance and murine infection:

RD Siewator, CGM Gahan, C Hill - Applied and environmental ..., 2001 - Am Soc Microbiol

... 30), **osmolyte** synthesis is not restricted by the availability of external **osmolytes**, a factor ... by preaccumulated glycine betaine, as was described previously for proline **transport** in **S. aureus** ... is well documented (14, 15), recent evidence suggests that accumulation of the **osmolyte** may also ...

Cited by 59 Related articles All 11 versions Web of Science: 43 Cite Save

[HTML] from asm.org

Find It@UW-L

[HTML] A postgenomic appraisal of osmotolerance in Listeria monocytogenes.

RD Siewator, CGM Gahan, C Hill - Applied and Environmental ..., 2003 - Am Soc Microbiol

... it possible to investigate in more detail the **roles** of the major **osmolytes**, particularly betaine ... in L. monocytogenes is also controlled at the protein level by a novel **osmolyte**-sensing mechanism ... Cytoplasmic betaine inhibits not only the **transport** of external betaine but also that of ...

Cited by 118 Related articles All 11 versions Web of Science: 82 Cite Save

[HTML] from asm.org

Find It@UW-L

Listeria monocytogenes σ B regulates stress response and virulence functions

MJ Kazmierczak, SC Mithoe, KJ Boor - Journal of ..., 2003 - Am Soc Microbiol

... σ B also contributes to biofilm formation in **S. aureus** and **Staphylococcus epidermidis** (37 ... dimensional gel comparison of proteins isolated from both the wild-type **S. aureus** strain ... transporters, eg, solute transporters, permeases, and ATP-binding cassette (ABC) **transport** ...

Cited by 253 Related articles All 10 versions Web of Science: 181 Cite Save

[HTML] from asm.org

Find It@UW-L

[HTML] Bacterial stress response in Listeria monocytogenes: jumping the hurdles imposed by minimal processing

C Hill, PD Cotter, RD Siewator, CGM Gahan - International Dairy Journal, 2002 - Elsevier

... Sigma B (σ B) is an alternative 'stress' sigma factor that has been identified in L. monocytogenes, Bacillus subtilis and **Staphylococcus aureus**, the function of which has been compared to σ B (RpoS) in Gram-negative bacteria as a consequence of its **role** in a large ...

Cited by 141 Related articles All 5 versions Web of Science: 98 Cite Save

[HTML] from sciencedirect.com

Find It@UW-L

[HTML] Growth, survival, proliferation and **pathogenesis** of Listeria monocytogenes under low oxygen or anaerobic conditions: a review

B Lungu, SC Ricks, MG Johnson - Anaerobe, 2009 - Elsevier

... Given the **role** in foodborne disease and contamination of food, most of the studies ... low oxygen and anaerobic environments on the growth, survival, proliferation and **pathogenesis** of L.

[HTML] from sciencedirect.com

Find It@UW-L

学术搜索

找到约 778 条结果 (用时0.07秒)

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用**Staphylococcus aureus** osmoregulation: roles for choline, glycine betaine, proline, and taurine.

asm.org 中的 [P

JE Graham, [BJ Wilkinson](#) - Journal of bacteriology, 1992 - Am Soc Microbiol... TABLE 3. Radiochemical estimations of **osmolyte** pools in *S. aureus* Adjusted pool levels in IOx ... medium and extracted with cold trichloroacetic acid, and pool levels of **osmolytes** (in millimolar ... Taurine accumulated in Escherichia coli via the ProU and ProP **transport** systems and ...被引用次数: 130 [相关文章](#) [所有 7 个版本](#) [引用](#)[HTML] Bacterial osmoadaptation: the **role** of **osmolytes** in bacterial stress and virulence

oxfordjournals.or

[RD Sleator](#), C Hill - FEMS microbiology reviews, 2002 - femsre.oxfordjournals.org

Full View

... bacteria have evolved sophisticated mechanisms for the uptake and accumulation of **osmolytes** released into ... While physiological investigations of **osmolyte** uptake in Listeria implicated a single highly speci ... The PutP system serves to **transport** proline solely for use as a carbon ...被引用次数: 372 [相关文章](#) [所有 13 个版本](#) [引用](#)Identification and disruption of the proBA Locus in Listeria monocytogenes: **Role** of Proline Biosynthesis in salt tolerance and murine infection

asm.org 中的 [H

[RD Sleator](#), [CGM Gahan](#), C Hill - Applied and environmental ..., 2001 - Am Soc Microbiol... 30), **osmolyte** synthesis is not restricted by the availability of external **osmolytes**, a factor ... by preaccumulated glycine betaine, as was described previously for proline **transport** in *S* ... is well documented (14, 15), recent evidence suggests that accumulation of the **osmolyte** may also ...被引用次数: 59 [相关文章](#) [所有 11 个版本](#) [引用](#)

[HTML] A postgenomic appraisal of osmotolerance in Listeria monocytogenes.

asm.org 中的 [H

[RD Sleator](#), [CGM Gahan](#), C Hill - Applied and Environmental ..., 2003 - Am Soc Microbiol... it possible to investigate in more detail the **roles** of the major **osmolytes**, particularly betaine ... in *L. monocytogenes* is also controlled at the protein level by a novel **osmolyte**-sensing mechanism ... Cytoplasmic betaine inhibits not only the **transport** of external betaine but also that of ...被引用次数: 119 [相关文章](#) [所有 11 个版本](#) [引用](#)



全部 新闻 图片 视频 地图 更多 ▾ 搜索工具

找到约 404,000 条结果 (用时 0.69 秒)

Google 学术: Osmolyte transport in Staphylococcus aureus and the role in pathogenesis

Staphylococcus aureus osmoregulation: roles for ... - Graham - 被引用次数: 130

Bacterial osmoadaptation: the role of osmolytes in ... - Sleator - 被引用次数: 374

... of the proBA Locus in Listeria monocytogenes: Role of ... - Sleator - 被引用次数: 59

Bacterial osmoadaptation: the role of osmolytes in bacterial ... [onlinelibrary.wiley.com](#) > ... > Vol 26 Issue 1 > Abstract ▾ 翻译此页

作者: RD Sleator - 2002 - 被引用次数: 374 - 相关文章

2006年1月9日 - Bacterial osmoadaptation: the role of osmolytes in bacterial stress and virulence ... in contributing to the virulence potential of a number of pathogenic bacteria.

.... On the other hand, the nature of the counter-ion in Bacillus subtilis is ... E. coli possesses four constitutive low affinity K⁺ transport systems: TrkG, ...

The Ktr Potassium Transport System in Staphylococcus ... [www.ncbi.nlm.nih.gov](#) > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: CM Gries - 2013 - 被引用次数: 11 - 相关文章

2013年7月17日 - However, no studies have clearly elucidated the mechanism of K⁺ uptake in any To further examine the role of S. aureus ktr genes in K⁺ transport, we tested Osmolytes contribute to pH homeostasis of Escherichia coli.

The Ktr potassium transport system in Staphylococcus ... [www.ncbi.nlm.nih.gov/pubmed/23815639](#) ▾ 翻译此页

作者: CM Gries - 2013 - 被引用次数: 11 - 相关文章

2013年7月17日 - The Ktr potassium transport system in Staphylococcus aureus and its role in cell physiology, antimicrobial resistance and pathogenesis.