

国内版

国际版

Characteristics of multiple nodules in a patient with pulmonary Langerhans



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？ 搜英文结果更丰富更准确 >

13,500 条结果 时间不限 ▾

Rare lung diseases III: Pulmonary Langerhans' cell ... 翻译此页

位置: 8600 Rockville Pike, Bethesda, MD

2017-1-31 · **Pulmonary Langerhans' cell histiocytosis** (PLCH) is an unusual cystic lung disease that is also characterized by extrapulmonary manifestations. The current review discusses the presenting features and relevant diagnostic testing and treatment options for PLCH in the context of a clinical case.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2900147>

Pulmonary langerhans cell histiocytosis - ... 翻译此页

Cited by: 116

Author: Harpreet S. Suri, Eunhee S. Yi, Grzegorz ...

Publish Year: 2012

位置: 8600 Rockville Pike, Bethesda, MD

2012-3-19 · **Pulmonary Langerhans Cell Histiocytosis** (PLCH) is a relatively uncommon lung disease that generally, but not invariably, occurs in cigarette smokers. The pathologic hallmark of PLCH is the accumulation of **Langerhans** and other inflammatory cells in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3342091>

Adult pulmonary Langerhans' cell histiocytosis | ... 翻译此页

Cited by: 289

Author: A. Tazi

Publish Year: 2006

2006-6-1 · Adult **pulmonary Langerhans' cell histiocytosis** is a rare disorder of unknown aetiology that occurs predominantly in young smokers, with an incidence peak at 20–40 yrs of age. In adults, **pulmonary** involvement with **Langerhans' cell histiocytosis** usually occurs as a single-system disease and is characterised by focal **Langerhans' cell** granulomas infiltrating and destroying distal bronchioles.

<https://erj.ersjournals.com/content/27/6/1272> ▾

Development of pulmonary Langerhans cell

翻译此页

2 **Name of Journal:** *World Journal of Clinical Cases*

Manuscript No: 48249

Manuscript Type: CASE REPORT

Characteristics of multiple nodules in a patient with pulmonary Langerhans cell histiocytosis: A case report

Kanaji N *et al.* Pulmonary Langerhans cell histiocytosis with multiple nodules

Nobuhiro Kanaji, Yoshimasa Tokunaga, Ryou Ishikawa, Naoki Watanabe,
Norimitsu Kadowaki

Abstract

BACKGROUND

Match Overview

1	Crossref 35 words Davide Elia, Olga Torre, Roberto Cassandro, Antonella Caminati, Sergio Harari. "Pulmonary Langerhans cell histiocytosis: A case report"	2%
2	Internet 34 words crawled on 29-Apr-2019 f6publishing.blob.core.windows.net	2%



国内版

国际版

Characteristics of multiple nodules in a patient with pulmonary Langerhans cell hi



All

Images

Videos

翻译成中文

关闭取词

31,300 Results

Any time ▾

Pulmonary Langerhans Cell Histiocytosis in an Adult Male ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4620353>

Oct 01, 2015 · Pulmonary Langerhans cell histiocytosis (LCH) is a rare **interstitial lung disease** in adults that is a part of diseases caused by infiltration of Langerhans cell across multiple organs, such as the **lungs, bones, skin, pituitary gland, and lymph nodes**¹. Among cases of **multi-system** LCH, simultaneous invasion of the lung and the **pituitary gland** is uncommon.

Cited by: 1

Author: Yeun Seoung Choi, Jung Soo Lim, Woo...

Publish Year: 2015

PULMONARY LANGERHANS CELL HISTIOCYTOSIS AND ...

[https://journal.chestnet.org/article/S0012-3692\(16\)48063-3/fulltext](https://journal.chestnet.org/article/S0012-3692(16)48063-3/fulltext)

INTRODUCTION: **Cigarette smoke** is associated with the development of severe, diffuse interstitial inflammation, resulting in **interstitial lung disease** (ILD).¹ A distinct entity termed smoking-related ILD, occurring exclusively in smokers, includes: Pulmonary Langerhans cell histiocytosis (PLCH), **respiratory bronchiolitis** (RB)-associated **interstitial lung disease** (RB-ILD), and **desquamative interstitial pneumonia** ...

Author: Lillian Tseng

Publish Year: 2009

A Case of Pulmonary Langerhans' Cell Histiocytosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2784986>

Abstract. **High-resolution CT** of the **chest** is a useful, sensitive tool in the **diagnosis** of **pulmonary Langerhans' cell histiocytosis** (PLCH). A typical radiologic finding of **PLCH** is irregularly shaped cysts. The radiological finding in this case of **nodular opacities** throughout the **lung fields** ...

Cited by: 3

Author: Suyeon Chon, Sun Young Kyung, Sang ...

Publish Year: 2009

Adult Langerhans cell histiocytosis with pulmonary and ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/s13256-017-1428-7> ▾

Sep 25, 2017 · **Langerhans cell histiocytosis** is a rare systemic disease characterized by the abnormal overproduction of histiocytes that tend to infiltrate single or **multiple** organ systems leading to significant tissue damage. It mainly affects – by order of decreasing frequency – the bone, the skin, the lymph nodes, the liver, and lungs. Gastrointestinal tract involvement is extremely rare in adults.



All

Images

Videos

翻译成中文

开启取词

31,500 Results

Any time ▾

A Case of Pulmonary Langerhans' Cell Histiocytosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2784986>

Immunochemically, the Langerhans' cells showed strong cytoplasmic staining for S-100 protein. Based on these findings, the patient was diagnosed with Langerhans' cell histiocytosis of the lung. High-resolution CT of the chest is a useful, sensitive tool in the diagnosis of pulmonary Langerhans' cell histiocytosis (PLCH).

Cited by: 3

Author: Suyeon Chon, Sun Young Kyung, Sang P...

Publish Year: 2009

Pulmonary Langerhans Cell Histiocytosis in an Adult Male ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4620353>

Oct 01, 2015 · Pulmonary Langerhans cell histiocytosis (LCH) is a rare interstitial lung disease in adults that is a part of diseases caused by infiltration of Langerhans cell across multiple organs, such as the lungs, bones, skin, pituitary gland, and lymph nodes¹. Among cases of multi-system LCH, simultaneous invasion of the lung and the pituitary gland is uncommon.

Cited by: 1

Author: Yeun Seoung Choi, Jung Soo Lim, Wooc...

Publish Year: 2015

PULMONARY LANGERHANS CELL HISTIOCYTOSIS AND ...

[https://journal.chestnet.org/article/S0012-3692\(16\)48063-3/fulltext](https://journal.chestnet.org/article/S0012-3692(16)48063-3/fulltext)

INTRODUCTION: Cigarette smoke is associated with the development of severe, diffuse interstitial inflammation, resulting in interstitial lung disease (ILD).¹ A distinct entity termed smoking-related ILD, occurring exclusively in smokers, includes: Pulmonary Langerhans cell histiocytosis (PLCH), respiratory bronchiolitis (RB)-associated interstitial lung disease (RB-ILD), and desquamative interstitial pneumonia ...

Author: Lillian Tseng

Publish Year: 2009

Pulmonary Langerhans cell histiocytosis | Radiology Case ...

<https://radiopaedia.org/cases/pulmonary-langerhans-cell-histiocytosis-11> ▾

Lung, wedge resection: Langerhan's cell histiocytosis. Case Discussion Pulmonary LCH has variable appearances but because there was cavitation of some of the nodules, LCH was included in the imaging differential diagnosis.

Langerhans cell histiocytosis on the penis: a case report ...

<https://bmcurol.biomedcentral.com/articles/10.1186/1471-2490-6-28> ▾

Oct 11, 2006 · Conclusion. LCH lesions are common in the bone, lung, skin, liver, spleen, and lymph nodes. In 30.6% of patients, LCH involved more than one body system. Twenty-five percent of patients had skin and/or mucous membrane LCH. The most common mucous membranes involved are the genitalia and oral mucous [2].

Cited by: 3

Author: Jun Hagiuda, Munehisa Ueno, Satoshi As...

Publish Year: 2006