



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER-REVIEW REPORT

**Name of journal:** World Journal of Radiology

**ESPS manuscript NO:** 14696

**Title:** The "To-and-Fro" waveform in the diagnosis of arterial pseudoaneurysms

**Reviewer's code:** 00503307

**Reviewer's country:** Turkey

**Science editor:** Xiu-Xia Song

**Date sent for review:** 2014-10-20 19:15

**Date reviewed:** 2014-11-29 14:36

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	PubMed Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> Plagiarism	<input checked="" type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		[ Y ] No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		[ Y ] No	

### COMMENTS TO AUTHORS

The present review is brief and well written. The text should be revised for minor grammar and syntax errors. Discussing about pseudoaneurysms of gastroduodenal arteries would be more informative.



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER-REVIEW REPORT

**Name of journal:** World Journal of Radiology

**ESPS manuscript NO:** 14696

**Title:** The "To-and-Fro" waveform in the diagnosis of arterial pseudoaneurysms

**Reviewer's code:** 00070062

**Reviewer's country:** Romania

**Science editor:** Xiu-Xia Song

**Date sent for review:** 2014-10-20 19:15

**Date reviewed:** 2014-11-22 02:40

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	PubMed Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good		<input type="checkbox"/> Duplicate publication	
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Minor revision
		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

### COMMENTS TO AUTHORS

Please add information about splenic and gastroduodenal arteries pseudoaneurysms.