

学术搜索

找到约 914 条结果 (用时0.03秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] A multidisciplinary intervention to prevent the **readmission** of elderly **patients with congestive heart failure**

[HTML] [nejm.org](#)

MW Rich, V Beckham, C Wittenberg... - ... England Journal of ..., 1995 - Mass Medical Soc
... Reduction in **hospital readmission** stay of elderly **patients** by a community based **hospital** discharge scheme: a randomized ... Cost-effectiveness of Veterans Administration **hospital**-based home care: a randomized clinical trial ... A case manager intervention to reduce **readmissions**. ...
被引用次数: 2337 相关文章 所有 11 个版本 引用 保存

Management of hepatic encephalopathy in the **hospital**

[HTML] [nih.gov](#)

MD Leise, JJ Poterucha, PS Kamath, WR Kim - Mayo Clinic Proceedings, 2014 - Elsevier
... encephalopathy (OHE) is responsible for an increasing number of **hospital** admissions and **readmissions**. ... n=402) where one of the most common reasons for preventable **readmission** was recurrent ... of complete reversal of HE (76% vs 50.8%, P<.004), shorter **hospital** stays, and ...
被引用次数: 45 相关文章 所有 14 个版本 引用 保存

[HTML] Diuretic **strategies in patients with acute decompensated heart failure**

[HTML] [nejm.org](#)

GM Felker, KL Lee, DA Bull, MM Redfield... - ... England Journal of ..., 2011 - Mass Medical Soc
... Acute **decompensated** heart failure is the most common cause of **hospital** admissions among **patients** older ... between the two treatment groups in the primary efficacy end **point** of **patient**-reported global ... Conversely, **patients** in the low-dose group were more likely to require ...
被引用次数: 746 相关文章 所有 33 个版本 引用 保存

Characteristics of **patients with cirrhosis** who are discharged from the **hospital** against medical advice

[HTML] [cghjournal.org](#)

RP Myers, AAM Shaheen, JN Hubbard... - Clinical Gastroenterology ..., 2009 - Elsevier
... revascularization, and had a 60% higher adjusted risk of death or **readmission** for unstable ... to urban, nonteaching centers (OR, 1.18; 95% CI, 1.10-1.26 vs rural, nonteaching **hospitals**). ... **Patient** and **Hospital** Predictors of Self-Discharge in Hospitalized **Patients** With **Cirrhosis**. ...
被引用次数: 15 相关文章 所有 7 个版本 引用 保存

The Three - Month **Readmission** Rate Remains Unacceptably High in a Large North American Cohort of **Cirrhotic Patients**

JS Bajaj, KR Reddy, P Tandon, F Wong... - ..., 2015 - Wiley Online Library
... The importance of infections is demonstrated by a recent study demonstrating in-**hospital** mortality in **cirrhosis** has decreased over time with the ... **hospitals**, outpatient medical staff and payors(40). ... intervention has translated into lower 30-day **readmissions**(43). ...
被引用次数: 6 相关文章 所有 2 个版本 引用 保存

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 31631

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Hospital readmissions in decompensated cirrhotics: Factors pointing toward a prevention strategy

Seraj SM *et al.* Preventing Readmissions in Patients with Cirrhosis

Siamak M Seraj, Emily J Campbell, Sarah K Argyropoulos, Kara Wegermann, Raymond T Chung, James M Richter

Siamak M Seraj, Emily J Campbell, Sarah K Argyropoulos, Raymond T Chung, James M Richter, Massachusetts General Hospital, Division of Gastroenterology, Boston, MA 02114, United States

Match Overview

1	Internet 168 words crawled on 02-Mar-2017 www.wjgnet.com	4%
2	Crossref 22 words Johnson, Kara B., Emily J. Campbell, Heng Chi, Hui Zheng, Lindsay Y. King, Ying Wu, Andrew DeLemos, Abu Hurairah	1%

学术搜索

找到约 711 条结果 (用时0.10秒)

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[PDF] The Three - Month Readmission Rate Remains Unacceptably High in a Large North American Cohort of Cirrhotic Patients

[PDF] wiley.com

JS Bajaj, KR Reddy, P Tandon, F Wong... - ..., 2015 - Wiley Online Library

... The importance of infections is demonstrated by a recent study demonstrating in-hospital mortality in cirrhosis has decreased over time with the ... hospitals, outpatient medical staff and payors(40). ... intervention has translated into lower 30-day readmissions(43). ...

被引用次数: 11 相关文章 所有 7 个版本 引用 保存

Future treatments of cirrhosis

EA Tsochatzis, J Bosch... - Expert review of ..., 2014 - Taylor & Francis

... cirrhosis who were discharged after hospitalization, 69% had at least one nonelective readmission, but 22% of ... Hospital readmissions among patients with decompensated cirrhosis. ... in HCV and will hopefully allow the successful treatment of even decompensated patients with ...

被引用次数: 8 相关文章 所有 7 个版本 引用 保存

[HTML] A multidisciplinary intervention to prevent the readmission of elderly patients with congestive heart failure

[HTML] nejm.org

MW Rich, V Beckham, C Wittenberg... - ... England Journal of ..., 1995 - Mass Medical Soc

... Reduction in hospital readmission stay of elderly patients by a community based hospital discharge scheme: a randomized ... Cost-effectiveness of Veterans Administration hospital-based home care: a randomized clinical trial ... A case manager intervention to reduce readmissions. ...

被引用次数: 2361 相关文章 所有 13 个版本 引用 保存

The burden of rehospitalization for patients with liver cirrhosis

AP Desai, N Reau - Hospital Practice, 2016 - Taylor & Francis

... the Centers for Medicare & Medicaid Services (CMS) to reduce payments to hospitals with excess ... Retrospective studies of cirrhosis and readmission report high 30-day readmission rates of between 20% and ... Hospital readmissions among patients with decompensated cirrhosis ...

被引用次数: 1 相关文章 所有 3 个版本 引用 保存

... Domain Groups of the Patient-Reported Outcomes Measurement Information System Tools Independently Predict Hospitalizations and Re-hospitalizations in

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 1,330 条结果 (用时 0.89 秒)

Google 学术 : Hospital readmissions in decompensated cirrhotics: Factors pointing toward a prevention strategy

The Three-Month Readmission Rate Remains ... - Bajaj - 被引用次数 : 11

Future treatments of cirrhosis - Tsochatzis - 被引用次数 : 8

... to prevent the readmission of elderly patients with ... - Rich - 被引用次数 : 2363

Hospital Readmissions Reduction Program - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : CK McIlvennan - 2015 - 被引用次数 : 17 - 相关文章

Hospital readmissions are associated with unfavorable patient outcomes and high ... Preventing even 10% of these readmissions could save Medicare \$1 billion. ... this "readmissions adjustment factor" by a hospital's base DRG payment. ... debate on the potential unintended consequences of readmission strategies and the ...

缺少字词 : decompensated cirrhotics pointing

Hospital Strategies Associated with 30-Day Readmission Rates for ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : EH Bradley - 2013 - 被引用次数 : 147 - 相关文章

Reducing hospital admission rates is a national priority; however, evidence ... modest with individual strategies associated with less than half a percentage point ... use of strategies and found evidence to support the existence of only 1 factor.

缺少字词 : decompensated cirrhotics toward

Hospital readmissions among patients with decompensated cirrhosis.

<https://www.ncbi.nlm.nih.gov/pubmed/21931378> - 翻译此页

作者 : ML Volk - 2012 - 被引用次数 : 111 - 相关文章