

学术搜索

找到约 314 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Comparing endoscopic submucosal dissection with transanal resection for non-invasive rectal tumor: A retrospective study

S Kiriya, Y Saito, T Matsuda... - Journal of ... , 2011 - Wiley Online Library

... often, therefore local excision with minimal invasiveness and excellent clinical outcome are feasible treatment options. ... Efficacy, safety, and clinical outcomes of endoscopic mucosal resection: a study of 101 cases. ... The role of transanal endoscopic microsurgery for rectal tumors. ...

被引用次数: 31 相关文章 所有 4 个版本 引用 保存

[引用] Clinical outcomes of endoscopic submucosal dissection for rectal tumor close to the dentate line

researchgate.net 中的 [PDF]

K Nakadoi, S Tanaka, N Hayashi, S Ozawa... - ... endoscopy, 2012 - Mosby

被引用次数: 6 相关文章 所有 7 个版本 引用 保存

CO2 laser haemorrhoidectomy—does it alter anorectal function or decrease pain compared to conventional haemorrhoidectomy?

YW Chia, A Darzi, CTM Speakman, ADK Hill... - International journal of ... , 1995 - Springer

... Carbon dioxide (CO2) laser haemorrhoidectomy is feasible and safe provided it is used with care. ... points of safety in using the CO 2 laser include the wearing of safety goggles or ... cause any alteration in anorectal physiology and would suggest that this is a safe technique for ...

被引用次数: 39 相关文章 所有 5 个版本 引用 保存

[HTML] Overview of single-port laparoscopic surgery for colorectal cancers: past, present, and the future

nih.gov 中的 [HTML]

SJ Kim, BJ Choi, SC Lee - World journal of gastroenterology: WJG, 2014 - ncbi.nlm.nih.gov

... diseases to malignant colorectal cancers[13,16,19] and the safety and feasibility of SPLS ... dissection of adherent tissue can be expanded from the single-port site with safety. ... S, Appeltans B, Houben B, Single-incision right hemicolectomy for malignancy: a feasible technique with ...

被引用次数: 15 相关文章 所有 10 个版本 引用 保存

Transanal total mesorectal excision for rectal carcinoma: short-term outcomes and experience after 80 cases

srcr.nl 中的 [PDF]

MV Helbach, CL Deijen, S Velthuis, HJ Bonjer... - ... endoscopy, 2015 - Springer

... In the future, randomized trials are necessary to prove its oncological safety. ... In seven patients, transanal extraction was not feasible due to the volume of the specimen and feasibility, the

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 25315

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Feasibility and safety of endoscopic submucosal dissection for lower rectal tumors with hemorrhoids**

Tanaka S *et al.* ESD for lower rectal tumors with hemorrhoids

Shinwa Tanaka, Takashi Toyonaga, Yoshinori Morita, Namiko Hoshi, Tsukasa Ishida, Yoshiko Ohara, Tetsuya Yoshizaki, Fumiaki Kawara, Eiji Umegaki, Takeshi Azuma

**Shinwa Tanaka, Takashi Toyonaga, Tetsuya Yoshizaki, Fumiaki Kawara, Eiji Umegaki,** Department of Endoscopy, Kobe University Hospital, Kobe, Hyogo 650-0017, Japan

### Match Overview

1	<b>Internet</b> 248 words crawled on 02-Mar-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	7%
2	<b>CrossCheck</b> 183 words Tanaka, Shinwa, Takashi Toyonaga, Yoshinori Morita, Namiko Hoshi, Tsukasa Ishida, Yoshiko Ohara, Tetsuya Yoshizaki	5%
3	<b>CrossCheck</b> 71 words Nakadoi, Koichi, Shinji Tanaka, Nana Hayashi, Shun-ichiro Ozawa, Motomi Terasaki, Sayaka Takata, Hiroyuki Kanao,	2%
4	<b>CrossCheck</b> 33 words Imai, Kenichiro, Kinichi Hotta, Yuichiro Yamaguchi, Tomoaki Shinohara, Shohei Ooka, Kei Shinoki, Naomi Kakushima,	1%
5	<b>CrossCheck</b> 27 words Mori, Hirohito, Hideki Kobara, Noriko Nishiyama, Shintaro Fujihara, Nobuya Kobayashi, Maki Ayaki, and Tsutomu Mas	1%

学术搜索

找到约 319 条结果 (用时0.14秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Comparing endoscopic submucosal dissection with transanal resection for non-invasive rectal tumor: A retrospective study

S Kiriama, Y Saito, T Matsuda... - Journal of ..., 2011 - Wiley Online Library

... often, therefore local excision with minimal invasiveness and excellent clinical outcome are feasible treatment options. ... Efficacy, safety, and clinical outcomes of endoscopic mucosal resection: a study of 101 cases. ... The role of transanal endoscopic microsurgery for rectal tumors. ...

被引用次数: 33 相关文章 所有 4 个版本 引用 保存

[引用] Clinical outcomes of endoscopic submucosal dissection for rectal tumor close to the dentate line

researchgate.net 中的 [PDF]

K Nakadoi, S Tanaka, N Hayashi, S Ozawa... - ... endoscopy, 2012 - Mosby

被引用次数: 8 相关文章 所有 7 个版本 引用 保存

CO2 laser haemorrhoidectomy—does it alter anorectal function or decrease pain compared to conventional haemorrhoidectomy?

YW Chia, A Darzi, CTM Speakman, ADK Hill... - International journal of ..., 1995 - Springer

... Carbon dioxide (CO2) laser haemorrhoidectomy is feasible and safe provided it is used with care. ... points of safety in using the CO 2 laser include the wearing of safety goggles or ... cause any alteration in anorectal physiology and would suggest that this is a safe technique for ...

被引用次数: 39 相关文章 所有 5 个版本 引用 保存

[HTML] Overview of single-port laparoscopic surgery for colorectal cancers: past, present, and the future

nih.gov 中的 [HTML]

SJ Kim, BJ Choi, SC Lee - World journal of gastroenterology: WJG, 2014 - ncbi.nlm.nih.gov

... diseases to malignant colorectal cancers[13,16,19] and the safety and feasibility of SPLS ... dissection of adherent tissue can be expanded from the single-port site with safety. ... S, Appeltans B, Houben B. Single-incision right hemicolectomy for malignancy: a feasible technique with ...

被引用次数: 17 相关文章 所有 10 个版本 引用 保存

Transanal total mesorectal excision for rectal carcinoma: short-term outcomes and experience after 80 cases

srcr.nl 中的 [PDF]

MV Helbach, CL Deijen, S Velthuis, HJ Bonjer... - ... endoscopy, 2015 - Springer

... In the future, randomized trials are necessary to prove its oncological safety. ... In seven patients, transanal extraction was not feasible due to the volume of the specimen and ... feasibility, the technique evolved to the standard, currently used in all patients with mid- and distal rectal ...

被引用次数: 19 相关文章 所有 6 个版本 引用 保存

[PDF] Safety and efficacy of endoscopic submucosal dissection of rectal tumors extending to

researchgate.net 中的 [PDF]



全部 图片 视频 新闻 购物 更多 ▾ 搜索工具

找到约 15,100 条结果 (用时 0.57 秒)

## Google 学术 : Feasibility and safety of endoscopic submucosal dissection for lower rectal tumors with hemorrhoids

Comparing endoscopic submucosal dissection with ... - Kiriya - 被引用次数 : 33

... of endoscopic submucosal dissection for rectal tumor ... - Nakadoi - 被引用次数 : 9

CO2 laser haemorrhoidectomy—does it alter anorectal ... - Chia - 被引用次数 : 39

## Clinical outcomes of endoscopic submucosal dissection for re...

[https://www.researchgate.net/.../229434100\\_Clinical\\_outcomes...](https://www.researchgate.net/.../229434100_Clinical_outcomes...) - 翻译此页

Official Full-Text Publication: Clinical outcomes of endoscopic submucosal dissection for rectal tumor close to the dentate line on ResearchGate, the professional ...

## Cap-assisted endoscopic sclerotherapy for hemorrhoids: Met...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : T Zhang - 2015 - 相关文章

2015年12月25日 - AIM: To evaluate the methodology, feasibility, safety and efficacy of a novel ... cancer, stroke, pregnancy, puerperium, mental disorders and portal ... regular cap used in endoscopic submucosal dissection was fixed on ... Before taking out the endoscope, enough suction of air in the colon and visible rectal ...

## [PDF] Safety and efficacy of endoscopic submucosal dissec- tio...

[citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1...](http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1...) ▾ 翻译此页

作者 : K Imai - 被引用次数 : 3 - 相关文章

2013年12月26日 - study aimed to evaluate the feasibility of ESD for RTDLs.

Patients ... presence of hemorrhoid and perioperative bleeding was observed.

Although ... 1 Endoscopic submucosal dissection of rectal tumors extending to the dentate line. a ... 60 minutes;  $P < 0.001$ ) and lower R0 resection rate (53.3% vs. 70.2

% ...