



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 51,600 条结果 (用时 0.43 秒)

The WATCHMAN™ Device - Official Physician Site

www.watchman.com/ ▼

See Efficacy and Safety Data From the Clinical Trials.

How WATCHMAN™ Works - Who Is WATCHMAN™ For? - Is WATCHMAN™ Covered?

Google 学术 : Percutaneous Devices for Left Atrial Appendage Occlusion: A Contemporary Review

... left atrial appendage occlusion with Amplatzer devices ... - Meier - 被引用次数 : 254

Percutaneous left atrial appendage occlusion for stroke ... - Bajaj - 被引用次数 : 63

... atrial appendage closure with the Watchman device in ... - Reddy - 被引用次数 : 470

Efficacy and Safety of Percutaneous Left Atrial Appendage Occlusion ...

<https://www.ncbi.nlm.nih.gov/pubmed/27199213> ▼ 翻译此页

作者 : H Xu - 2016 - 被引用次数 : 4 - 相关文章

2016年5月2日 - ... Stroke Prevention in Nonvalvular Atrial Fibrillation: A Meta-analysis of Contemporary Studies. ... BACKGROUND: Percutaneous left atrial appendage (LAA) occlusion has emerged as an important ... of stroke events and adverse events for patients treated with occlusion devices. ... Meta-Analysis; Review ...

Percutaneous left atrial appendage closure: current state of the art.

<https://www.ncbi.nlm.nih.gov/pubmed/27898435> ▼ 翻译此页

作者 : MA Jazayeri - 2017 - 被引用次数 : 5 - 相关文章

Percutaneous left atrial appendage closure: current state of the art. ... PURPOSE OF REVIEW: The authors reviewed the seminal and more recent literature ... for percutaneous left atrial appendage closure used in contemporary practice, with ... the Food and Drug Administration approval of the WATCHMAN device for stroke ...

Percutaneous Left Atrial Appendage Closure | JACC: Cardiovascular ...

[interventions.onlinejacc.org/content/7/11/1205](https://www.onlinejacc.org/content/7/11/1205) - 翻译此页

2014年11月1日 - This paper reviews contemporary percutaneous LAA closure, with in-depth ... Left Atrial Appendage Transcatheter Occlusion) device (Apriva ...

[PDF] 2015 ACC/HRS/SCAI left atrial appendage occlusion device societal ...

<https://www.hrsonline.org/.../LAA%20Document-accepted%20manuscript.p...> ▼ 翻译此页

作者 : FA Masoudi - 被引用次数 : 58 - 相关文章

Name of Journal: World Journal of Cardiology

Manuscript NO: 42942

Manuscript Type: REVIEW

Percutaneous devices for left atrial appendage occlusion: A contemporary review

Homam Moussa Pacha, Yasser Al-khadra, Mohamad Soud, Fahed Darmoch,
 Abdulghani Moussa Pacha, M Chadi Alraies

Abstract

Patient with atrial fibrillation (AF) are at risk of developing stroke with the left atrial appendage (LAA) being the most common site for thrombus formation. If left untreated, AF is associated with 4 to 5 folds increase in the risk of ischemic stroke in all age groups. About 5 to 15% of AF patients have atrial thrombi on transesophageal echocardiography, and 91% of those thrombi are located in the LAA in patient with nonrheumatic AF. Although oral anticoagulants (OACs) are the gold-standard treatment for stroke prevention in patients with non-valvular AF, some patients are at high risk of bleeding and deemed not candidates for anticoagulation. Therefore, LAA

Match Overview

| | | |
|---|---|-----|
| 1 | Crossref 77 words David R. Holmes, Saibal Kar, Matthew J. Price, Brian Whisenant, Horst Sievert, Shephal K. Doshi, Kenneth Huber, Vivek | 2% |
| 2 | Internet 68 words crawled on 13-Jun-2018 www.cms.gov | 1% |
| 3 | Crossref 62 words Holmes, David R., Shephal K. Doshi, Saibal Kar, Matthew J. Price, Jose M. Sanchez, Horst Sievert, Miguel Valderrabano, | 1% |
| 4 | Crossref 21 words Lindley, Eric, and Brian Whisenant. "Percutaneous left atrial appendage closure: a review of the WATCHMAN clinical trial" | <1% |

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 217,000 条结果 (用时 0.43 秒)

Google 学术 : Long-term outcomes of interventions for radiation-induced xerostomia: A review

Radiation-induced xerostomia in patients with head ... - Dirix - 被引用次数 : 285

... of irradiation-induced xerostomia in patients with head ... - O'sullivan - 被引用次数 : 81

Radiation-induced xerostomia in patients with head ... - Chambers - 被引用次数 : 243

Xerostomia induced by radiotherapy: an overview of the ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4325830/>  [翻译此页](#)

作者 : R Pinna - 2015 - 被引用次数 : 49 - [相关文章](#)

2015年2月4日 - The systematic review of the literature suggests that the most suitable methods for ...

Keywords: radiation-induced xerostomia, salivary gland mucositis, and xerostomia, with an emphasis on pharmacologic interventions, 52, ++ side effects made the patients refuse long-term therapy continuation, +++.


Xerostomia after Radiotherapy for Oral and Oropharyngeal Cancer ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4853382/>  [翻译此页](#)

作者 : JK Kaae - 2016 - 被引用次数 : 7 - [相关文章](#)

2016年5月3日 - Radiation-induced xerostomia is a frequent late side effect after treatment for ... Before and after intervention with chewing gum, an increase in mean To compare and evaluate the saliva stimulating effects of the Some of the patients lost to follow-up did not allow time for an extra visit due to long travel ...

A Nursing Perspective on Radiation-Induced Xerostomia | Cancer ...

www.cancernetwork.com/.../nursing-perspective-radiation-induced-xerosto...  [翻译此页](#)

1996年3月1日 - associated with xerostomia is separate from the effects of radiation on the taste ... With prolonged xerostomia, the patient is at risk for caries development ... Nursing interventions for xerostomia are aimed at increasing patient

找到约 44,800 条结果 (用时 0.46 秒)

Google 学术 : Percutaneous devices for left atrial appendage occlusion: A contemporary review

... left atrial appendage occlusion with Amplatzer devices ... - Meier - 被引用次数 : 254

Percutaneous left atrial appendage occlusion for stroke ... - Bajaj - 被引用次数 : 63

... atrial appendage closure with the Watchman device in ... - Reddy - 被引用次数 : 483

Percutaneous Left Atrial Appendage Closure - JACC: Cardiovascular ... interventions.onlinejacc.org/content/jint/7/11/1205.full.pdf - 翻译此页

作者 : J Saw - 2014 - 被引用次数 : 76 - 相关文章

This paper reviews contemporary percutaneous LAA closure, with in-depth discussions of the procedural techniques and clinical outcomes of leading devices.

Percutaneous Left Atrial Appendage Closure | Circulation ...

<https://www.ahajournals.org/doi/abs/10.1161/circinterventions.117.005359> - 翻译此页

作者 : L Asmarats - 2017 - 被引用次数 : 4 - 相关文章

2017年11月16日 - Percutaneous left atrial appendage closure devices: safety, efficacy, and clinical utility. center experience and comparison of two contemporary devices. formation after left atrial appendage occlusion: a systematic review ...

Percutaneous left atrial appendage closure: current state of the art.

<https://www.ncbi.nlm.nih.gov/pubmed/27898435> - 翻译此页

作者 : MA Jazayeri - 2017 - 被引用次数 : 6 - 相关文章

Percutaneous left atrial appendage closure: current state of the art. ... PURPOSE OF REVIEW: The authors reviewed the seminal and more recent literature ... for percutaneous left atrial appendage closure used in contemporary practice, with ... the Food and Drug Administration approval of the WATCHMAN device for stroke ...

Efficacy and Safety of Percutaneous Left Atrial Appendage Occlusion ...

<https://www.ncbi.nlm.nih.gov/pubmed/27199213> - 翻译此页

作者 : H Xu - 2016 - 被引用次数 : 4 - 相关文章

2016年5月2日 - ... Stroke Prevention in Nonvalvular Atrial Fibrillation: A Meta-analysis of Contemporary Studies. ... BACKGROUND: Percutaneous left atrial appendage (LAA) occlusion has emerged as an important ... of stroke events and adverse events for patients treated with occlusion devices. ... Meta-Analysis; Review ...