

国内版 国际版

Pancreatitis, panniculitis, and polyarthritis syndrome caused b



All

Images

Videos

翻译成中文

关闭取词

16,700 Results

Any time ▾

Pancreatic disease, panniculitis, polyarthrtitis syndrome ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5065631>

Pancreatitis and pancreatic cancer are the main causes of PPP syndrome , although other pancreatic diseases have been reported such as pancreatic disease , abdominal trauma, and pancreas divisum . Mortality rate is 24% when PPP syndrome is caused by pancreatitis and 74% when associated with pancreatic cancer .

Cited by: 8

Author: Valentina Ferri, Benedetto Ielpo, Hipolito ...

Publish Year: 2016

Pancreatitis, panniculitis and polyarthritis (PPP ...

<https://www.sciencedirect.com/science/article/pii/S2210261217300408>

While in most cases this syndrome is caused by acute or chronic pancreatitis, we report a case of a 62-year-old man presenting with extensive intraosseous fat necrosis, polyarthritis and panniculitis caused by a post-pancreatitis pseudocyst with a fistula to the superior mesenteric vein and extremely high blood levels of lipase.

Cited by: 4

Author: Wulf Dieker, Johannes Derer, Thomas H...

Publish Year: 2017

(PDF) Pancreatitis, panniculitis and polyarthritis (PPP ...

https://www.researchgate.net/publication/312547358_Pancreatitis_panniculitis_and...

Pancreatitis, panniculitis and polyarthritis (PPP-) syndrome caused by post-pancreatitis pseudocyst with mesenteric fistula. Diagnosis and successful surgical treatment.

[PDF] Pancreatitis, Panniculitis, and Polyarthritis Syndrome ...

<https://www.journalmc.org/index.php/JMC/article/viewFile/178/143>

ease known as pancreatitis panniculitis polyarthritis (PPP) syndrome. Due to the absence of abdominal symptoms in most cases of PPP syndrome, a delay in diagnosis is not un-usual [1]. Alcoholism is one of the most common causes of chronic pancreatitis, and alcoholics often present with gouty arthritis. PPP syndrome in these patients may therefore be misdiagnosed. We report a ...



48379-Review.docx

Quotes Excluded
Bibliography Excluded

4%
SIMILAR

Pancreatitis, panniculitis, and polyarthritis syndrome caused by pancreatic pseudocyst: A case report

Sungho Jo, Sanghyun Song

Abstract

BACKGROUND

Panniculitis, polyarthritis, and pancreatitis (PPP) syndrome is a triad comprising an extremely rare extra-pancreatic complication of pancreatic disease. Herein, we describe a patient with PPP syndrome caused by fistula formation between the inferior vena cava (IVC) and pancreatic pseudocyst.

CASE SUMMARY

A 64-year-old man visited the hospital with bilateral leg pain that began one week prior. He had no specific diseases, except hypertension. His vital signs were normal. Blood test revealed the following findings: white blood cell count, 28690/ μ L; amylase level, 9055 U/L; lipase level, 2089 U/L; and C-reactive protein level, 12.94 mg/dL. Computed tomography of the pancreas revealed recent acute pancreatitis. Nonsteroidal anti-inflammatory drugs were administered with no improvement. After steroid administration, pain slightly improved. Skin lesions were diagnosed as panniculitis. Bone scan and knee magnetic resonance imaging revealed osteoarthritis and bone marrow infarctions. Surgical treatment was considered; total pancreatectomy with splenectomy was performed. A pseudocyst was present posterior to the head of the pancreas, forming a fistula with the suprarenal IVC. After surgery, amylase and lipase levels decreased. However, the patient died of an uncontrolled infection on the 13th postoperative day.

Match Overview

- 1 **Crossref** 35 words
Wulf Dieker, Johannes Derer, Thomas Henzler, Alexander Schneider, Felix Rückert, Torsten J. Wilhelm, Bernd Krüger. "Pa" 2%
- 2 **Crossref** 16 words
Osanori Sogabe, Takashi Ohya. "A case of tuberculous endocarditis with acute aortic valve insufficiency and annular subv ..." 1%
- 3 **Crossref** 15 words
Narvaez, J.: "Pancreatitis, Panniculitis, and Polyarthritis", Seminars in Arthritis and Rheumatism, 201004 1%

国内版

国际版



Pancreatitis, panniculitis, and polyarthriti syndrome caused by pancreatic pseudoc



All

Images

Videos

翻译成中文

关闭取词

16,900 Results

Any time ▾

While in most cases this syndrome is caused by acute or chronic pancreatitis, we report a case of a 62-year-old man presenting with extensive intraosseous fat necrosis, polyarthriti and panniculiti caused by a post-pancreatitis pseudocyst with a fistula to the superior mesenteric vein and extremely high blood levels of lipase.

[Pancreatitis, panniculiti and polyarthriti \(PPP ...](#)

www.sciencedirect.com/science/article/pii/S2210261217300408

Is this answer helpful?

[Pancreatic disease, panniculiti, polyarthriti syndrome ...](#)

www.ncbi.nlm.nih.gov › ... › Int J Surg **Case Rep** › v.28; 2016

Pancreatitis and **pancreatic cancer** are the main **causes** of **PPP syndrome** , although other **pancreatic diseases** have been reported such as **pancreatic disease** , **abdominal trauma**, and **pancreas divisum** . Mortality rate is 24% when **PPP syndrome** is caused by **pancreatitis** and 74% when associated with **pancreatic cancer** .

Cited by: 8

Author: Valentina Ferri, Benedetto Ielpo, Hipolito ...

Publish Year: 2016

[Pancreatitis, panniculiti and polyarthriti \(PPP ...](#)