

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 13,700 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Navegação Departamento de Patologia - FM/MPT por título](#)[observatorio.fm.usp.br/handle/.../browse?...type...](#)

A Broad **Immunohistochemistry Panel** in **Hepatocellular Carcinoma** (HCC) Seems to **Segregate Molecular Subtypes** by Grade: A Cross-Sectional Study in 80 **Brazilian Autopsies** ... one of the most important vector-borne infection, affecting almost half of the world population with 50 to 100 million **cases** every year.

[Currículo do Sistema de Currículos Lattes \(Aloisio Souza Felipe da ...](#)[https://uspdigital.usp.br/tycho/CurrículoLattesMostrar?codpub...](#)

Cargo ou função. Membro da Comissão Editorial da Revista **Autopsy** and **Case Reports** (Editor científico). A Broad **Immunohistochemistry Panel** in **Hepatocellular Carcinoma** (HCC) Seems to **Segregate Molecular Subtypes** by Grade: A Cross-Sectional Study in 80 **Brazilian Autopsies**. In: 103rd Annual Meeting of the ...

[\[PDF\] 2012 Winter Meeting - The Pathological Society of Great Britain ...](#)[www.pathsoc.org/files/.../28.10.11%202012%20WM%20Prog.pdf](#)

21 Nov 2011 ... 09.00–18.00 Slide Seminar Competition **Case** Viewing: The Skin further light on the aetiology of at least some breast **cancer subtypes**. ... (2) **Molecular** changes in early stage disease including PTEN and the plus our HER2 **panel** of IHC FISH and CISH pharmDx **hepatic** disease 1 (PKHD1) gene.

[Identification of Genes Associated with Local Aggressiveness and ...](#)[www.ncbi.nlm.nih.gov/pmc/articles/PMC2822450/](#)

The understanding of these **molecular** alterations mechanism will be critical For proper **tumor** classification, **immunohistochemistry** using a **panel** of 12 genes as a function of **tumor types** BMT, DTF and for MMT we **segregate** There are very few **reports** correlating gene expression profile and metastasis in sarcomas.

[Applied Immunohistochemistry & Molecular Morphology](#)

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 25780

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Immunohistochemistry panel segregates molecular types of hepatocellular carcinoma in Brazilian autopsy cases

Aloísio Felipe-Silva, Alda Wakamatsu, Cinthya dos Santos Cirqueira, Venâncio Avancini Ferreira Alves

Abstract

AIM: To assess the distribution of proteins coded by genes reported as relevant for the molecular classification of hepatocellular carcinoma (HCC).

Match Overview

1	Internet 70 words crawled on 02-Mar-2016 www.wjgnet.com	2%
2	Internet 65 words crawled on 02-Jan-2014 www.science.gov	1%
3	CrossCheck 61 words "Liver", Laboratory Investigation, 2014.	1%

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 12,400 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Histopathology of hepatocellular carcinoma](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4239483/)www.ncbi.nlm.nih.gov/pmc/articles/PMC4239483/

21 Nov 2014 ... **Hepatocellular carcinoma** (HCC) is the sixth most common **type** of cancer and ... However, in about 15%-20% of **cases** HCC may occur in the ... **Molecular** analysis of the HBV integration patterns and genetic ... well differentiated **hepatocellular carcinoma immunohistochemistry** can be An **autopsy** study.

[Hepatoid adenocarcinoma with liver metastasis mimicking ... - NCBI](http://www.ncbi.nlm.nih.gov/pubmed/14508391)www.ncbi.nlm.nih.gov/pubmed/14508391

Hepatoid adenocarcinoma (HAC) is a special **type** of extrahepatic adenocarcinoma, which has a striking morphologic similarity to **hepatocellular carcinoma**. ... In six **cases**, liver metastases showed an exclusive hepatoid differentiation, virtually ... of **immunohistochemical** results, we stained with the same antibody **panel** a ...

[\[PDF\] Histopathology of Hepatocellular Carcinoma - Springer](http://www.springer.com/cda/content/.../9783642160363-c2.pdf?...)www.springer.com/cda/content/.../9783642160363-c2.pdf?...

Hepatocellular Carcinoma (HCC) is the most frequent primary liver malignancy ... logical analysis recognizes several **types** of HCC according to macroscopic and ... pathogenesis of HCC is complex, involving different **molecular** pathways that may ... immunophenotyping, based on a **panel** of antibodies, has shown its ...

[Currículo do Sistema de Currículos Lattes \(Aloisio Souza Felipe da ...](https://uspdigital.usp.br/tycho/CurriculoLattesMostrar?codpub...)<https://uspdigital.usp.br/tycho/CurriculoLattesMostrar?codpub...>

Cargo ou função. Membro da Comissão Editorial da Revista **Autopsy and Case Reports** (Editor científico). A Broad **Immunohistochemistry Panel** in **Hepatocellular Carcinoma** (HCC) Seems to **Segregate Molecular Subtypes** by Grade: A Cross-Sectional Study in 80 **Brazilian Autopsies**. In: 103rd Annual Meeting of the ...

[Navegação Departamento de Patologia - FM/MPT por título - USP](#)

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 11,300 条结果 (用时 0.65 秒)

Histopathology of hepatocellular carcinoma

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : M Schlageter - 2014 - 被引用次数 : 13 - 相关文章

2014年11月21日 - **Hepatocellular carcinoma** (HCC) is the sixth most common **type** of cancer and ... However, in about 15%-20% of **cases** HCC may occur in the ... **Molecular** analysis of the HBV integration patterns and genetic well differentiated **hepatocellular carcinoma** **immunohistochemistry** can be An **autopsy** study.

Hepatoid adenocarcinoma with liver metastasis mimicking ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/14508391 ▾ 翻译此页

作者 : LM Terracciano - 2003 - 被引用次数 : 126 - 相关文章

Hepatoid adenocarcinoma (HAC) is a special **type** of extrahepatic adenocarcinoma, which has a striking morphologic similarity to **hepatocellular carcinoma**. ... In six **cases**, liver metastases showed an exclusive hepatoid differentiation, virtually ... of **immunohistochemical** results, we stained with the same antibody **panel** a ...

缺少字词 : segregates brazilian autopsy

[PDF] Histopathology of Hepatocellular Carcinoma - Springer

www.springer.com/cda/content/document/.../9783642160363-c2.pdf?... ▾ 翻译此页

Hepatocellular Carcinoma (HCC) is the most frequent primary liver malignancy ... logical analysis recognizes several **types** of HCC according to macroscopic and pathogenesis of HCC is complex, involving different **molecular** pathways that may immunophenotyping, based on a **panel** of antibodies, has shown its ...

缺少字词 : segregates brazilian autopsy

Get PDF (3165K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1111/j.1365-2559.2008.03116.x/pdf ▾

results were confirmed by **immunohistochemical** staining. Results: All tive tissue cells so that they produce other cell **types** by histological ... state of Brazil: **Case 1**: A 18-year-old white girl presented