

Table1 Baseline

	high N=175	low N=174	p.overall
Gender:			0.552
female	84 (48.0%)	78 (44.8%)	
male	91 (52.0%)	96 (55.2%)	
Age:			0.230
>55	33 (18.9%)	42 (24.1%)	
≤55	142 (81.1%)	132 (75.9%)	
Stage:			0.596
Stage I	37 (21.1%)	28 (16.1%)	
Stage II	70 (40.0%)	69 (39.7%)	
Stage III	50 (28.6%)	55 (31.6%)	
Stage IV	18 (10.3%)	22 (12.6%)	
T_Stage:			0.045
T1	7(4.0%)	2(1.2%)	
T2	36(20.6%)	27(15.6%)	
T3	120(68.6%)	120(69.4%)	
T4	12(6.9%)	24(13.9%)	
N_Stage:			0.179
N0	112(64.0%)	98(56.3%)	
N1	44(25.1%)	46(26.4%)	
N2	19(10.9%)	30(17.2%)	
M_Stage:			0.022
M0	144(83.2%)	126(72.4%)	
M1	18(10.4%)	22(12.6%)	
MX	11(6.4%)	26(14.9%)	
Vascular-invasion			0.204
YES	28(18.8%)	38(24.8%)	
NO	121(81.2%)	115(75.2%)	