

Name of the Journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 25497

Manuscript Type: Retrospective Study

Factors associated with recurrence of clubfoot treated by the Ponseti method

Mohammad Reza Azarpira, Mohammad Jafar Emami, Amir Reza Vosoughi,
Keivan Rahbari

Abstract

AIM: To assess several associated factors on ²the recurrence of clubfoot after successful correction by the Ponseti method.

Match Overview

1	CrossCheck 64 words Rezazadeh, S., H. Ettehadi, and A. R. Vosoughi. "Outcome of arthroscopic single-bundle anterior cruciate ligament rec	2%
2	Internet 41 words crawled on 05-Mar-2013 www.ncbi.nlm.nih.gov	2%
3	CrossCheck 30 words Momenzadeh, Omid Reza, Masoome Pourmokhtari, Sepideh Sefidbakht, and Amir Reza Vosoughi. "Does the position	1%
4	Internet 28 words crawled on 07-Feb-2015 repositorio.chlc.min-saude.pt	1%
5	Internet 23 words crawled on 30-Oct-2013 www.centroessedi.it	1%
6	CrossCheck 21 words Zhao, Dahang, Hai Li, Li Zhao, Jianlin Liu, Zhenkai Wu, and Fangchun Jin. "Results of Clubfoot Management Using ...	1%



All News Images Videos Shopping More ▾ Search tools

About 20,500 results (0.96 seconds)

Idiopathic clubfoot treated with the Ponseti method: factors ...

www.ncbi.nlm.nih.gov/... ▾ National Center for Biotechnology Information ▾
by S Kim - 2014 - Related articles

Idiopathic **clubfoot** treated with the **Ponseti method**: **factors associated** with patient ... of the known association between lack of brace wear and **recurrence**.

Factors predictive of second recurrence in clubfeet treated ...

www.ncbi.nlm.nih.gov/... ▾ National Center for Biotechnology Information ▾
by MR Lockett - 2015 - Cited by 2 - Related articles

BACKGROUND: **Ponseti** serial casting is the most commonly used **method** in North America to **treat** children with **clubfeet**. Despite initial correction, **recurrence** ...

Relapse of Clubfoot after Treatment with the Ponseti Method ...

www.ncbi.nlm.nih.gov/... ▾ National Center for Biotechnology Information ▾
by D Zhao - 2014 - Cited by 4 - Related articles

Aug 5, 2014 - Keywords: **Clubfoot**, **Ponseti method**, Relapse, Foot abduction orthosis ... brace **treatment** was closely **associated with recurrence** of the deformity..... the brace wearing time is a crucial **factor** during the whole **treatment**.

Predicting recurrence after clubfoot treatment | Lower ...

lemagazine.com/article/predicting-recurrence-after-clubfoot-treatment ▾
by RY Goldstein - Related articles

Mar 2, 2015 - ... for **factors** that predict **recurrence** after use of the **Ponseti method** for ... long-term results **associated** with surgically **treated clubfeet** being ...

[PDF] Factors Predictive of Outcome After Use of the Ponseti ...

www.wosm.com/.../Factors-predictive-of-outcome-after-use-of-the-pons... ▾
by MB DOBBS - 2004 - Cited by 275 - Related articles

risk **factors** for the **recurrence** of **clubfoot** deformity after correction with the **Ponseti method**. ... The unsatisfactory results **associated** with complete soft-tissue releases at ten to fifteen ... risk of **recurrence** after **treatment** with the **Ponseti method**.

[PDF] Factors Predictive of Outcome after Use of the Ponseti ...

digitalcommons.wustl.edu/cgi/viewcontent.cgi?article=1937...open... ▾

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 18,800 条结果（用时 0.57 秒）

Google 学术: Factors associated with recurrence of clubfoot treated by the Ponseti method

... [Ponseti method for the treatment of idiopathic clubfeet](#) - Dobbs - 被引用次数: 289

... [surgery for clubfoot using the Ponseti method](#) - Morcuende - 被引用次数: 396

... [clubfoot recurrence after use of the Ponseti method in ...](#) - Haft - 被引用次数: 132

Idiopathic clubfoot treated with the Ponseti method: factors as... www.ncbi.nlm.nih.gov/pubmed/25429388 - 翻译此页

作者: S Kim - 2014 - [相关文章](#)

Idiopathic [clubfoot treated](#) with the [Ponseti method](#): [factors associated](#) with patient ... of the known [association](#) between lack of brace wear and [recurrence](#).

The Ponseti method for the treatment of congenital club foot: r... www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: C Radler - 2013 - 被引用次数: 23 - [相关文章](#)

2013年8月9日 - Keywords: Ponseti [treatment](#), Congenital [club foot](#), Abduction bracing, risk factor for the [recurrence of club foot](#) after correction with the [Ponseti method](#) Morcuende et al. followed patients with [club foot associated](#) with ...

Factors predicting brace noncompliance among idiopathic club... www.sciencedirect.com/science/article/.../S1658361215000955 ▾ [翻译此页](#)

作者: AH Jawadi - 2015 - [相关文章](#)

... with [clubfeet treated](#) with the [Ponseti method](#) and to identify [factors](#) that may. ... There was a significant [association](#) between bilateral [clubfoot](#) and Patients who tolerated bracing had lower [recurrence](#) rates and underwent less surgery.

Predicting recurrence after clubfoot treatment | Lower Extremit... lermagazine.com/.../predicting-recurrence-after-clubfoot-treatm... ▾ [翻译此页](#)



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 8,140 条结果 (用时 0.39 秒)

Google 学术: Factors associated with recurrence of clubfoot treated by the Ponseti method

... Ponseti method for the treatment of idiopathic clubfeet - Dobbs - 被引用次数: 290

... surgery for clubfoot using the Ponseti method - Morcuende - 被引用次数: 399

... clubfoot recurrence after use of the Ponseti method in ... - Haft - 被引用次数: 133

Idiopathic clubfoot treated with the Ponseti method: factors associated ...

www.ncbi.nlm.nih.gov/pubmed/25429388 - 翻译此页

作者: S Kim - 2014 - 相关文章

Idiopathic clubfoot treated with the Ponseti method: factors associated with patient ... of the known association between lack of brace wear and recurrence.

Relapse of Clubfoot after Treatment with the Ponseti Method and the ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: D Zhao - 2014 - 被引用次数: 8 - 相关文章

2014年8月5日 - Keywords: Clubfoot, Ponseti method, Relapse, Foot abduction orthosis brace treatment was closely associated with recurrence of the deformity....., the brace wearing time is a crucial factor during the whole treatment.

Early clubfoot recurrence after use of the Ponseti method in a New ...

www.ncbi.nlm.nih.gov/pubmed/17332096 ▾ 翻译此页

作者: GF Haft - 2007 - 被引用次数: 132 - 相关文章

Early clubfoot recurrence after use of the Ponseti method in a New Zealand population. ... to analyze patient characteristics to identify factors predictive of recurrence. ... a total of seventy-three clubfeet treated by the Ponseti technique were followed ... Compliance with abduction bracing was associated