

Name of journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 45422

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

No significant difference in clinically relevant findings between Pillcam® SB3 and Pillcam® SB2 capsules in a United States veteran population

Aasen T *et al.* SB3 vs SB2 capsules

Tyler D Aasen, David Wilhoite, Aynur Rahman, Kalpit Devani, Mark Young, James Swenson

Abstract

Match Overview

Match ID	Source	Words	Similarity
1	Internet	21 words crawled on 21-Feb-2014 www.ncbi.nlm.nih.gov	1%
2	Internet	15 words crawled on 12-Jul-2017 www.elsevier.es	<1%
3	Internet	15 words crawled on 02-Feb-2008 content.onlinejacc.org	<1%
4	Internet	13 words crawled on 19-Nov-2017 link.springer.com	<1%
5	Crossref	12 words Hao-Jie Zhong, Yu Yuan, Wen-Rui Xie, Mei-Hui Chen, Xing-Xiang He. "Type 2 Diabetes Mellitus Is Associated with M..."	<1%
6	Internet	12 words crawled on 14-Aug-2018 www.thieme-connect.de	<1%

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 2,740 条结果 (用时 0.63 秒)

Diagnostic Yields of Pillcam® SB3 versus Pillcam® SB2 Capsules in a ...

<https://www.eventscribe.com/2018/ACG/ajaxcalls/PosterInfo.asp?efp...> [▼ 翻译此页](#)

2018年10月7日 - ... versus Pillcam® SB2 Capsules in a United States Veteran Population ... found no significant difference in clinically relevant findings between ...

PillCam SB3 Capsule- Feasibility Study - Full Text View - ClinicalTrials ...

<https://clinicaltrials.gov/ct2/show/NCT01433042> [▼ 翻译此页](#)

Diagnostic yield of the SB3 will be calculated The Physician's subjective ... Small/Large Bowel, Device: capsule endoscopy, Not Applicable. Detailed Description: Purpose of study- To assess the performance of PillCam SB3 capsule in ... Quality to SB2 by the Physicians [Time Frame: up to 6 months from end of recruitment].

Does the PillCam SB3 capsule endoscopy system improve image ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5979195/> - [翻译此页](#)

作者 : T Omori - 2018 - 被引用次数 : 1 - 相关文章

2018年5月25日 - Interpretation agreement rates between the findings by junior and ... Georgia, United States) was the first capsule endoscopic system approved for clinical ... The third-generation PillCam SB3 capsule offers 30 % improved There were no significant differences in clinical background of the SB2 and SB3 ...

缺少字词 : veteran

PillCam® SB3 capsule: Does the increased frame rate ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26973404> [▼ 翻译此页](#)

作者 : S Monteiro - 2016 - 被引用次数 : 12 - 相关文章

2016年3月14日 - PillCam® SB3 capsule: Does the increased frame rate eliminate the risk of missing lesions? ... that the PillCam(®) SB2-ex has a significantly increased completion rate, although without higher diagnostic yield, compared with the SB2. surprising results and the new potentialities of the PillCam(®) SB3 ...

缺少字词 : clinically relevant States veteran population

找到约 2,780 条结果 (用时 0.69 秒)

Diagnostic Yields of Pillcam® SB3 versus Pillcam® SB2 Capsules in a ...

<https://www.eventscribe.com/2018/ACG/ajaxcalls/PosterInfo.asp?efp...> ▼ 翻译此页

2018年10月7日 - ... versus Pillcam® SB2 Capsules in a United States Veteran Population ... found no significant difference in clinically relevant findings between ...

PillCam SB3 Capsule- Feasibility Study - Full Text View - ClinicalTrials ...

<https://clinicaltrials.gov/ct2/show/NCT01433042> ▼ 翻译此页

Diagnostic yield of the SB3 will be calculated The Physician's subjective ... Small/Large Bowel, Device: capsule endoscopy, Not Applicable. Detailed Description: Purpose of study- To assess the performance of PillCam SB3 capsule in ... Quality to SB2 by the Physicians [Time Frame: up to 6 months from end of recruitment].

Does the PillCam SB3 capsule endoscopy system improve image ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5979195/> - 翻译此页

作者: T Omori - 2018 - 被引用次数: 1 - 相关文章

2018年5月25日 - Interpretation agreement rates between the findings by junior and ... Georgia, United States) was the first capsule endoscopic system approved for clinical ... The third-generation PillCam SB3 capsule offers 30 % improved There were no significant differences in clinical background of the SB2 and SB3 ...

缺少字词: veteran

PillCam® SB3 capsule: Does the increased frame rate eliminate the ...

<https://www.ncbi.nlm.nih.gov/pubmed/26973404> ▼ 翻译此页

作者: S Monteiro - 2016 - 被引用次数: 12 - 相关文章

2016年3月14日 - PillCam® SB3 capsule: Does the increased frame rate eliminate the risk of missing lesions? ... that the PillCam(®) SB2-ex has a significantly increased completion rate, although without higher diagnostic yield, compared with the SB2. ... surprising results and the new potentialities of the PillCam(®) SB3 ...

缺少字词: clinically relevant States veteran population

Comparison of the diagnostic yield and outcomes between standard 8 ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4427676/> ▼ 翻译此页

作者: M Rahman - 2015 - 被引用次数: 17 - 相关文章

Demographic information, indications for capsule endoscopy, capsule type, study ... In 4/70 (5.7%) of abnormal SB2-ex exams the clinically significant finding was ... without any improvement in diagnostic yield compared to the PillCam SB2. Keywords: PillCam SB2, Capsule endoscopy, Obscure