

World Journal of *Clinical Cases*

World J Clin Cases 2024 August 26; 12(24): 5448-5635



EDITORIAL

- 5448 Diagnostic challenges from conflicting results of tests and imaging
Yu R
- 5452 Are case reports valuable? Exploring their role in evidence based medicine and patient care
Suvvari TK
- 5456 Recent advances in managing obstructive sleep apnea
Nag DS, Chatterjee A, Patel R, Sen B, Pal BD, Wadhwa G
- 5462 Importance of risk assessment, endoscopic hemostasis, and recent advancements in the management of acute non-variceal upper gastrointestinal bleeding
Maity R, Dhali A, Biswas J
- 5468 Navigating treatment resistance: Janus kinase inhibitors for ulcerative colitis
Soldera J
- 5473 Clues for diagnosing misplaced central venous catheter in the right ascending lumbar vein during right femoral venous access
Tokumine J, Moriyama K, Yorozu T

MINIREVIEWS

- 5476 Exploration of the complex origins of primary constipation
Zeng XL, Zhu LJ, Yang XD

ORIGINAL ARTICLE**Retrospective Study**

- 5483 Influence of humanistic care-based operating room nursing on safety, recovery, and satisfaction after radical surgery for colorectal carcinoma
Wang XP, Niu M
- 5492 Correlation between TEX14 and ADAM17 expressions in colorectal cancer tissues of elderly patients and neoplasm staging, invasion, and metastasis
Chen G, Cong LH, Gu CJ, Li P
- 5502 Assessment of early factors for identification or prediction severe acute pancreatitis in pregnancy
Mei LF, Gan Q, Hu J, Li YX, Tian R, Shi CJ
- 5513 Application value of machine learning models in predicting intraoperative hypothermia in laparoscopic surgery for polytrauma patients
Zhu K, Zhang ZX, Zhang M

Clinical Trials Study

- 5523 Effectiveness of the A3 robot on lower extremity motor function in stroke patients: A prospective, randomized controlled trial

Zhang LJ, Wen X, Peng Y, Hu W, Liao H, Liu ZC, Liu HY

- 5534 Effect of dietary with Zhibai dihuang pills and gonadotropin-releasing-hormone-analogue on girls with precocious and rapidly progressive puberty

Wang XM, Li W, Yang LQ, Luo R, Zhang CC

Randomized Controlled Trial

- 5542 Clinical efficacy, bone density, and follow-up in implant and orthodontic treatment for inclined adjacent teeth

Yang Y, Zhou SC, Ma YH, Wang X, Dong QS

- 5549 Information-motivation-behavioral guided nursing for stroke patients with pulmonary dysfunction: A randomized controlled trial

Peng X, Ni HQ, Liu YM, Zhu JL, Bai YT

- 5558 Application of buried auricular point combined with Wenjing Sanhan prescription in arteriosclerosis obliterans patients with resting pain

Li YP, Su T, Xue XL, Shi HR, Su ZH, Li J

Clinical and Translational Research

- 5568 Computed tomography-based radiomics predicts the fibroblast-related gene *EZH2* expression level and survival of hepatocellular carcinoma

Yu TY, Zhan ZJ, Lin Q, Huang ZH

CASE REPORT

- 5583 Endometrial carcinoma with cervical stromal invasion: Three case reports

Liu MM, Liang YT, Jin EH

- 5589 IgG4-related sclerosing cholangitis associated with essential thrombocythemia: A case report

Wu ZN, Ji R, Xiao Y, Wang YD, Zhao CY

- 5596 Are all primary omental infarcts truly idiopathic? Five case reports

Kar H, Khabbazazar D, Acar N, Karasu Ş, Bağ H, Cengiz F, Dilek ON

- 5604 Seven-years post allogeneic hematopoietic stem cell transplantation pure red cell aplastic anemia cured with daratumumab: A case report and review of literature

Deng B, Gao R, Yang B, Lei WB, Xue MF, Wang JS, Zhao P

- 5613 Splenic subcapsular hematoma following endoscopic retrograde cholangiopancreatography: A case report and review of literature

Guo CY, Wei YX

- 5622** "Keyboard sign" and "coffee bean sign" in the prenatal diagnosis of ileal atresia: A case report
Fei ZH, Zhou QY, Fan L, Yin C
- 5628** Treatment of nasopharyngeal carcinoma and prevention of non-alcoholic Wernicke's disease: A case report and review of literature
Ma YY, He XC, Gao Y, Ma TT, Cheng G, Yue CW

ABOUT COVER

Peer Reviewer of *World Journal of Clinical Cases*, Madhukar Mittal, FACE, MBBS, MD, Professor, Endocrinology and Metabolism, All India Institute of Medical Sciences Jodhpur, Jodhpur 342005, India. mittalspace@gmail.com

AIMS AND SCOPE

The primary aim of *World Journal of Clinical Cases* (*WJCC*, *World J Clin Cases*) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The *WJCC* is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Journal Citation Reports/Science Edition, Current Contents®/Clinical Medicine, PubMed, PubMed Central, Reference Citation Analysis, China Science and Technology Journal Database, and Superstar Journals Database. The 2024 Edition of Journal Citation Reports® cites the 2023 journal impact factor (JIF) for *WJCC* as 1.0; JIF without journal self cites: 0.9; 5-year JIF: 1.1; JIF Rank: 168/325 in medicine, general and internal; JIF Quartile: Q3; and 5-year JIF Quartile: Q3.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Zi-Hang Xu, Production Department Director: Xu Guo, Cover Editor: Jin-Lai Wang.

NAME OF JOURNAL

World Journal of Clinical Cases

ISSN

ISSN 2307-8960 (online)

LAUNCH DATE

April 16, 2013

FREQUENCY

Thrice Monthly

EDITORS-IN-CHIEF

Bao-Gan Peng, Salim Surani, Jerzy Tadeusz Chudek, George Kontogeorgos, Maurizio Serati

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/2307-8960/editorialboard.htm>

PUBLICATION DATE

August 26, 2024

COPYRIGHT

© 2024 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>



Retrospective Study

Assessment of early factors for identification or prediction severe acute pancreatitis in pregnancy

Li-Fen Mei, Quan Gan, Jing Hu, Yun-Xiang Li, Rui Tian, Cheng-Jian Shi

Specialty type: Critical care medicine

Provenance and peer review: Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's classification

Scientific Quality: Grade C, Grade D

Novelty: Grade C, Grade C

Creativity or Innovation: Grade B, Grade C

Scientific Significance: Grade C, Grade C

P-Reviewer: Kumar R

Received: April 28, 2024

Revised: May 25, 2024

Accepted: June 20, 2024

Published online: August 26, 2024

Processing time: 73 Days and 19.7 Hours



Li-Fen Mei, Quan Gan, Jing Hu, Yun-Xiang Li, Department of Critical Care Medicine, Maternal and Child Health Hospital of Hubei Province, Wuhan 430000, Hubei Province, China

Rui Tian, Cheng-Jian Shi, Department of Biliary-Pancreatic Surgery, Tongji Hospital of Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, Hubei Province, China

Co-corresponding authors: Rui Tian and Cheng-Jian Shi.

Corresponding author: Cheng-Jian Shi, PhD, Affiliate Associate Professor, Surgeon, Department of Biliary-Pancreatic Surgery, Tongji Hospital of Tongji Medical College, Huazhong University of Science and Technology, No. 1095 Jiefang Avenue, Wuhan 430030, Hubei Province, China. chengj1010@sina.com

Abstract

BACKGROUND

Acute pancreatitis in pregnancy (APIP) is a rare and serious condition, and severe APIP (SAPIP) can lead to pancreatic necrosis, abscess, multiple organ dysfunction, and other adverse maternal and infant outcomes. Therefore, early identification or prediction of SAPIP is important.

AIM

To assess factors for early identification or prediction of SAPIP.

METHODS

The clinical data of patients with APIP were retrospectively analyzed. Patients were classified with mild acute pancreatitis or severe acute pancreatitis, and the clinical characteristics and laboratory biochemical indexes were compared between the two groups. Logical regression and receiver operating characteristic curve analyses were performed to assess the efficacy of the factors for identification or prediction of SAPIP.

RESULTS

A total of 45 APIP patients were enrolled. Compared with the mild acute pancreatitis group, the severe acute pancreatitis group had significantly increased ($P < 0.01$) heart rate (HR), hemoglobin, neutrophil ratio (NEUT%), and neutrophil-lymphocyte ratio (NLR), while lymphocytes were significantly decreased ($P < 0.01$). Logical regression analysis showed that HR, NEUT%, NLR, and lym-

phocyte count differed significantly ($P < 0.01$) between the groups. These may be factors for early identification or prediction of SAPIP. The area under the curve of HR, NEUT%, NLR, and lymphocyte count in the receiver operating characteristic curve analysis was 0.748, 0.732, 0.821, and 0.774, respectively. The combined analysis showed that the area under the curve, sensitivity, and specificity were 0.869, 90.5%, and 70.8%, respectively.

CONCLUSION

HR, NEUT%, NLR, and lymphocyte count can be used for early identification or prediction of SAPIP, and the combination of the four factors is expected to improve identification or prediction of SAPIP.

Key Words: Severe acute pancreatitis in pregnancy; Early identification factors; Early predictive factors; Clinical features; Laboratory biochemical index

©The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: This retrospective study explored factors for early identification or prediction of severe acute pancreatitis in pregnancy (SAPIP). A total of 45 APIP patients were enrolled. Logistic regression analysis showed that heart rate, neutrophil ratio, neutrophil-lymphocyte ratio, and lymphocyte count were significantly correlated with SAPIP. These four indexes showed valuable area under the curve, sensitivity, and specificity through receiver operating characteristic curve analysis. These results suggested that heart rate, neutrophil ratio, neutrophil-lymphocyte ratio, and lymphocyte count can be used for early identification or prediction of SAPIP.

Citation: Mei LF, Gan Q, Hu J, Li YX, Tian R, Shi CJ. Assessment of early factors for identification or prediction severe acute pancreatitis in pregnancy. *World J Clin Cases* 2024; 12(24): 5502-5512

URL: <https://www.wjgnet.com/2307-8960/full/v12/i24/5502.htm>

DOI: <https://dx.doi.org/10.12998/wjcc.v12.i24.5502>

INTRODUCTION

Acute pancreatitis in pregnancy (APIP) is a rare but serious condition, and the incidence is reported to be between 1/12000 and 1/1000[1-3]. Although APIP is rare in the clinic, it may be associated with high maternal mortality and fetal loss[4-6], and it has been shown increasing attention by researchers.

Previous studies have shown that severe APIP (SAPIP) is significantly associated with a high risk of maternal and fetal death[7,8]; therefore, early identification and prediction of SAPIP, as well as timely and appropriate management, are critical to fetal and maternal prognosis. There are currently several scoring systems used to assess AP severity[9]. Many hematological changes occur in women during pregnancy, so APIP has some special clinical features in addition to the characteristics of general pancreatitis. Therefore, these scores may not accurately assess and predict the severity of APIP [10,11]. Better indicators for early identification and prediction of APIP severity are needed. Some studies suggested that the neutrophil-lymphocyte ratio (NLR), platelet-lymphocyte ratio, erythrocyte distribution width-platelet ratio, γ -glutamyl transpeptidase, lipase, high-density lipoprotein, platelet volume, lactate dehydrogenase, triglyceride, and cholesterol may be predictors of APIP[12-15]. However, there are few reports on the early identification and prediction of SAPIP.

Based on 45 clinical cases of APIP from the Department of Critical Care Medicine, Maternal and Child Health Hospital of Hubei Province and Department of Biliary-Pancreatic Surgery, Tongji Hospital of Tongji Medical College, Huazhong University of Science and Technology, this retrospective study identified multiple factors associated with SAPIP. Clinical parameters were compared between patients with mild APIP (MAPIP) and those with SAPIP. These are expected to facilitate the timely identification and prediction of SAPIP.

MATERIALS AND METHODS

Study subjects and definitions

A retrospective study was conducted on APIP patients admitted to the Department of Critical Care Medicine, Maternal and Child Health Hospital of Hubei Province and Department of Biliary-Pancreatic Surgery, Tongji Hospital of Tongji Medical College, Huazhong University of Science and Technology from 2017 to 2020. Due to the difficulty in obtaining data for patients before admission, data were only collected for the first examination within 24 h after hospitalization. Information on maternal age, gestational age at onset, potential causes of AP, clinical manifestations and complications, laboratory data, and maternal and fetal outcomes were collected from patient medical records.

We defined APIP as AP that occurred during pregnancy and the 42-d postpartum period. Diagnosis of AP needs to meet at least two of the following three characteristics on the basis of the Revised Atlanta criteria[16]: (1) Acute persistent epigastric pain; (2) Serum amylase and/or lipase increased by > 3 times the upper limit of normal; and (3) Abdominal imaging findings consistent with AP. Based on the Revised Atlanta criteria[16], AP was classified into three categories according to severity: (1) Mild AP (MAP), pancreatitis without organ dysfunction or systemic complications; (2) Moderately severe AP (MSAP), pancreatitis with persistent organ dysfunction or local/systemic complications within 48 h of starting treatment; and (3) Severe AP (SAP), persistent pancreatitis dysfunction or local/systemic complications.

Patients with chronic pancreatitis and patients with missing data were excluded from the study. We enrolled 45 patients with APIP. Due to the small number of cases of MSAP in this study, patients were divided into two groups: MAP and SAP (including MSAP and SAP). There were 24 cases of MAP and 21 cases of SAP. The study was approved by the Ethics Committee of Hubei Maternal and Child Health Care Hospital and Tongji Hospital of Tongji Medical College, Huazhong University of Science and Technology. Technical records. Data did not include potential patient identifying information and therefore did not require informed consent.

Statistical analysis

SPSS 17.0 was used for data analysis. The measurement data of normal distribution were expressed as mean \pm standard deviation, and *t* test of two independent samples was used for comparison between groups. Measurement data with non-normal distribution were expressed as median (interquartile range), and the nonparametric Mann-Whitney *U* test was used for comparison between groups. The numerical data were expressed as frequency, and groups were compared by Fisher's exact test. Logistic regression analysis was performed on the variables with significant differences between the groups to analyze the factors associated with SAPIP. Receiver operating characteristic curve (ROC) was plotted to evaluate the predictive efficiency of each indicator.

RESULTS

General clinical features

The 45 patients had a mean age of 30.0 ± 3.8 years (range: 22-37 years). According to the etiology, there were 18 cases (40.0%) of hypertriglyceridemia, 11 cases (24.44%) of cholelithiasis (24.44%), and 16 cases (35.56%) of other diseases. APIP patients included 4 cases (10.26%) in the first trimester, 9 cases (20.51%) in the second trimester, and 32 cases (69.23%) in the third trimester. There were no maternal deaths, but fetal loss occurred in 6 cases. In the initial hospitalization, 13 cases were diagnosed as severe; 4 cases had acute respiratory distress syndrome, and 5 cases had shock symptoms. Acidosis and renal dysfunction occurred in 2 cases and liver failure in 2 cases. Eight cases became severe after hospitalization; 3 cases had renal dysfunction, 3 cases had pancreatic hemorrhage and necrosis, and 2 cases had acute respiratory distress syndrome and liver failure. Due to the small sample size, there may have been errors in individual analysis, so the two groups were studied as a whole in the following study.

Differences in general clinical features between MAPIP and SAPIP

We mainly compared the general clinical characteristics of MAPIP with SAPIP, including underlying etiology, pregnancy stage, age, heart rate (HR), and blood pressure. There were no significant differences in underlying etiology and pregnancy stage between the two groups (Tables 1 and 2). There were also no significant differences in age and blood pressure (Table 3). HR in the severe group was significantly higher than in the mild group ($P < 0.01$) (Table 3).

Differences in laboratory biochemical indicators between MAPIP and SAPIP

Whole blood was collected to compare the laboratory biochemical indicators. Hemoglobin and neutrophil ratio (NEUT%) in the SAPIP group were significantly higher than in the MAPIP group ($P < 0.01$) (Table 4). The total number of lymphocytes in the SAPIP group was significantly lower than that in the MAPIP group ($P < 0.01$). NLR in the SAPIP group was significantly higher than in the MAPIP group ($P < 0.01$) (Table 4).

Assessment of factors associated with SAPIP

Logistic regression analysis was performed on HR, hemoglobin, NEUT%, lymphocyte count, and NLR, which were significantly different between the MAPIP and SAPIP groups. HR, NEUT%, lymphocyte count, and NLR were significantly correlated with severity of APIP ($P < 0.01$), but hemoglobin was not ($P > 0.01$) (Table 5). ROC curves showed the early recognition or predictive efficiency of each relevant factor (Table 6 and Figure 1A). NLR had the largest area under the curve (AUC) (0.821). To evaluate whether their combination was more effective, ROC curve analysis was performed on the four factors. AUC for combined detection was 0.869, sensitivity was up to 90.5%, and specificity was up to 70.8% (Figure 1B).

DISCUSSION

We reported the value of combining detection of vital signs and laboratory biochemical indicators in early identification or prediction of SAPIP after hospitalization. Compared with the MAPIP group, HR, NEUT%, and NLR were significantly higher in the SAPIP group, while lymphocyte count was significantly reduced in the SAPIP group. To assess whether

Table 1 Differences in etiology

Etiology	MAPIP, <i>n</i> = 24	SAPIP, <i>n</i> = 21	Test value	<i>P</i> value
Hypertriglyceridemia	6	12	$\chi^2 = 4.890$	0.087 ¹
Biliary	7	4		
Other causes	11	5		

¹Pearson's χ^2 test. MAPIP: Mild acute pancreatitis in pregnancy; SAPIP: Severe acute pancreatitis in pregnancy.

Table 2 Differences during pregnancy stage

Pregnancy stage	MAPIP, <i>n</i> = 24	SAPIP, <i>n</i> = 21	<i>P</i> value
First trimester	2	2	0.258 ¹
Second trimester	7	2	
Late trimester	15	17	

¹Fisher's exact test. MAPIP: Mild acute pancreatitis in pregnancy; SAPIP: Severe acute pancreatitis in pregnancy.

Table 3 Differences in age, heart rate, and blood pressure

Factors	MAPIP, <i>n</i> = 24	SAPIP, <i>n</i> = 21	Test value	<i>P</i> value
Age in yr	28.82 ± 4.50	30.40 ± 4.10	<i>t</i> = 0.521	0.605 ¹
Heart rate in bpm	88.0 (19.75)	120.0 (40.0)	<i>z</i> = -2.849	0.004 ²
Systolic blood pressure in mmHg	115.67 ± 11.89	119.57 ± 11.82	<i>t</i> = -1.102	0.277 ¹
Diastolic blood pressure in mmHg	73.21 ± 9.48	76.24 ± 9.16	<i>t</i> = -1.087	0.283 ¹

Data are *n* (%).

¹*T*-test of two independent samples.

²Mann-Whitney nonparametric test.

MAPIP: Mild acute pancreatitis in pregnancy; SAPIP: Severe acute pancreatitis in pregnancy.




Figure 1 Specificity and sensitivity of heart rate, neutrophil ratio, lymphocyte count, and neutrophil-lymphocyte ratio were analyzed by receiver operating characteristic curve. A: Analysis of individual factors; B: Analysis of combination of factors. HR: Heart rate; LYM: Lymphocyte count; NEUT%: Neutrophil ratio; NLR: Neutrophil-lymphocyte ratio; ROC: Receiver operating characteristic.

Table 4 Comparison of the first laboratory biochemical indicators after admission

Factor	MAPIP, n = 24	SAPIP, n = 21	Test value	P value
RBC as $\times 10^{12}$	3.53 \pm 0.48	3.95 \pm 0.75	t = -2.275	0.028
HCT	33.40 \pm 5.65	36.99 \pm 5.14	t = -2.219	0.032
HGB in g/L	110.67 \pm 17.49	127.71 \pm 22.68	t = -3.003	0.004
RDW	13.45 (1.12)	13.80 (2.35)	z = -1.298	0.194
WBC as $\times 10^9$	12.42 \pm 5.02	15.08 \pm 5.55	t = -1.688	0.099
NEUT as $\times 10^9$	11.18 \pm 4.81	14.66 \pm 4.81	t = -2.422	0.02
NEUT%	83.84 \pm 8.44	90.14 \pm 3.52	t = -3.183	0.003
LYM as $\times 10^9$	1.23 (0.46)	0.58 (0.51)	z = -3.141	0.002
NLR	8.12 (9.80)	27.43 (25.61)	z = -3.686	0
TG in mmol/L	2.63 (6.80)	19.05 (31.49)	z = -2.207	0.027
TC in mmol/L	5.26 (2.41)	14.32 (14.29)	z = -1.615	0.106
Ca in mmol/L	2.13 (0.15)	2.04 (0.38)	z = -0.854	0.393
AMY in U/L	387 (1450.00)	588 (763.60)	z = -0.375	0.707
BUN in mmol/L	3.06 (1.12)	2.16 (2.75)	z = -0.797	0.426
SCR in mg/dL	47.66 (13.17)	47.45 (17.55)	z = 0.046	0.946
GPT in U/L	8.90 (16.00)	8.30 (33.10)	z = -0.194	0.846
GOT (U/L)	17.85 (21.73)	18.00 (28.50)	z = -0.546	0.585
DBIL in μ mol/L	3.25 (2.43)	3.40 (4.45)	z = -0.046	0.964
IBIL in μ mol/L	7.42 (3.80)	7.46 (4.37)	z = -0.032	0.975

AMY: Amylase; BUN: Blood urea nitrogen; DBIL: Direct bilirubin; GOT: Glutamic oxaloacetic transaminase; GPT: Glutamic pyruvic transaminase; HCT: Hematocrit value; HGB: Hemoglobin; IBIL: Indirect bilirubin; LYM: Lymph; MAPIP: Mild acute pancreatitis in pregnancy; NEUT: Neutrophil; NEUT%: Neutrophil ratio; NLR: Neutrophil-lymphocyte ratio; RBC: Red blood cell; RDW: Red blood cell distribution width; SAPIP: Severe acute pancreatitis in pregnancy; SCR: Serum creatinine; TC: Total cholesterol; TG: Triglyceride; WBC: White blood cell.

Table 5 Logistic regression analysis of related factors

Factor	OR	95%CI	P value
Heart rate in bpm	1.052	1.016–1.090	0.004
Hemoglobin in g/L	1.046	1.009–1.048	0.014
NEUT%	1.179	1.043–1.333	0.009
LYM as $\times 10^9$	0.095	0.019–0.483	0.005
NLR	1.121	1.045–1.202	0.001

CI: Confidence interval; LYM: Lymphocyte count; NEUT%: Neutrophil ratio; NLR: Neutrophil-lymphocyte ratio; OR: Odds ratio.

these indicators can be used as factors for identification or prediction of SAPIP, ROC analysis was performed for HR, NEUT%, lymphocyte count, and NLR. The AUC for combined analysis of the four indicators was 0.869, sensitivity was 90.5%, and specificity was 70.8%. Therefore, combined detection of the four indicators is helpful for early identification or prediction of SAPIP.

SAPIP seriously threatens the health and life of pregnant women and fetuses[17-19]. Due to the lack of indicators for early identification or prediction of SAPIP, most previous studies have determined some laboratory detection indicators for predicting APIP by comparing APIP patients with normal pregnant women[13,14]. Some studies compared SAP with MAP and MSAP to explore the indicators related to APIP severity, but only laboratory data were selected for the indicators[20,21]. Our study also included vital signs such as HR and blood pressure, which could have made the assessment more comprehensive.

Table 6 Assessment of the effectiveness of relevant factors

Factors	AUC	95%CI	P value	Cutoff	Sensitivity, %	Specificity, %
HR in bpm	0.748	0.593-0.903	0.004	107.000	66.7	87.5
NEUT%	0.732	0.582-0.882	0.008	84.300	100	54.2
LYM as $\times 10^9$	0.774	0.628-0.920	0.002	0.875	83.3	76.2
NLR	0.821	0.700-0.943	0.000	17.890	71.4	83.3

AUC: Area under the curve; CI: Confidence interval; HR: Heart rate; NEUT%: Neutrophil ratio; LYM: Lymphocyte count; NLR: Neutrophil-lymphocyte ratio.

Many studies have shown that lymphocytes are involved in the inflammatory response of AP[22-25]. Studies showed that the lymphocyte DNA damage in AP patients was significantly higher than that in the control groups, especially the high level of lymphocyte DNA damage in SAP patients[26]. Patients with persistently low lymphocyte counts in the early stage of AP are more likely to develop infectious pancreatic necrosis (IPN), which can predict the severity of AP and the development of IPN, and it is important for early diagnosis and timely intervention[27]. The role of the lymphocyte count in predicting APIP has not been reported previously. In our study, we reported a significantly reduced lymphocyte count with a higher AUC (0.774), second only to NLR. If the threshold value was 0.875×10^9 , the sensitivity was 83.3%, suggesting that lymphocyte count could be one of the best predictors of SAPIP.

Although the detailed mechanism of the relationship between neutrophils and AP has not been elucidated, some studies suggest that neutrophils play an important role in the exacerbation of AP, possibly through the neutrophilic extracellular trap pathway[28-30]. Studies have shown that elevated neutrophils are associated with complications such as pancreatic infection and necrosis and pseudocyst formation and can be used as a predictor of AP complications[31]. The critical value for predicting the occurrence of IPN is $> 9.47 \times 10^9$, with sensitivity up to 69.09% and specificity up to 60.74%[32]. In our study, we reported that blood neutrophil count was correlated with APIP severity, and the best diagnostic threshold for predicting severe pancreatitis was 84.30%, with sensitivity up to 100% and specificity up to 54.20%, which could be used as one of predictors of SAPIP.

NLR is a more comprehensive biomarker that uses neutrophil and lymphocyte counts to respond quickly to the extent of inflammation progression and serves as a useful predictor for identifying the severity of AP[33-36]. Meta-analysis showed that the AUC of NLR for predicting the severity of pancreatitis was 0.82, indicating that it had a moderately high predictive value[34]. In APIP, İlhan *et al*[12] reported in 2015 that NLR may have a role in prediction of disease severity with a sensitivity of 78.6% and specificity of 62.1%. However, the predictive value of NLR reported in the literature is inconsistent[37]. Some authors have suggested that NLR alone may not be a true indicator of the severity of AP because it is affected by treatment drugs and waiting period prior to analysis[37]. In our study, NLR could be used as a valuable factor for identification or prediction of SAPIP with sensitivity of 71.40% and specificity of 83.30%.

SAP can cause tachycardia through metabolic disorders, vagal reflex, hemodynamic instability, myocarditis, and other mechanisms[38]. Tachycardia includes sinus tachycardia, supraventricular tachycardia, and ventricular tachycardia; among which, sinus tachycardia is the most common[39]. The role of HR in early recognition/prediction of SAP has not been reported. In our study, HR in the SAPIP group was significantly higher than in the MAPIP group. The best diagnostic threshold for predicting severe pancreatitis was 107 bpm, sensitivity was 66.7%, and specificity was 87.5%. It could be used for identification or prediction of SAPIP.

Our study had several limitations. First, we included only patients with complete APIP records at the two centers, and some patients who were not admitted were excluded from the analysis. Therefore, a larger, multicenter prospective study is needed to validate these results. Second, due to the small number of MSAP cases, their inclusion in the SAP group may have biased the data of the SAP group. Third, due to the small size of the overall sample, the time of onset of severe disease was not classified, so early identification and prediction were not analyzed separately.

CONCLUSION

We identified HR, NEUT%, and NLR as independent factors for early identification or prediction of SAPIP. Combined detection with the four factors can help improve early prediction and identification, which can help to determine treatment management and improve outcomes.

FOOTNOTES

Author contributions: Tian R and Shi CJ conceptualized and designed the research; Mei LF, Gan Q, Hu J, and Li YX screened patients and acquired clinical data; Mei LF, Tian R, and Shi CJ performed the data analysis; Mei LF, Tian R, and Shi CJ wrote the paper; All authors read and approved the final manuscript. Mei LF acquired clinical data, performed data analysis, and prepared the first draft of the manuscript. She has made crucial and indispensable contributions towards the completion of the project and thus qualified as one of the

first authors of the paper. Both Tian R and Shi CJ have played important and indispensable roles in the research design, data interpretation, and manuscript preparation as the co-corresponding authors. Shi CJ conceptualized, designed, and supervised the whole process of the project. He searched the literature and revised and submitted the early version of the manuscript. Tian R was instrumental and responsible for data re-analysis and re-interpretation, figure plotting, the comprehensive literature search, and preparation and submission of the current version of the manuscript. This collaboration between Tian R and Shi CJ was crucial for the publication of this manuscript.

Institutional review board statement: The study was reviewed and approved by the Ethics Committee of Tongji Hospital of Tongji Medical College, Huazhong University of Science and Technology and the Ethics Committee of Maternal and Child Health Hospital of Hubei Province (Approval No.: TJ-IRB202404002 and 2023IEC097).

Informed consent statement: Technical records and data did not include potential patient identifying information and therefore did not require informed consent.

Conflict-of-interest statement: All authors have no conflicts of interest to declare.

Data sharing statement: No additional data are available.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country of origin: China

ORCID number: Li-Fen Mei 0000-0003-0127-2852; Rui Tian 0000-0002-9423-0514; Cheng-Jian Shi 0000-0001-5709-4122.

S-Editor: Liu JH

L-Editor: Filipodia

P-Editor: Chen YX

REFERENCES

- 1 Eddy JJ, Gideonsen MD, Song JY, Grobman WA, O'Halloran P. Pancreatitis in pregnancy. *Obstet Gynecol* 2008; **112**: 1075-1081 [PMID: 18978108 DOI: 10.1097/AOG.0b013e318185a032]
- 2 Ducarme G, Maire F, Chatel P, Luton D, Hammel P. Acute pancreatitis during pregnancy: a review. *J Perinatol* 2014; **34**: 87-94 [PMID: 24355941 DOI: 10.1038/jp.2013.161]
- 3 Abdullah B, Kathiresan Pillai T, Cheen LH, Ryan RJ. Severe acute pancreatitis in pregnancy. *Case Rep Obstet Gynecol* 2015; **2015**: 239068 [PMID: 25628906 DOI: 10.1155/2015/239068]
- 4 Geng Y, Li W, Sun L, Tong Z, Li N, Li J. Severe acute pancreatitis during pregnancy: eleven years experience from a surgical intensive care unit. *Dig Dis Sci* 2011; **56**: 3672-3677 [PMID: 21735079 DOI: 10.1007/s10620-011-1809-5]
- 5 Xu Q, Wang S, Zhang Z. A 23-year, single-center, retrospective analysis of 36 cases of acute pancreatitis in pregnancy. *Int J Gynaecol Obstet* 2015; **130**: 123-126 [PMID: 25983209 DOI: 10.1016/j.ijgo.2015.02.034]
- 6 Luo L, Zen H, Xu H, Zhu Y, Liu P, Xia L, He W, Lv N. Clinical characteristics of acute pancreatitis in pregnancy: experience based on 121 cases. *Arch Gynecol Obstet* 2018; **297**: 333-339 [PMID: 29164335 DOI: 10.1007/s00404-017-4558-7]
- 7 Yang Z, Guo G, Li H. Predicting fetal loss in severe acute pancreatitis during pregnancy: a 5-year single-tertiary-center retrospective analysis. *Postgrad Med* 2020; **132**: 473-478 [PMID: 32249649 DOI: 10.1080/00325481.2020.1752010]
- 8 Xu Y, Feng W, Qi H, Qu C, Liu Y, Gu Q. Nineteen Cases of Severe Acute Pancreatitis in Pregnancy: A 5-Year Single-Center Retrospective Analysis. *Pancreas* 2020; **49**: e54-e55 [PMID: 32590624 DOI: 10.1097/MPA.0000000000001577]
- 9 Mądro A. Pancreatitis in Pregnancy-Comprehensive Review. *Int J Environ Res Public Health* 2022; **19** [PMID: 36498253 DOI: 10.3390/ijerph192316179]
- 10 Zhang DL, Huang Y, Yan L, Phu A, Ran X, Li SS. Thirty-eight cases of acute pancreatitis in pregnancy: a 6-year single center retrospective analysis. *J Huazhong Univ Sci Technolog Med Sci* 2013; **33**: 361-367 [PMID: 23771661 DOI: 10.1007/s11596-013-1125-8]
- 11 Bateman RM, Sharpe MD, Jagger JE, Ellis CG, Solé-Violán J, López-Rodríguez M, Herrera-Ramos E, Ruiz-Hernández J, Borderías L, Horcajada J, González-Quevedo N, Rajas O, Briones M, Rodríguez de Castro F, Rodríguez Gallego C, Esen F, Orhun G, Ergin Ozcan P, Senturk E, Ugur Yilmaz C, Orhan N, Arican N, Kaya M, Kucukerden M, Giris M, Akcan U, Bilgic Gazioglu S, Tuzun E, Riff R, Naamani O, Douvdevani A, Takegawa R, Yoshida H, Hirose T, Yamamoto N, Hagiya H, Ojima M, Akeda Y, Tasaki O, Tomono K, Shimazu T, Ono S, Kubo T, Suda S, Ueno T, Ikeda T, Hirose T, Ogura H, Takahashi H, Ojima M, Kang J, Nakamura Y, Kojima T, Shimazu T, Ikeda T, Suda S, Izutani Y, Ueno T, Ono S, Taniguchi T, O M, Dinter C, Lotz J, Eilers B, Wissmann C, Lott R, Meili MM, Schuetz PS, Hawa H, Sharshir M, Aburageila M, Salahuddin N, Chantziara V, Georgiou S, Tsimogianni A, Alexandropoulos P, Vassi A, Lagiou F, Valta M, Micha G, Chinou E, Michaloudis G, Kodaira A, Ikeda T, Ono S, Ueno T, Suda S, Izutani Y, Imaizumi H, De la Torre-Prados MV, Garcia-De la Torre A, Enguix-Armada A, Puerto-Morlan A, Perez-Valero V, Garcia-Alcantara A, Bolton N, Dudziak J, Bonney S, Tridente A, Nee P, Nicolaes G, Wiewel M, Schultz M, Wildhagen K, Horn J, Schrijver R, Van der Poll T, Reutelingsperger C, Pillai S, Davies G, Mills G, Aubrey R, Morris K, Williams P, Evans P, Gayat EG, Struck J, Cariou A, Deye N, Guidet B, Jabert S, Launay J, Legrand M, Léone M, Resche-Rigon M, Vicaut E, Vieillard-Baron A, Mebazaa A, Arnold R, Capan M, Linder A, Akesson P, Popescu M, Tomescu D, Sprung CL, Calderon Morales R, Munteanu G, Orenbuch-Haroch E, Levin P, Kasdan H, Reiter A, Volker T, Himmel Y, Cohen Y, Meissonnier J, Girard L, Rebeaud F, Herrmann I, Delwarde B, Peronnet E, Cerrato E, Venet F, Lepape A, Rimmelé T, Monneret G, Textoris J, Beloborodova N, Moroz V, Osipov A, Bedova A,

Sarshor Y, Pautova A, Sergeev A, Chernevskaya E, Odermatt J, Bolliger R, Hersberger L, Ottiger M, Christ-Crain M, Mueller B, Schuetz P, Sharma NK, Tashima AK, Brunialti MK, Machado FR, Assuncao M, Rigato O, Salomao R, Cajander SC, Rasmussen G, Tina E, Söderquist B, Källman J, Strålin K, Lange AL, Sundén-Cullberg JS, Magnuson AM, Hultgren OH, Davies G, Pillai S, Mills G, Aubrey R, Morris K, Williams P, Evans P, Pillai S, Davies G, Mills G, Aubrey R, Morris K, Williams P, Evans P, Pillai S, Davies G, Mills G, Aubrey R, Morris K, Williams P, Evans P, Van der Geest P, Mohseni M, Linssen J, De Jonge R, Duran S, Groeneveld J, Miller R III, Lopansri BK, McHugh LC, Seldon A, Burke JP, Johnston J, Reece-Anthony R, Bond A, Molokhia A, Mcgrath C, Nsutebu E, Bank Pedersen P, Pilsgaard Henriksen D, Mikkelsen S, Touborg Lassen A, Tincu R, Cobilinschi C, Tomescu D, Ghiorghiu Z, Macovei R, Wiewel MA, Harmon MB, Van Vught LA, Scicluna BP, Hoogendijk AJ, Horn J, Zwinderman AH, Cremer OL, Bonten MJ, Schultz MJ, Van der Poll T, Juffermans NP, Wiersinga WJ, Eren G, Tekdos Y, Dogan M, Acicbe O, Kaya E, Hergunsel O, Alsolamy S, Ghamdi G, Alswaidan L, Alharbi S, Alenezi F, Arabi Y, Heaton J, Boyce A, Nolan L, Johnston J, Dukoff-Gordon A, Dean A, Molokhia A, Mann Ben Yehudah T, Fleischmann C, Thomas-Rueddel D, Haas C, Dennler U, Reinhart K, Suntornlohanakul O, Khwannimit B, Breckenridge F, Puxty A, Szturz P, Folwarczny P, Svancara J, Kula R, Sevcik P, Caneva L, Casazza A, Bellazzi E, Marra S, Pagani L, Vetere M, Vanzino R, Ciprandi D, Preda R, Boschi R, Carnevale L, Lopez V, Aguilar Arzapalo M, Barradas L, Escalante A, Gongora J, Cetina M, Adamik B, Jakubczyk D, Kübler A, Radford A, Lee T, Singer J, Boyd J, Fineberg D, Williams M, Russell J, Scarlatescu E, Tomescu D, Droc G, Arama S, Müller M, Straat M, Zeerleder SS, Juffermans NP, Fuchs CF, Scheer CS, Wauschkuhn SW, Vollmer MV, Meissner KM, Kuhn SK, Hahnenkamp KH, Rehberg SR, Gründling MG, Yamamoto N, Ojima M, Hamaguchi S, Hirose T, Akeda Y, Takegawa R, Tasaki O, Shimazu T, Tomono K, Gómez-Sánchez E, Heredia-Rodríguez M, Álvarez-Fuente E, Lorenzo-López M, Gómez-Pesquera E, Aragón-Camino M, Liu-Zhu P, Sánchez-López A, Hernández-Lozano A, Peláez-Jareño MT, Tamayo E, Thomas-Rüddel DO, Fleischmann C, Haas C, Dennler U, Reinhart K, Adora V, Kar A, Chakraborty A, Roy S, Bandyopadhyay A, Das M, Mann Ben Yehudah T, BenYehudah G, Salim M, Kumar N, Arabi L, Burger T, Lephart P, Toth-martin E, Valencia C, Hammami N, Blot S, Vincent JL, Brunke J, Riemann T, Roschke I, Tincu R, Cobilinschi C, Tomescu D, Ghiorghiu Z, Macovei R, Nimitvilai S, Jintanapramote K, Jarupongprapa S, Adukauskienė D, Valancienė D, Bose G, Lostarakovs V, Carr B, Khedher S, Maaoui A, Ezzamouri A, Salem M, Chen J, Cranendonk DR, Van Vught LA, Wiewel MA, Cremer OL, Horn J, Bonten MJ, Schultz MJ, Van der Poll T, Wiersinga WJ, Day M, Penrice G, Roy K, Robertson P, Godbole G, Jones B, Booth M, Donaldson L, Kawano Y, Ishikura H, Al-Dorzi H, Almutairi M, Alhamadi B, Crizaldo Toledo A, Khan R, Al Raiy B, Arabi Y, Talaie H, Van Oers JA, Harts A, Nieuwkoop E, Vos P, Boussarsar Y, Boutouta F, Kamoun S, Mezghani I, Koubaji S, Ben Souissi A, Riahi A, Mebazaa MS, Giamarellos-Bourboulis E, Tziolos N, Routsis C, Katsenos C, Tsangaris I, Pneumatikos I, Vlachogiannis G, Theodorou V, Prekates A, Antypa E, Koulouras V, Kapravelos N, Gogos C, Antoniadou E, Mandragos K, Araganidis A, Robles Caballero AR, Civantos B, Figueira JC, López J, Silva-Pinto A, Ceia F, Sarmento A, Santos L, Almekhlafi G, Sakr Y, Al-Dorzi H, Khan R, Baharon S, Aldawood A, Matroud A, Alchin J, Al Johani S, Balkhy H, Arabi Y, Alsolamy S, Yousif SY, Alotabi BO, Alsaawi AS, Ang J, Curran MD, Enoch D, Navapurkar V, Morris A, Sharvill R, Astin J, Heredia-Rodríguez M, Gómez-Sánchez E, Peláez-Jareño MT, Gómez-Pesquera E, Lorenzo-López M, Liu-Zhu P, Aragón-Camino M, Hernández-Lozano A, Sánchez-López A, Álvarez-Fuente E, Tamayo E, Patel J, Kruger C, O'Neal J, Rhodes H, Jancik J, François B, Laterre PF, Eggimann P, Torres A, Sánchez M, Dequin PF, Bassi GL, Chastre J, Jafri HS, Ben Romdhane M, Douira Z, Kamoun S, Bousselmi M, Ben Souissi A, Boussarsar Y, Riahi A, Mebazaa MS, Vakalos A, Avramidis V, Craven TH, Wojcik G, Kefala K, McCoubrey J, Reilly J, Paterson R, Inverarity D, Laurenson I, Walsh TS, Mongodi S, Bouhemad B, Orlando A, Stella A, Via G, Iotti G, Braschi A, Mojoli F, Haliloglu M, Bilgili B, Kasapoglu U, Sayan I, Süzer Aslan M, Yalcın A, Cinel I, Vakalos A, Avramidis V, Ellis HE, Bauchmuller K, Miller D, Temple A, Chastre J, François B, Torres A, Luyt CE, Sánchez M, Singer M, Jafri HS, Nassar Y, Ayad MS, Trifi A, Abdellatif S, Daly F, Nasri R, Ben Lakhall S, Bilgili B, Haliloglu M, Gul F, Cinel I, Kuzovlev A, Shabanov A, Polovnikov S, Moroz V, Kadrichu N, Dang T, Corkery K, Challoner P, Bassi GL, Aguilera E, Chiurazzi C, Travierso C, Motos A, Fernandez L, Amaro R, Senussi T, Idone F, Bobi J, Rigol M, Torres A, Hodiament C, Juffermans NP, Janssen JM, Bouman CS, Mathôt RA, De Jong MD, Van Hest RM, Payne L, Fraser GL, Tudor B, Lahner M, Roth G, Krenn C, Talaie H, Jault P, Gabard J, Leclerc T, Jennes S, Que Y, Rousseau A, Ravat F, Al-Dorzi H, Eissa A, Al-Harbi S, Aldabbagh T, Khan R, Arabi Y, Trifi A, Abdellatif S, Daly F, Nasri R, Ben Lakhall S, Paramba F, Purayil N, Naushad V, Mohammad O, Negi V, Chandra P, Kleinsasser A, Witrz MR, Buchner-Doeven JF, Tuij-de Boer AM, Goslings JC, Juffermans NP, Van Hezel M, Straat M, Boing A, Van Bruggen R, Juffermans N, Markopoulou D, Venetsanou K, Kaldis V, Koutete D, Chroni D, Alamanos I, Koch L, Jancik J, Rhodes H, Walter E, Maekawa K, Hayakawa M, Kushimoto S, Shiraiishi A, Kato H, Sasaki J, Ogura H, Matauoka T, Uejima T, Morimura N, Ishikura H, Hagiwara A, Takeda M, Tarabrin O, Shcherbakow S, Gavrychenko D, Mazurenko G, Ivanova V, Chystikov O, Plourde C, Lessard J, Chauny J, Daoust R, Shcherbakow S, Tarabrin O, Gavrychenko D, Mazurenko G, Chystikov O, Vakalos A, Avramidis V, Kropman L, In het Panhuis L, Konings J, Huskens D, Schurgers E, Roest M, De Laat B, Lance M, Durila M, Lukas P, Astraverkhava M, Jonas J, Budnik I, Shenkman B, Hayami H, Koide Y, Goto T, Iqbal R, Alhamdi Y, Venugopal N, Abrams S, Downey C, Toh CH, Welters ID, Bombay VB, Chauny JM, Daoust RD, Lessard JL, Marquis MM, Paquet JP, Siemens K, Sangaran D, Hunt BJ, Durward A, Nyman A, Murdoch IA, Tibby SM, Ampatzidou F, Moissidou D, Dalampini E, Nastou M, Vasilarou E, Kalaizi V, Chatzikostenoglou H, Drossos G, Spadarò S, Fogagnolo A, Fiore T, Schiavi A, Fontana V, Taccone F, Volta C, Chochliourou E, Volaki E, Violaki A, Samkinidou E, Evlavis G, Panagiotidou V, Sdougka M, Mothukuri R, Battle C, Guy K, Mills G, Evans P, Wijesuriya J, Keogh S, Docherty A, O'Donnell R, Brunskill S, Trivella M, Doree C, Holst L, Parker M, Gregersen M, Almeida J, Walsh T, Stanworth S, Moravcova S, Mansell J, Rogers A, Smith RA, Hamilton-Davies C, Omar A, Allam M, Bilala O, Kindawi A, Ewila H, Ampatzidou F, Moissidou D, Nastou M, Dalampini E, Malamas A, Vasilarou E, Drossos G, Ferreira G, Caldas J, Fukushima J, Osawa EA, Arita E, Camara L, Zeferino S, Jardim J, Gaioto F, Dallan L, Jatene FB, Kalil Filho R, Galas F, Hajjar LA, Mitaka C, Ohnuma T, Murayama T, Kunimoto F, Nagashima M, Takei T, Tomita M, Omar A, Mahmoud K, Hanoura S, Sudarsanan S, Sivadasan P, Othamn H, Shouman Y, Singh R, Al Khulaifi A, Mandel I, Mikheev S, Suhodolo I, Kiselev V, Svirko Y, Podoksenov Y, Jenkins SA, Griffin R, Tovar Doncel MS, Lima A, Aldecoa C, Ince C, Taha A, Shafie A, Mostafa M, Syed N, Hon H, Righetti F, Colombaroli E, Castellano G, Righetti F, Colombaroli E, Hravnak M, Chen LC, Dubrawski AD, Clermont GC, Pinsky MR, Gonzalez S, Macias D, Acosta J, Jimenez P, Loza A, Lesmes A, Lucena F, Leon C, Tovar Doncel MS, Ince C, Aldecoa C, Lima A, Bastide M, Richecoeur J, Frenoy E, Lemaire C, Sauneuf B, Tamion F, Nseir S, Du Cheyron D, Dupont H, Maizel J, Shaban M, Kolko R, Salahuddin N, Sharshir M, AbuRageila M, AlHussain A, Mercado P, Maizel J, Kontar L, Titeca D, Brazier F, Riviere A, Joris M, Soupison T, De Cagny B, Slama M, Wagner J, Körner A, Kubik M, Kluge S, Reuter D, Saugel B, Colombaroli E, Righetti F, Castellano G, Tran T, De Bels D, Cudia A, Strachinaru M, Ghotignies P, Devriendt J, Pierrakos C, Martínez González Ó, Blancas R, Luján J, Ballesteros D, Martínez Díaz C, Núñez A, Martín Parra C, López Matamala B, Alonso Fernández M, Chana M, Huber W, Eckmann M, Elkmann F, Gruber A, Klein I, Schmid RM, Lahmer T, Moller PW, Sondergaard S, Jakob SM, Takala J, Berger D, Bastoni D, Aya H, Toscani L, Pigozzi L, Rhodes A, Cecconi M, Ostrowska C, Aya H, Abbas A, Mellinghoff J, Ryan C, Dawson D, Rhodes A, Cecconi M, Cronhjort M, Wall O, Nyberg E, Zeng R, Svendsen C, Mårtensson J, Joelsson-Alm E, Aguilar Arzapalo M, Barradas L, Lopez V, Cetina M, Parenti N, Palazzi C, Amidei LA, Borrelli FB, Campanale SC, Tagliacuzzi FT, Sedoni GS, Lucchesi DL, Carella EC, Luciani AL, Mackovic M, Maric N, Bakula M, Aya H, Rhodes A, Grounds RM, Fletcher N, Cecconi M, Avard B, Zhang P, Mezidi M, Charbit J, Ould-

Chikh M, Deras P, Maury C, Martinez O, Capdevila X, Hou P, Linde-Zwirble WZ, Douglas ID, Shapiro NS, Ben Souissi A, Mezghani I, Ben Aicha Y, Kamoun S, Laribi B, Jeribi B, Riahi A, Mebazaa MS, Pereira C, Marinho R, Antunes R, Marinho A, Crivits M, Raes M, Decruyenaere J, Hoste E, Bagin V, Rudnov V, Savitsky A, Astafyeva M, Korobko I, Vein V, Kampmeier T, Arnemann P, Hessler M, Wald A, Bockbreder K, Morelli A, Van Aken H, Rehberg S, Ertmer C, Arnemann P, Hessler M, Kampmeier T, Rehberg S, Van Aken H, Ince C, Ertmer C, Reddy S, Bailey M, Beasley R, Bellomo R, Mackle D, Psirides A, Young P, Reddy S, Bailey M, Beasley R, Bellomo R, Mackle D, Young P, Venkatesh H, Ramachandran S, Basu A, Nair H, Egan S, Bates J, Oliveira S, Rangel Neto NR, Reis FQ, Lee CP, Lin XL, Choong C, Eu KM, Sim WY, Tee KS, Pau J, Abisheganaden J, Maas K, De Geus H, Lafuente E, Marinho R, Moura J, Antunes R, Marinho A, Doris TE, Monkhouse D, Shipley T, Kardasz S, Gonzalez I, Stads S, Groeneveld AJ, Elsayed I, Ward N, Tridente A, Raithatha A, Steuber A, Pelletier C, Schroeder S, Michael E, Slowinski T, Kindgen-Milles D, Ghahina S, Turani F, Belli A, Busatti S, Baretin G, Candidi F, Gargano F, Barchetta R, Falco M, Demirkiran O, Kosuk M, Bozbay S, Weber V, Hartmann J, Harm S, Linsberger I, Eichhorn T, Valicek G, Miestinger G, Hoermann C, Faenza S, Ricci D, Mancini E, Gemelli C, Cuoghi A, Magnani S, Atti M, Laddomada T, Doronzio A, Balicco B, Gruda MC, O'Sullivan P, Dan VP, Gulashvili T, Scheirer A, Golobish TD, Capponi VJ, Chan PP, Kogelmann K, Drüner M, Jarczak D, Turani F, Belli AB, Martini SM, Cotticelli VC, Mounajergi F, Barchetta R, Morimoto S, Ishikura H, Hussain I, Salahuddin N, Nadeem A, Ghorab K, Maghrabi K, Kloesel SK, Goldfuss C, Stieglitz A, Stieglitz AS, Krstevska L, Albuszies G, Aguilar Arzapalo M, Barradas L, Lopez V, Escalante A, Jimmy G, Cetina M, Izawa J, Iwami T, Uchino S, Takinami M, Kitamura T, Kawamura T, Powell-Tuck JG, Crichton S, Raimundo M, Camporota L, Wyncoll D, Ostermann M, Hana A, De Geus HR, De Geus HR, Hana A, Aydogdu M, Boyaci N, Yuksel S, Gursel G, Cayci Sivri AB, Meza-Márquez J, Nava-López J, Carrillo-Esper R, Dardashti A, Grubb A, Maizel J, Wetzstein M, Titeca D, Kontar L, Brazier F, De Cagny B, Riviere A, Soupison T, Joris M, Slama M, Peters E, Njimi H, Pickkers P, Vincent JL, Waraich M, Doyle J, Samuels T, Forni L, Desai N, Baumber R, Gunning P, Sell A, Lin S, Torrence H, O'Dwyer M, Kirwan C, Prowle J, Kim T, O'Connor ME, Hewson RW, Kirwan CJ, Pearse RM, Prowle J, Hanoura S, Omar A, Otham H, Sudarsan S, Allam M, Maksoud M, Singh R, Al Khulaifi A, O'Connor ME, Hewson RW, Kirwan CJ, Pearse RM, Prowle J, Uzundere O, Memis D, Ynal M, Gultekin A, Turan N, Aydin MA, Basar H, Sencan I, Kapuagasi A, Ozturk M, Uzundurukan Z, Gokmen D, Ozcan A, Kaymak C, Artemenko VA, Budnyuk A, Pugh R, Bhandari S, Mauri T, Turrini C, Langer T, Taccone P, Volta CA, Marengi C, Gattinoni L, Pesenti A, Sweeney L, O'Sullivan A, Kelly P, Mukeria E, MacLoughlin R, Pfeffer M, Thomas JT, Bregman GB, Karp GK, Kishinevsky EK, Stavi DS, Adi NA, Poropat T, Knafelj R, Llopert E, Batlle M, De Haro C, Mesquida J, Artigas A, Pavlovic D, Lewerentz L, Spassov A, Schneider R, De Smet S, De Raedt S, Derom E, Depuydt P, Oeyen S, Benoit D, Decruyenaere J, Gobatto A, Besen B, Tierno P, Melro L, Mendes P, Cadamuro F, Park M, Malbouisson LM, Civantos BC, Lopez JL, Robles A, Figueira J, Yus S, Garcia A, Oglinda A, Ciobanu G, Oglinda C, Schirca L, Serteanu T, Lupu V, Kelly P, O'Sullivan A, Sweeney L, MacLoughlin R, O'Sullivan A, Kelly P, Sweeney L, Mukeria E, Wolny M, MacLoughlin R, Pagano A, Numis F, Visone G, Saldamarco L, Russo T, Porta G, Paladino F, Bell C, Liu J, Debacker J, Lee C, Tamberg E, Campbell V, Mehta S, Silva-Pinto A, Sarmiento A, Santos L, Kara Y, Yýldýrým F, Zerman A, Güllü Z, Boyacı N, Basarıy Aydogan B, Gaygýsýz Ü, Gönderen K, Arýk G, Turkoglu M, Aydogdu M, Aygencel G, Ülger Z, Gursel G, Boyacı N, Isýkdogan Z, Özdedeoglu Ö, Güllü Z, Badoglu M, Gaygýsýz U, Aydogdu M, Gursel G, Kongpolprom N, Sittipunt C, Eden A, Kokhanovsky Y, Bursztein – De Myttenaere S, Pizov R, Neilans L, MacIntyre N, Radosevich M, Wanta B, Weber V, Meyer T, Smischney N, Brown D, Diedrich D, Fuller A, McLindon P, Sim K, Shoaeir M, Noeam K, Mahrous A, Matsa R, Ali A, Dridi C, Koubaji S, Kamoun S, Haddad F, Ben Souissi A, Laribi B, Riahi A, Mebazaa MS, Pérez-Calatayud A, Carrillo-Esper R, Zepeda-Mendoza A, Diaz-Carrillo M, Arch-Tirado E, Carboognin S, Pelacani L, Zannoni F, Agnoli A, Gagliardi G, Cho R, Adams A, Lunos S, Ambur S, Shapiro R, Prekker M, Thijssen M, Janssen L, Foudraire N, Voscopoulos CJ, Freeman J, Voscopoulos CJ, Freeman J, George E, Voscopoulos CJ, Eversole D, Freeman J, George E, Muttini S, Bigi R, Villani G, Patroniti N, Williams G, Voscopoulos CJ, Freeman J, George E, Waldmann A, Böhm S, Windisch W, Strassmann S, Karagiannidis C, Waldmann A, Böhm S, Windisch W, Strassmann S, Karagiannidis C, Karagiannidis CK, Waldmann AW, Böhm SB, Strassmann S, Windisch WW, Persson P, Lundin S, Stenqvist O, Porta G, Numis F, Serra CS, Pagano AP, Masarone MM, Rinaldi LR, Amelia AA, Fascione MF, Adinolfi LA, Ruggiero ER, Asota F, O'Rourke K, Ranjan S, Morgan P, DeBacker JW, Tamberg E, O'Neill L, Munshi L, Burry L, Fan E, Mehta S, Poo S, Mahendran K, Fowles J, Gerrard C, Vuylsteke A, Loveridge R, Chaddock C, Patel S, Kakar V, Willars C, Hurst T, Park C, Best T, Vercueil A, Auzinger G, Borgman A, Proudfoot AG, Grins E, Emiley KE, Schuitema J, Fitch SJ, Marco G, Sturgill J, Dickinson MG, Strueber M, Khaghani A, Wilton P, Jovinge SM, Sampson C, Harris-Fox S, Cove ME, Vu LH, Sen A, Federspiel WJ, Kellum JA, Mazo Torre C, Riera J, Ramirez S, Borgatta B, Lagunes L, Rello J, Kuzovlev AK, Moroz V, Goloubev A, Polovnikov S, Nenchuk S, Karavana V, Glynos C, Asimakos A, Pappas K, Vrettou C, Magkou M, Ischaki E, Stathopoulos G, Zakyntinos S, Spadaro S, Kozhevnikova I, Dalla Corte F, Grasso S, Casolari P, Caramori G, Volta C, Andrianjafiarinoa T, Randriamandrato T, Rajaonera T, El-Dash S, Costa ELV, Tucci MR, Leleu F, Kontar L, De Cagny B, Brazier F, Titeca D, Bacari-Risal G, Maizel J, Amato M, Slama M, Mercado P, Maizel J, Kontar L, Titeca D, Brazier F, Riviere A, Joris M, Soupison T, De Cagny B, El Dash S, Slama M, Remington, Fischer A, Squire S, Boichat M, Honzawa H, Yasuda H, Adati T, Suzuki S, Horibe M, Sasaki M, Sanui M, Marinho R, Daniel J, Miranda H, Marinho A, Milinis K, Cooper M, Williams GR, McCarron E, Simants S, Patanwala I, Welters I, Su Y, Fernández Villanueva J, Fernández Garda R, López Lago A, Rodríguez Ruiz E, Hernández Vaquero R, Tomé Martínez de Rituerto S, Varo Pérez E, Lefel N, Schaap F, Bergmans D, Olde Damink S, Van de Poll M, Tizard K, Lister C, Poole L, Ringaitiene D, Gineityte D, Vicka V, Norkiene I, Sipylyte J, O'Loughlin A, Maraj V, Dowling J, Velasco MB, Dalcumone DM, Dias EB, Fernandes SL, Oshima T, Graf S, Heidegger C, Genton L, Karsgard V, Dupertuis Y, Pichard C, Friedli N, Stanga Z, Mueller B, Schuetz P, Vandersteen L, Stessel B, Evers S, Van Assche A, Jamaer L, Dubois J, Marinho R, Castro H, Moura J, Valente J, Martins P, Casteloos P, Magalhaes C, Cabral S, Santos M, Oliveira B, Salgueiro A, Marinho A, Marinho R, Santos M, Lafuente E, Castro H, Cabral S, Moura J, Martins P, Oliveira B, Salgueiro A, Duarte S, Castro S, Melo M, Casteloos P, Marinho A, Gray S, Maipang K, Bhurayanontachai R, Grädel LG, Schütz P, Langlois P, Manzanares W, Tincu R, Cobilinschi C, Tomescu D, Ghiorghiu Z, Macovei R, Manzanares W, Langlois P, Lemieux M, Elke G, Bloos F, Reinhart K, Heyland D, Langlois P, Lemieux M, Aramendi I, Heyland D, Manzanares W, Su Y, Marinho R, Babo N, Marinho A, Hoshino M, Haraguchi Y, Kajiwara S, Mitsuhashi T, Tsubata T, Aida M, Rattanaphat T, Bhurayanontachai R, Kongkamol C, Khwannimit B, Marinho R, Santos M, Castro H, Lafuente E, Salgueiro A, Cabral S, Martins P, Moura J, Oliveira B, Melo M, Xavier B, Valente J, Magalhaes C, Casteloos P, Marinho A, Moissidou D, Ampatzidou F, Koutsogiannidis C, Moschopoulou M, Drossos G, Taskin G, Çakir M, Güler AK, Taskin A, Öcal N, Özer S, Yamanel L, Wong JM, Fitton C, Anwar S, Stacey S, Aggou M, Fyntanidou B, Patsatzakis S, Oloktisidou E, Lolakos K, Papapostolou E, Grosomanidis V, Suda S, Ikeda T, Ono S, Ueno T, Izutani Y, Gaudry S, Desailly V, Pasquier P, Brun PB, Tesnieres AT, Ricard JD, Dreyfuss D, Mignon A, White JC, Molokhia A, Dean A, Stilwell A, Friedlaender G, Peters M, Stipulante S, Delfosse A, Donneau AF, Ghuysen A, Feldmann C, Freitag D, Dersch W, Irsusi M, Eschbach D, Steinfeldt T, Wulf H, Wiesmann T, Kongpolprom N, Cholkraisuwat J, Beitland S, Nakstad E, Stær-Jensen H, Drægni T, Andersen G, Jacobsen D, Brunborg C, Waldum-Grevbo B, Sunde K, Hoyland K, Pandit D, Hayakawa K, Oloktisidou E, Kotzampassi K, Fyntanidou B, Patsatzakis S, Loukipoudi L, Doumaki E, Grosomanidis V, Yasuda H, Admiraal MM, Van Assen M, Van Putten MJ, Tjepkema-Cloostermans M, Van Rootselaar AF, Horn J, Ragusa F, Marudi A, Baroni S, Gaspari A, Bertellini E, Taha A, Abdullah T, Abdel Monem S,

- Alcorn S, McNeill S, Russell S, Eertmans W, Genbrugge C, Meex I, Dens J, Jans F, De Deyne C, Cholkraisuwat J, Kongpolprom N, Avarad B, Burns R, Patarchi A, Spina T, Tanaka H, Otani N, Ode S, Ishimatsu S, Cho J, Moon JB, Park CW, Ohk TG, Shin MC, Won MH, Dakova S, Ramsheva Z, Ramshev K, Cho J, Moon JB, Park CW, Ohk TG, Shin MC, Cho J, Moon JB, Park CW, Ohk TG, Shin MC, Marudi A, Baroni S, Gaspari A, Bertellini E, Orhun G, Senturk E, Ozcan PE, Sencer S, Ulusoy C, Tuzun E, Esen F, Tincu R, Cobilinschi C, Tomescu D, Ghiorghiu Z, Macovei R, Van Assen M, Admiraal MM, Van Putten MJ, Tjepkema-Cloostermans M, Van Rootselaar AF, Horn J, Fallenius M, Skrifvars MB, Reinikainen M, Bendel S, Raj R, Abu-Habsa M, Hymers C, Borowska A, Sivadas H, Sahiba S, Perkins S, Rubio J, Rubio JA, Sierra R, English S, Chasse M, Turgeon A, Lauzier F, Griesdale D, Garland A, Fergusson D, Zarychanski R, Timmouth A, Van Walraven C, Montroy K, Ziegler J, Dupont Chouinard R, Carignan R, Dhaliwal A, Lum C, Sinclair J, Pagliarello G, McIntyre L, English S, Chasse M, Turgeon A, Lauzier F, Griesdale D, Garland A, Fergusson D, Zarychanski R, Timmouth A, Van Walraven C, Montroy K, Ziegler J, Dupont Chouinard R, Carignan R, Dhaliwal A, Lum C, Sinclair J, Pagliarello G, McIntyre L, Groza T, Moreau N, Castanares-Zapatero D, Hantson P, Carbonara M, Ortolano F, Zohar T, Magnoni S, Pifferi S, Conte V, Stocchetti N, Carteron L, Suys T, Patet C, Quintard H, Oddo M, Rubio JA, Rubio J, Sierra R, Spatenkova V, Pokorna E, Suchomel P, Ebert N, Jancik J, Rhodes H, Bylinski T, Hawthorne C, Shaw M, Piper I, Kinsella J, Kink AK, Rätsep IR, Boutin A, Moore L, Chasse M, Zarychanski R, Lauzier F, English S, McIntyre L, Lacroix J, Griesdale D, Lessard-Bonaventure P, Turgeon AF, Boutin A, Moore L, Green R, Lessard-Bonaventure P, Erdogan M, Butler M, Lauzier F, Chasse M, English S, McIntyre L, Zarychanski R, Lacroix J, Griesdale D, Desjardins P, Fergusson DA, Turgeon AF, Goncalves B, Vidal B, Valdez C, Rodrigues AC, Miguez L, Morales G, Hong T, Kutz A, Hausfater P, Amin D, Struja T, Haubitz S, Huber A, Mueller B, Schuetz P, Brown T, Collinson J, Pritchett C, Slade T, Le Guen M, Hellings S, Ramsaran R, Alsheikhly A, Abe T, Kanapeckaitė L, Abu-Habsa M, Bahl R, Russell MQ, Real KJ, Abu-Habsa M, Lyon RM, Oveland NP, Penketh J, McDonald M, Kelly J, Alfafi M, Alsolamy S, Almutairi W, Alotaibi B, Van den Berg AE, Schriel Y, Dawson L, Meynaar IA, Talaie H, Silva D, Fernandes S, Gouveia J, Santos Silva J, Foley J, Kaskovagheorgescu A, Evoy D, Cronin J, Ryan J, Huck M, Hoffmann C, Renner J, Laitselart P, Donat N, Cirodde A, Schaal JV, Masson Y, Nau A, Leclerc T, Howarth O, Davenport K, Jeanrenaud P, Raftery S, MacTavish P, Devine H, McPeake J, Daniel M, Kinsella J, Quasim T, Alrabiee S, Alrashid A, Alsolamy S, Gundogan O, Bor C, Akýn Korhan E, Demirag K, Uyar M, Frame F, Ashton C, Bergstrom Niska L, Dilokpattanamongkol P, Suansanae T, Suthisang C, Morakul S, Karnjanaratchata C, Tangsujaritvijit V, Mahmood S, Al Thani H, Almenyar A, Vakalos A, Avramidis V, Sharvill R, Penketh J, Morton SE, Chiew YS, Pretty C, Chase JG, Shaw GM, Knafelj R, Kordis P, Patel S, Grover V, Kuchyn I, Bielka K, Aidoni Z, Grosomanidis V, Kotzampassi K, Stavrou G, Fyntanidou B, Patsatzakis S, Skourtis C, Lee SD, Williams K, Weltes ID, Berhane S, Arrowsmith C, Peters C, Robert S, Caldas J, Panerai RB, Robinson TG, Camara L, Ferreira G, Borg-Seng-Shu E, De Lima Oliveira M, Mian NC, Santos L, Nogueira R, Zeferino SP, Jacobsen Teixeira M, Galas F, Hajjar LA, Killeen P, McPhail M, Bernal W, Maggs J, Wendon J, Hughes T, Taniguchi LU, Siqueira EM, Vieira Jr JM, Azevedo LC, Ahmad AN, Abu-Habsa M, Bahl R, Helme E, Hadfield S, Loveridge R, Shak J, Senver C, Howard-Griffin R, Wacharasint P, Fuengfoo P, Sukcharoen N, Rangsin R, Sbiti-Rohr D, Schuetz P, Na H, Song S, Lee S, Jeong E, Lee K, Cooper M, Milinis K, Williams G, McCarron E, Simants S, Patanwala I, Welters ID, Zoumpelouli E, Volakli EA, Chrysohoidou V, Georgiou S, Charisopoulou K, Kotzapanagiotou E, Panagiotidou V, Manavidou K, Stathi Z, Sdougka M, Salahuddin N, AlGhamdi B, Marashly Q, Zaza K, Sharshir M, Khurshid M, Ali Z, Malgapo M, Jamil M, Shafquat A, Shoukri M, Hijazi M, Abe T, Uchino S, Takinami M, Rangel Neto NR, Oliveira S, Reis FQ, Rocha FA, Morales G, Ebecken K, Rabello LS, Lima MF, Hatum R, De Marco FV, Alves A, Pinto JE, Godoy M, Brasil PE, Bozza FA, Salluh JI, Soares M, Krinsley J, Kang G, Perry J, Hines H, Wilkinson KM, Tordoff C, Sloan B, Bellamy MC, Moreira E, Verga F, Barbato M, Burghi G, Soares M, Silva UV, Azevedo LC, Torelly AP, Kahn JM, Angus DC, Knibel MF, Brasil PE, Bozza FA, Salluh JI, Velasco MB, Dalcomune DM, Marshall R, Gilpin T, Tridente A, Raithatha A, Mota D, Loureiro B, Dias J, Afonso O, Coelho F, Martins A, Faria F, Al-Dorzi H, Al Orainni H, AlEid F, Tlaygeh H, Itani A, Hejazi A, Arabi Y, Gaudry S, Messika J, Ricard JD, Guillo S, Pasquet B, Dubief E, Dreyfuss D, Tubach F, Battle C, James K, Temblett P, Davies L, Battle C, Lynch C, Pereira S, Cavaco S, Fernandes J, Moreira I, Almeida E, Seabra Pereira F, Malheiro M, Cardoso F, Aragão I, Cardoso T, Fister M, Knafelj R, Muraray Govind P, Brahmananda Reddy N, Pratheema R, Arul ED, Devachandran J, Velasco MB, Dalcomune DM, Knafelj R, Fister M, Chin-Yee N, D'Egídio G, Thavorn K, Heyland D, Kyeremanteng K, Murchison AG, Swalwell K, Mandeville J, Stott D, Guerreiro I, Devine H, MacTavish P, McPeake J, Quasim T, Kinsella J, Daniel M, Goossens C, Marques MB, Derde S, Vander Perre S, Dufour T, Thiessen SE, Güiza F, Janssens T, Hermans G, Vanhorebeek I, De Bock K, Van den Berghe G, Langouche L, Devine H, MacTavish P, Quasim T, Kinsella J, Daniel M, McPeake J, Miles B, Madden S, Devine H, Weiler M, Marques P, Rodrigues C, Boeira M, Brenner K, Leães C, Machado A, Townsend R, Andrade J, MacTavish P, McPeake J, Devine H, Kinsella J, Daniel M, Kishore R, Fenlon C, Quasim T, Fiks T, Ruijter A, Te Raa M, Spronk P, Chiew YS, Docherty P, Dickson J, Moltchanova E, Scarrot C, Pretty C, Shaw GM, Chase JG, Hall T, Ngu WC, Jack JM, Morgan P, Avarad B, Pavli A, Gee X, Bor C, Akin Korhan E, Demirag K, Uyar M, Shirazy M, Fayed A, Gupta S, Kaushal A, Dewan S, Varma A, Ghosh E, Yang L, Eshelman L, Lord B, Carlson E, Helme E, Broderick R, Hadfield S, Loveridge R, Ramos J, Forte D, Yang F, Hou P, Dudziak J, Feeney J, Wilkinson K, Bauchmuller K, Shuker K, Faulds M, Raithatha A, Bryden D, England L, Bolton N, Tridente A, Bauchmuller K, Shuker K, Tridente A, Faulds M, Matheson A, Gaynor J, Bryden D; S South Yorkshire Hospitals Research Collaboration, Ramos J, Peroni B, Daglius-Dias R, Miranda L, Cohen C, Carvalho C, Velasco I, Forte D, Kelly JM, Neill A, Rubinfeld G, Masson N, Min A, Boezeman E, Hofhuus J, Hovingh A, De Vries R, Spronk P, Cabral-Campello G, Aragão I, Cardoso T, Van Mol M, Nijkamp M, Kompanje E, Ostrowski P, Omar A, Kiss K, Köves B, Csernus V, Molnár Z, Hoydonckx Y, Vanwing S, Stessel B, Van Assche A, Jamaer L, Dubois J, Medo V, Galvez R, Miranda JP, Stone C, Wigmore T, Arunan Y, Wheeler A, Bauchmuller K, Bryden D, Wong Y, Poi C, Gu C, Molmy P, Van Grunderbeek N, Nigeon O, Lemyze M, Thevenin D, Mallat J, Ramos J, Correa M, Carvalho RT, Forte D, Fernandez A, McBride C, Koonthallor E, Walsh C, Webber A, Ashe M, Smith K, Jeanrenaud P, Marudi A, Baroni S, Ragusa F, Bertellini E, Volakli EA, Chochliourou E, Dimitriadou M, Violaki A, Mantzafli P, Samkinidou E, Vrani O, Arbouti A, Varsami T, Sdougka M, Bollen JA, Van Smaalen TC, De Jongh WC, Ten Hoopen MM, Ysebaert D, Van Heurn LW, Van Mook WN, Sim K, Fuller A, Roze des Ordons A, Couillard P, Doig C, Van Keer RV, Deschepper RD, Francke AF, Huyghens LH, Bilsen JB, Nyamaizi B, Dalrymple C, Molokhia A, Dobru A, Marrinan E, Ankuli A, Molokhia A, McPeake J, Struthers R, Crawford R, Devine H, Mactavish P, Quasim T, Morelli P, Degiovanangelo M, Lemos F, Martinez V, Verga F, Cabrera J, Burghi G, Rutten A, Van Ieperen S, De Geer S, Van Vugt M, Der Kinderen E, Giannini A, Miccinesi G, Marchesi T, Prandi E. 36th International Symposium on Intensive Care and Emergency Medicine : Brussels, Belgium. 15-18 March 2016. *Crit Care* 2016; **20**: 94 [PMID: 27885969 DOI: 10.1186/s13054-016-1208-6]
- 12 **İlhan M**, İlhan G, Gök AF, Bademler S, Verit Atmaca F, Ertekin C. Evaluation of neutrophil-lymphocyte ratio, platelet-lymphocyte ratio and red blood cell distribution width-platelet ratio as early predictor of acute pancreatitis in pregnancy. *J Matern Fetal Neonatal Med* 2016; **29**: 1476-1480 [PMID: 26043647 DOI: 10.3109/14767058.2015.1051026]
- 13 **Zhang L**, Wang Y, Han J, Shen H, Zhao M, Cai S. Neutrophil-lymphocyte ratio, gamma-glutamyl transpeptidase, lipase, high-density lipoprotein as a panel of factors to predict acute pancreatitis in pregnancy. *Medicine (Baltimore)* 2018; **97**: e11189 [PMID: 29952970 DOI: 10.1097/MD.00000000000011189]
- 14 **Zeng L**, Cai X, Chen J, Jin G, Zheng Y. Role of mean platelet volume in hypertriglyceridemia-induced acute pancreatitis during pregnancy.

- BMC Pregnancy Childbirth* 2020; **20**: 592 [PMID: 33023512 DOI: 10.1186/s12884-020-03295-y]
- 15 **Yang DJ**, Lu HM, Liu Y, Li M, Hu WM, Zhou ZG. Development and validation of a prediction model for moderately severe and severe acute pancreatitis in pregnancy. *World J Gastroenterol* 2022; **28**: 1588-1600 [PMID: 35582133 DOI: 10.3748/wjg.v28.i15.1588]
 - 16 **Banks PA**, Bollen TL, Dervenis C, Gooszen HG, Johnson CD, Sarr MG, Tsiotos GG, Vege SS; Acute Pancreatitis Classification Working Group. Classification of acute pancreatitis--2012: revision of the Atlanta classification and definitions by international consensus. *Gut* 2013; **62**: 102-111 [PMID: 23100216 DOI: 10.1136/gutjnl-2012-302779]
 - 17 **Jin J**, Yu YH, Zhong M, Zhang GW. Analyzing and identifying risk factors for acute pancreatitis with different etiologies in pregnancy. *J Matern Fetal Neonatal Med* 2015; **28**: 267-271 [PMID: 24716806 DOI: 10.3109/14767058.2014.913132]
 - 18 **Kumar-M P**, Singh AK, Samanta J, Birda CL, Kumar N, Dhar J, Gupta P, Kochhar R. Acute pancreatitis in pregnancy and its impact on the maternal and foetal outcomes: A systematic review. *Pancreatology* 2022; **22**: 210-218 [PMID: 34961727 DOI: 10.1016/j.pan.2021.12.007]
 - 19 **Hughes DL**, Hughes A, White PB, Silva MA. Acute pancreatitis in pregnancy: meta-analysis of maternal and fetal outcomes. *Br J Surg* 2021; **109**: 12-14 [PMID: 34179950 DOI: 10.1093/bjs/znab221]
 - 20 **Jin D**, Tan J, Jiang J, Philips D, Liu L. The early predictive value of routine laboratory tests on the severity of acute pancreatitis patients in pregnancy: a retrospective study. *Sci Rep* 2020; **10**: 10087 [PMID: 32572085 DOI: 10.1038/s41598-020-66921-x]
 - 21 **Sheng C**, Wang Y, Xu Z, Wang J. The Effect of Admission Serum Triglyceride Level on the Prediction of Severity of Acute Pancreatitis in Pregnancy. *Risk Manag Healthc Policy* 2021; **14**: 3209-3222 [PMID: 34385846 DOI: 10.2147/RMHP.S318879]
 - 22 **Takeyama Y**, Takas K, Ueda T, Hori Y, Goshima M, Kuroda Y. Peripheral lymphocyte reduction in severe acute pancreatitis is caused by apoptotic cell death. *J Gastrointest Surg* 2000; **4**: 379-387 [PMID: 11058856 DOI: 10.1016/s1091-255x(00)80016-5]
 - 23 **Fonteh P**, Smith M, Brand M. Adaptive Immune Cell Dysregulation and Role in Acute Pancreatitis Disease Progression and Treatment. *Arch Immunol Ther Exp (Warsz)* 2018; **66**: 199-209 [PMID: 29189884 DOI: 10.1007/s00005-017-0495-1]
 - 24 **Qi X**, Yang F, Huang H, Du Y, Chen Y, Wang M, Zhu D, Yue X, Wang L. A reduced lymphocyte ratio as an early marker for predicting acute pancreatitis. *Sci Rep* 2017; **7**: 44087 [PMID: 28266603 DOI: 10.1038/srep44087]
 - 25 **Ding L**, Yang Y, Li H, Wang H, Gao P. Circulating Lymphocyte Subsets Induce Secondary Infection in Acute Pancreatitis. *Front Cell Infect Microbiol* 2020; **10**: 128 [PMID: 32296650 DOI: 10.3389/fcimb.2020.00128]
 - 26 **Dur A**, Kocaman O, Koçyiğit A, Türkoğan KA, Sönmez E, Keskin S, Yiğit M, Gülen B, Kılıç E, Uysal Ö. Oxidative status and lymphocyte DNA damage in patients with acute pancreatitis and its relationship with severity of acute pancreatitis. *Turk J Gastroenterol* 2016; **27**: 68-72 [PMID: 26728863 DOI: 10.5152/tjg.2015.150317]
 - 27 **Zhou J**, Chen W, Liu Y, Qu C, Jiang W, Yin J, Lin J, Mao W, Ye B, Zhou J, Ke L, Tong Z, Liu Y, Li W. Trajectories of Lymphocyte Counts in the Early Phase of Acute Pancreatitis Are Associated With Infected Pancreatic Necrosis. *Clin Transl Gastroenterol* 2021; **12**: e00405 [PMID: 34597275 DOI: 10.14309/ctg.000000000000405]
 - 28 **Murthy P**, Singhi AD, Ross MA, Loughran P, Paragomi P, Papachristou GI, Whitcomb DC, Zureikat AH, Lotze MT, Zeh III HJ, Boone BA. Enhanced Neutrophil Extracellular Trap Formation in Acute Pancreatitis Contributes to Disease Severity and Is Reduced by Chloroquine. *Front Immunol* 2019; **10**: 28 [PMID: 30733719 DOI: 10.3389/fimmu.2019.00028]
 - 29 **Tokoro T**, Makino I, Harada S, Okamoto K, Nakanuma S, Sakai S, Kinoshita J, Nakamura K, Miyashita T, Tajima H, Ninomiya I, Fushida S, Ohta T. Interactions Between Neutrophils and Platelets in the Progression of Acute Pancreatitis. *Pancreas* 2020; **49**: 830-836 [PMID: 32541639 DOI: 10.1097/MPA.0000000000001585]
 - 30 **Li H**, Zhao L, Wang Y, Zhang MC, Qiao C. Roles, detection, and visualization of neutrophil extracellular traps in acute pancreatitis. *Front Immunol* 2022; **13**: 974821 [PMID: 36032164 DOI: 10.3389/fimmu.2022.974821]
 - 31 **Chen X**, Ning J, Li Q, Kuang W, Jiang H, Qin S. Prediction of acute pancreatitis complications using routine blood parameters during early admission. *Immun Inflamm Dis* 2022; **10**: e747 [PMID: 36444624 DOI: 10.1002/iid3.747]
 - 32 **Zhou H**, Mei X, He X, Lan T, Guo S. Severity stratification and prognostic prediction of patients with acute pancreatitis at early phase: A retrospective study. *Medicine (Baltimore)* 2019; **98**: e15275 [PMID: 31008971 DOI: 10.1097/MD.00000000000015275]
 - 33 **Silva-Vaz P**, Abrantes AM, Morgado-Nunes S, Castelo-Branco M, Gouveia A, Botelho MF, Tralhão JG. Evaluation of Prognostic Factors of Severity in Acute Biliary Pancreatitis. *Int J Mol Sci* 2020; **21** [PMID: 32560276 DOI: 10.3390/ijms21124300]
 - 34 **Kong W**, He Y, Bao H, Zhang W, Wang X. Diagnostic Value of Neutrophil-Lymphocyte Ratio for Predicting the Severity of Acute Pancreatitis: A Meta-Analysis. *Dis Markers* 2020; **2020**: 9731854 [PMID: 32454909 DOI: 10.1155/2020/9731854]
 - 35 **Lee SH**, Lee TY, Cheon YK. The Neutrophil-Lymphocyte Ratio as an Early Predictive Marker of the Severity of Post-Endoscopic Retrograde Cholangiopancreatography Pancreatitis. *Medicina (Kaunas)* 2021; **58** [PMID: 35056321 DOI: 10.3390/medicina58010013]
 - 36 **Karabuga B**, Gemcioglu E, Konca Karabuga E, Baser S, Ersoy O. Comparison of the predictive values of CRP, CRP/albumin, RDW, neutrophil/lymphocyte, and platelet/lymphocyte levels in determining the severity of acute pancreatitis in patients with acute pancreatitis according to the BISAP score. *Bratisl Lek Listy* 2022; **123**: 129-135 [PMID: 35065589 DOI: 10.4149/BLL_2022_020]
 - 37 **Tanoğlu A**, Düzenli T. Neutrophil-to-lymphocyte ratio alone may not be a true indicator of the severity of acute pancreatitis. *Turk J Gastroenterol* 2019; **30**: 937 [PMID: 31625940 DOI: 10.5152/tjg.2019.18856]
 - 38 **Yahalom M**, Roguin N, Suleiman K, Turgeman Y. Clinical Significance of Conditions Presenting with ECG Changes Mimicking Acute Myocardial Infarction. *Int J Angiol* 2013; **22**: 115-122 [PMID: 24436595 DOI: 10.1055/s-0033-1343357]
 - 39 **Rubio-Tapia A**, García-Leiva J, Asensio-Lafuente E, Robles-Díaz G, Vargas-Voráčková F. Electrocardiographic abnormalities in patients with acute pancreatitis. *J Clin Gastroenterol* 2005; **39**: 815-818 [PMID: 16145345 DOI: 10.1097/01.mcg.0000177241.74838.57]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA
Telephone: +1-925-3991568
E-mail: office@baishideng.com
Help Desk: <https://www.f6publishing.com/helpdesk>
<https://www.wjgnet.com>

