
Supplementary material

Supplementary Table 1 Subgroup analysis according to treatment course for total effective rate

	Experime	ental	Contr	ol		Risk Ratio	Risk Ratio	
Study or Subgroup	Events	Total	Events	Total	Weight	M-H, Fixed, 95% CI	M-H, Fixed, 95% CI	
1.3.1 4 wweks								
an2014	22	24	18	24	4.0%	1.22 [0.94, 1.59]	 • 	
chen2014	39	40	31	39	6.9%	1.23 [1.04, 1.45]	-	
gu2017	44	49	33	49	7.3%	1.33 [1.07, 1.66]		
zhao2010	38	40	31	40	6.8%	1.23 [1.02, 1.47]	*	
zheng2014	43	46	35	46	7.7%	1.23 [1.03, 1.47]	 -	
zhuang2019	48	53	36	53	7.9%	1.33 [1.09, 1.64]	-	
Subtotal (95% CI)		252		251	40.6%	1.27 [1.17, 1.37]	 	
Total events	234		184					
Heterogeneity: Chi² =	0.91, $df = 6$	5 (P = 0.5)	$97); I^2 = 0$	0%				
Test for overall effect:	Z = 5.66 (F	o < 0.000	001)					
1.3.2 5 weeks								
dong2017	24	26	14	22	3.3%	1.45 [1.04, 2.03]	 - 	
Subtotal (95% CI)		26		22	3.3%	1.45 [1.04, 2.03]	•	
Total events	24		14					
Heterogeneity: Not ap	plicable							
Test for overall effect:	Z = 2.18 (F	P = 0.03)					
1.3.3 8 weeks								
chen2018	28	30	22	30	4.8%	1.27 [1.01, 1.61]	-	
tang2014	28	30	17	30	3.7%	1.65 [1.19, 2.28]		
xia2015	107	150	90	150	19.8%	1.19 [1.01, 1.40]	"	
zhang2020	31	34	22	34	4.8%	1.41 [1.08, 1.84]		
zou2015	79	85	63	85	13.9%	1.25 [1.09, 1.44]	Ţ	
Subtotal (95% CI)		329		329	47.1%	1.28 [1.16, 1.40]	▼	
Total events	273		214					
Heterogeneity: Chi²=				0%				
Test for overall effect:	Z = 5.19 (F	° < 0.000	001)					
1.3.4 12 weeks								
li2020	31	33	22	33	4.8%	1.41 [1.09, 1.82]	-	
xu2018	28	30	19	30	4.2%	1.47 [1.10, 1.97]		
Subtotal (95% CI)		63		63	9.0%	1.44 [1.19, 1.74]	◆	
Total events	59		41					
Heterogeneity: Chi²=		•		0%				
Test for overall effect:	Z = 3.72 (F	P = 0.000	02)					
Total (95% CI)		670		665	100.0%	1.29 [1.22, 1.37]	•	
Total events	590		453					
Heterogeneity: Chi²=	6.73 , df = $^{\circ}$	13 (P = 0	0.92); l² =	0%			0.01 0.1 1	10 100
Test for overall effect:							0.01 0.1 1 Favours [experimental] Favours [c	10 100
Test for subaroup diff	ferences: C	$hi^2 = 1.9$	37. df = 3	(P = 0.	58), $I^2 = 0$)%	ravours (experimentar) - ravours (c	onition

Supplementary Table 2 Subgroup analysis according to SLBZS vs. CM or SLBZS+CM vs. CM



Supplementary Table 3 Subgroup analysis according to intervention methods (Monotherapy, Combined therapy, Triple therapy, or Quadruple therapy)

