

**Supplementary Table 1 The positive effectiveness of Sheng-jiang powder on human diseases from clinical trial literature**

No.	conditions	references
1	Sepsis	Zhu et al. <sup>A1</sup> , Xi et al. <sup>A2</sup> , Zhang et al. <sup>A3</sup> , Zhang et al. <sup>A4</sup> , Xia et al. <sup>A5</sup> .
2	Septic associated encephalopathy	Qian et al. <sup>A6</sup> .
3	Pneumonia complicated with sepsis	Chen et al. <sup>A7</sup> , Qian et al. <sup>A8</sup> .
4	Ventilator associated pneumonia	Xi et al. <sup>A9</sup> .
5	Measles complicated pneumonia	Zheng et al. <sup>A10</sup> .
6	Chronic obstructive pulmonary disease	Xun et al. <sup>A11</sup> .
7	Bronchial asthma	Cui et al. <sup>A12</sup> .
8	Tuberculous pleurisy	Wang et al. <sup>A13</sup> , Gao et al. <sup>A14</sup> .
9	Allergic purpuric nephritis	Zhao <sup>A15</sup> .
10	Acute glomerulonephritis	Dai <sup>A16</sup> .
11	Diabetic nephropathy	Tang <sup>A17</sup> .
12	Idiopathic membranous nephropathy	Chen <sup>A18</sup> .
13	Obesity-related glomerulopathy	Ning et al. <sup>A19</sup> , Jia et al. <sup>A20</sup> .
14	Obesity after Norplant subcutaneous implanted contraception	Zhang et al. <sup>A21</sup> .
15	Chronic daily headache	Guo <sup>A22</sup> , Guo <sup>A23</sup> .
16	Postherpetic neuralgia	Xiao et al. <sup>A24</sup> , Zhang et al. <sup>A25</sup> .
17	Rheumatoid arthritis	Meng et al. <sup>A26</sup> , Chen <sup>A27</sup> .
18	Acute tonsillitis	Chen et al. <sup>A28</sup> .
19	Coronary angina pectoris	Sui et al. <sup>A29</sup> .
20	Vascular dementia	Hou et al. <sup>A30</sup> .
21	Subacute thyroiditis	Zhao et al. <sup>A31</sup> .
22	Systemic inflammatory response syndrome	Zhou et al. <sup>A32</sup> .
23	Chronic urticaria	Chen et al. <sup>A33</sup> .

---

24	Cardiovascular neurosis	Wang et al. <sup>A34</sup> .
25	Infantile herpetic stomatitis	Gao et al. <sup>A35</sup> .
26	Type 2 Diabetes Mellitus Complicating Depression	Wang et al. <sup>A36</sup> .
27	Allergic purpura	Wang et al. <sup>A37</sup> .

---

## Appendix References

- A1 **Zhu L**, Xi Y, Zhao L, Qian FH, Yan L, Qi LL, Qian YM. Research on intervention of Shengjiangsan on inflammatory cytokines in sepsis patients in intensive care unit. *Chinese Journal of Integrated Traditional and Western Medicine in Intensive and Critical Care*. 2018; **25**: 351-354. [DOI:10.3969/j.issn.1008-9691.2018.04.004]
- A2 **Xi Y**, Zhao L, Zhu L, Qian FH, Qian YM. Intervenient study of Shengjiang San on Th1/Th2 imbalances and related regulatory factors in sepsis patients. *The Journal of Practical Medicine*. 2017; **33**: 2784-2788 [DOI: 10.3969/j.issn.1006-5725.2017.16.046]
- A3 **Zhang S**, Wang XJ. Clinical outcome and mechanism of Shengjiang San intervention on immune dysfunction in patients with sepsis. *Immunological Journal*. 2017; **33**: 1009-1012 [DOI: 10.13431/j.cnki.immunol.j.20170176]
- A4 **Zhang L**, Zhao L, Sun FY, Shen MW, Wu XY, Qian YM. Clinical Study of ShengJiang Powder in the Treatment of Sepsis of Stasis-Toxin Internal Obstruction Pattern. *Western Journal of Traditional Chinese Medicine* 2017; **30**: 45-47 [DOI:10.3969/j.issn.1004-6852.2017.12.014]
- A5 **Xia YC**, Guo J, Zhou GX, Zhang Q, Zhang L, Qian YM. Clinical Observation of Effects of Shengjiangsan on the Kidney in Patients with Sepsis. *Journal of Emergency in Traditional Chinese Medicine*. 2013; **22**: 214-215 [DOI:10.3969/j.issn.1004-745X.2013.02.018]
- A6 **Qian FH**, Zhu L, Xu ZB, Xie YL, Qian YM. Clinical observation of Shengjiang powder in treating septic associated encephalopathy. *Shanghai Journal of Traditional Chinese Medicine*. 2010; **44**: 48-50 [DOI: 10.16305/j.1007-1334.2010.06.013]
- A7 **Chen S**, Shi HF, Lin SN, Wang YQ. Shengjiang Powder Combined with Western Medicine on TCM Syndromes of Pneumonia Complicated with Sepsis Blood Stasis and Toxin Resistance and Serum Levels of Proinflammatory Factors on Tumor Necrosis Factor- $\alpha$  and Interleukin-6. *Chinese Archives of Traditional Chinese Medicine*. 2016; **34**: 2731-2733 [DOI: 10.13193/j.issn.1673-7717.2016.11.049]
- A8 **Qian FH**, Xia YC, Zhao L, Gu WY, Qi LL, Qian YM. A Clinical Study of Integrated Chinese and Western Treatment to 29 Cases of Blood Stasis and Toxin Resistance Type of Pneumonia Complicated with Sepsis. *Jiangsu Journal of Traditional Chinese Medicine*. 2014; **46**: 27-29

- A9 **Xi Y**, Zhao L, Qian FH, Qian YM, Yan L, Qi LL, Shen MW. A Clinical Study of Integrated Chinese and Western Treatment to 52 Cases of Phlegm Heat Stagnation Type of Pneumonia Related to ICU Ventilator. *Jiangsu Journal of Traditional Chinese Medicine*. 2018; **50**: 28-30
- A10 **Zheng L**, Yao CX, Zheng JB. Clinical Effect of Shengjiang Powder Treating Measles Complicated Pneumonia. *Journal of Emergency in Traditional Chinese Medicine*. 2014; **23**: 699-700 [DOI:10.3969/j.issn.1004-745X.2014.04.061]
- A11 **Sun M**, Xiong XD. Clinical study of the effects of Xinjia Shengjiang Decoction in the treatment of acute exacerbation of chronic obstructive pulmonary disease with syndrome of phlegm-heat obstructing lung. *Shanghai Journal of Traditional Chinese Medicine*. 2017; **51**: 47-50+57 [DOI:10.16305/j.1007-1334.2017.08.014]
- A12 **Cui HS**, Wang XQ, Wu WP. Clinical Observation on Shengjiangsan in Treating Acute Attacks of Bronchial Asthma. *Journal of Emergency Syndromes in Chinese Medicine*. 2000; **9**: 96-97
- A13 **Wang T**, Tian YQ, Wang XZ, Gao Y, Gao YY, Zhang ZY, Zhao YC. Efficacy of Modified Shengjiangsan in Treatment of Chest and Hypochondrium Fluid-retention Type Tuberculous Pleurisy and Effect on Pleural effusion, Immune Function, T-lymphocytes and Inflammatory Factors. *Chinese Journal of Experimental Traditional Medical Formulae*. 2018; **24**: 169-173 [DOI: 10.13422/j.cnki.syfjx.2018010169]
- A14 **Gao Y**, Wang T, Gao YP, Zhang ZY, Zhao YC. Effect of Jiawei Shengjiangsan on Pleural Effusion ADA, Peripheral Blood Treg and DC Cell Subsets of Patients of Tuberculous Pleurisy with Fluid-retention in Chest and Hypochondrium. *Chinese Journal of Experimental Traditional Medical Formulae*. 2017; **23**: 173-177 [DOI: 10.13422/j.cnki.syfjx.2017120173]
- A15 **Zhao M**. Clinical Observation on 34 Cases of Patients with Allergic Purpuric Nephritis Treated by Combination of Traditional Chinese Medicine and Western Medicine. *Jiangsu Journal of Traditional Chinese Medicine*. 2007; **39**: 37-38 [DOI: 10.3969/j.issn.1672-397X.2007.12.023]
- A16 **Dai J**. Clinical outcome of Shengjiangsan intervention on acute glomerulonephritis patients. *Chinese Journal of Information on Traditional Chinese Medicine*. 2011; **18**: 71-72 [DOI:

10.3969/j.issn.1005-5304.2011.04.031]

A17 **Tang XM**. Intervenient study of Jiawei Shengjiangsan on 76 diabetic nephropathy patients. *Chinese Journal of Experimental Traditional Medical Formulae*. 2011; **17**: 247-248 [DOI: 10.3969/j.issn.1005-9903.2011.10.076]

A18 **Chen WJ**, Tan JC, Chen SZ, Jin XH. Clinical Study on Supplemented ShengjiangSan in Treatment of Idiopathic Membranous Nephropathy. *Journal of Hebei Traditional Chinese Medicine and Pharmacology*. 2016; **31**: 44-47 [DOI: 10.16370/j.cnki.13-1214/r.2016.01.016]

A19 **Ning ZC**, Zhang SH, Han M. Clinical Observation on 62 Cases of Patients with Obesity-related Glomerulopathy by Combination of Sheng-Jiang Powder and Acupuncture. *Journal of Sichuan of Traditional Chinese Medicine*. 2017, **35**: 135-137

A20 **Jia JL**, Hao YJ, Wang XM, Yin XW, Zhang SL, Guo HH, Dong YF, Tian LM, Wang YH, Zhang PX. Effect of Modified Shengjiang Powder Combined with Acupuncture on Insulin Resistance in Patients with Obesity Related Nephropathy. *China Journal of Chinese Medicine*. 2017; **32**: 1333-1336 [DOI:10.16368/j.issn.1674-8999.2017.07.351]

A21 **Zhang HL**, Zhao JM, Yang JX, Hou JM, Guo SH, Wu JP. Effect of Combination of Jiawei Shengjiangsan and Ear Acupressure Treatment on Patients with Obesity after Norplant Subcutaneous Implanted Contraception. *Chinese Journal of Integrated Traditional and Western Medicine*. 1997; **17**: 749-750

A22 **Guo JQ**. Clinical Research on Shengjiang Powder Combined with Amitriptyline and Flupenthixol Melitracen for the Treatment of Chronic Daily Headache. *Henan Traditional Chinese Medicine*. 2017; **37**: 2172-2174 [DOI: 10.16367/j.issn.1003-5028.2017.12.0745]

A23 **Guo JQ**. Clinical Research on Shengjiang Powder for the Treatment of 46 cases of Chronic Daily Headache. *Jiangsu Journal of Traditional Chinese Medicine*. 2017; **49**: 25-27

A24 **Xiao YM**. Clinical curative analysis of nerve block combined with traditional Chinese drags in treating postherpetic neuralgia. *Medical Recapitulate*. 2007; **13**: 1894-1895 [DOI:10.3969/j.issn.1006-2084.2007.23.067]

A25 **Zhang LL**, Guo S, Li HB. Clinical Observation of Combination of Traditional and Western Medicine for the Treatment of 32 cases of Postherpetic neuralgia. *Jiangsu Journal of Traditional Chinese Medicine*. 2014; **46**: 32-33

- A26 **Meng XX**, Mo Y. Clinical Observation of "Shengjiang Powder" and "Wuwei Xiaodu Decoction" in Treating Active Rheumatoid Arthritis. *Shanghai Journal of Traditional Chinese Medicine*. 2007; **41**: 43-44 [DOI:10.3969/j.issn.1007-1334.2007.06.019]
- A27 **Chen DL**. Clinical Observation of Shengjiang Powder in Treating Rheumatoid Arthritis. *Sichuan Journal of Traditional Chinese Medicine*. 2012; **30**: 56-58
- A28 **Chen Y**, Wang J, He W. Clinical Observation of Shengjiang Powder and Therapy of Bloodletting Treating Children with Acute Tonsillitis. *Journal of Emergency in Traditional Chinese Medicine*. 2014; **23**: 1431-1433 [DOI:10.3969/j.issn.1004-745X.2014.08.014]
- A29 **Sui JF**, Deng H, Chen Y, Zhang Z. Clinical therapeutic effects on coronary angina pectoris of qi and blood stagnation treated with shengjiang powder and xuebijing injection. *World Journal of Integrated Traditional and Western Medicine*. 2018; **13**: 213-216 [DOI:10.13935/j.cnki.sjzx.180218]
- A30 **Hou JY**, Sun JG, Shi JF, Yang HY, Guo CH, Wang J. Clinical Study on the Treatment of Vascular Dementia by Regulating Qi Method with Acupuncture. *China Journal of Chinese Medicine*. 2018; **33**: 1144-1148 [DOI:10.16368/j.issn.1674-8999.2018.06.272]
- A31 **Zhao XJ**, Cheng G, Xu JH. Shengjiang powder with Xiaoluo pill in the treatment of subacute thyroiditis. *Shaanxi Journal of Traditional Chinese Medicine*. 2016; **37**: 535-537 [DOI:10.3969/j.issn.1000-7369.2016.05.008]
- A32 **Zhou G**, Zhang CH, Gong X, Zhang R, Qu XG, Zeng C. Clinical Study on the Treatment of Critical Patients with Systemic Inflammatory Response Syndrome by Shengjiang Powder. *Journal of Emergency in Traditional Chinese Medicine*. 2012; **21**: 537,569 [DOI:10.3969/j.issn.1004-745X.2012.04.012]
- A33 **Chen Q**. Clinical Observation on the Treatment of 30 Cases of Chronic Urticaria With Modified Shengjiangsan. *Guiding Journal of TCM*. 2007; **13**: 38-39 [DOI:10.3969/j.issn.1672-951X.2007.12.017]
- A34 **Wang HY**, Lai Y, Zhang L, Zhao ZF, Wang CH, Hao XE, Zhang MQ, Xu CY, Li SM. Treatment of 60 Cases of Cardiovascular Neurosis by "Xinjia Shengjiang Powder". *Shanghai Journal of Traditional Chinese Medicine*. 2007; **41**: 28-29 [DOI:10.3969/j.issn.1007-1334.2007.01.011]
- A35 **Gao HW**, Feng B. Clinical Research of Dachaihu Decoction Treated with Shengjiang

San Modified in Treating Infantile Herpetic Stomatitis. *China Journal of Chinese Medicine*. 2012; **27**: 900-901 [DOI: 10.16368/j.issn.1674-8999.2012.07.041]

A36 **Wang WQ**, Shi L, Lv SQ. The Clinical Study of Jiawei Shenjiang decoction of Type 2 Diabetes Mellitus Complicating Depression. *Liaoning Journal of Traditional Chinese Medicine*. 2011; **38**: 2033-2035 [DOI: 10.13192/j.ljtcn.2011.10.116.wangwq.032]

A37 **Wang HM**, Yang SX. Clinical Observation on 20 Cases of Allergic Purpura in Children Treated by Integrative Chinese and Western Medicine. *Shandong Journal of Traditional Chinese Medicine*. 2010; **29**: 694-695 [DOI: 10.16295/j.cnki.0257-358x.2010.10.041]