

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 37367

Manuscript Type: Case Report

Liver failure caused by prolonged state of malnutrition following bariatric surgery

Lammers WJ *et al.* liver failure after bariatric surgery

Willem J Lammers, Antonie JP van Tilburg, Jan A Apers, Janneke Wiebolt

Abstract

Bariatric surgery is an effective tool in the treatment of patients with morbid obesity. In these case reports we describe two patients who developed liver failure after currently practiced types of bariatric surgery caused by a prolonged state of malnutrition provoked by psychiatric problems. Despite intensive guidance of psychologist and dieticians after surgery our patients deteriorated psychologically resulting in a prolonged state of severe malnutrition and anorexia. Finally, a state of starvation was reached passing a critical level of the liver capacity. Patients who present with signs of severe protein malnutrition after bariatric surgery should be closely monitored and checked for nutritional status. Specific attention should be

符合内容总览

7 相符

- 1 Crossref 49 个字
"IFSO 2017 22nd World Congress", Obesity Surge
ry 2017 3%
- 2 Crossref 16 个字
"International Federation for the Surgery of Obes
v and metabolic disorders XIV World Congress" 1%
- 3 互联网 9 个字
于 2010 年 12 月 10 日 缓慢进行
www.thedigitaldentalarhive.com 1%
- 4 Crossref 9 个字
"Poster Session 4: Steatohepatitis: Clinical and Tr
erapeutic" Hepatology 2015 1%
- 5 互联网 8 个字
于 2015 年 10 月 28 日 缓慢进行
www.science.gov <1%



文章

找到约 19,900 条结果 (用时0.19秒)

Google 已关闭此广告

停止显示此广告

广告选择

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Managing the obese patient after bariatric surgery: a case report of severe malnutrition and review of the literature

R Kushner - Journal of Parenteral and Enteral Nutrition, 2000 - journals.sagepub.com

... Medical comorbidities included gastroesophageal reflux disease, osteoarthritis, menometrorrhagia, hypercholesterolemia, and ... However, despite multiple reminder telephone calls, the patient failed to return to ... CT) scan revealed a diffusely fatty infiltrated liver, bilateral pleural ...

☆ 99 被引用次数: 179 相关文章 所有 6 个版本

Usefulness of CT and MR imaging in the diagnosis of acute Wernicke's encephalopathy.

E Antunez, R Estruch, C Cardenal, ... - American journal of ... 1998 - Am Roentgen Ray Soc

... diagnosis was made on the basis of clinical features of acute Wernicke's encephalopathy after 2 months without alcohol, and structural abnormalities on hepatic sonography were ... alcoholics with Wernicke's encephalopathy had a higher prevalence of liver cirrhosis compared with ...

☆ 99 被引用次数: 353 相关文章 所有 5 个版本

Prognostic impact of disease-related malnutrition

K Norman, C Pichard, H Lochs, M Pirlich - Clinical nutrition, 2008 - Elsevier

... status is known to worsen during hospital stay which is partly due to the poor ... shown that clinical malnutrition however has serious implications for recovery from disease, trauma and ... and is generally associated with increased morbidity and mortality both in acute and chronic ...

☆ 99 被引用次数: 954 相关文章 所有 12 个版本

Complications of surgery for obesity

TK Byrne - Surgical Clinics of North America, 2001 - Elsevier

... Acute Gastric Distension ... It is our practice not to convert patients who have liver dysfunction with ascites because of the ... many patients who had JIBs in the

[PDF] psu.edu

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

[Managing the obese patient after bariatric surgery: a case report of severe malnutrition and review of the literature](#)

R Kushner - Journal of Parenteral and Enteral Nutrition, 2000 - journals.sagepub.com

... Medical comorbidities included gastroesophageal reflux disease, osteoarthritis, menometrorrhagia, hypercholesterolemia, and ... However, despite multiple reminder telephone calls, the patient failed to return to ... CT) scan revealed a diffusely fatty infiltrated liver, bilateral pleural ...

☆ 99 被引用次数: 180 相关文章 所有 6 个版本

[Usefulness of CT and MR imaging in the diagnosis of acute Wernicke's encephalopathy.](#)

E Antunez, R Estruch, C Cardenal, ... - ... American journal of ... 1998 - Am Roentgen Ray Soc

... diagnosis was made on the basis of clinical features of acute Wernicke's encephalopathy ... after 2 months without alcohol, and structural abnormalities on hepatic sonography were ... alcoholics with Wernicke's encephalopathy had a higher prevalence of liver cirrhosis compared with ...

☆ 99 被引用次数: 354 相关文章 所有 5 个版本

[Prognostic impact of disease-related malnutrition](#)

K Norman, C Pichard, H Lochs, M Pirlich - Clinical nutrition, 2008 - Elsevier

... status is known to worsen during hospital stay which is partly due to the poor ... shown that clinical malnutrition however has serious implications for recovery from disease, trauma and ... and is generally associated with increased morbidity and mortality both in acute and chronic ...

☆ 99 被引用次数: 964 相关文章 所有 12 个版本

[Complications of surgery for obesity](#)

TK Byrne - Surgical Clinics of North America, 2001 - Elsevier

... Acute Gastric Distension ... It is our practice not to convert patients who have liver dysfunction with ascites because of the ... many patients who had JIBs in the

[\[PDF\] psu.edu](#)

全部

图片

新闻

视频

更多

设置

工具

找到约 204,000 条结果 (用时 0.63 秒)

Google 学术: Liver failure caused by prolonged state of malnutrition following bariatric surgery

... bariatric surgery: a case report of severe malnutrition ... - Kushner - 被引用次数: 180

... of CT and MR imaging in the diagnosis of acute ... - Antunez - 被引用次数: 358

Complications of surgery for obesity - Byrne - 被引用次数: 271

Mineral Malnutrition Following Bariatric Surgery - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3771134/> - 翻译此页

作者: N Gletsu-Miller - 2013 - 被引用次数: 78 - 相关文章

2013年9月5日 - More research is required to inform evidence-based recommendations for improving nutritional status following bariatric surgery and optimizing weight Inflammation associated with obesity induces the production of hepcidin, an acute-phase protein made in the liver, which blocks iron absorption in the ...

Vitamin, Mineral, and Drug Absorption Following Bariatric Surgery

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3571763/> - 翻译此页

作者: RA Sawaya - 2012 - 被引用次数: 62 - 相关文章

[3] Chronic diseases such as diabetes mellitus, cardiovascular disease, dyslipidemia, hypertension, non-alcoholic fatty liver disease, numerous cancers, musculoskeletal disorders, and ... [10,11] Pope et al reported that the total bariatric surgical procedures in the United States increased from 4,925 in 1990 to 12,541 in 1997.

Severe fatal protein malnutrition and liver failure in a morbidly obese ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5344219/> - 翻译此页

作者: MAK Motamedi - 2017 - 被引用次数: 2 - 相关文章

2017年2月21日 - Severe fatal protein malnutrition and liver failure in a morbidly obese patient after mini