Dihydromyricetin-mediated inhibition of the Notch1 pathway induces apoptosis in

图书

全部 图片 视频 新

找到约 94 条结果

时间不限

过去 1 小时内 过去 24 小时内 过去 1 周内 过去 1 个月内 过去 1 年内

Dihydromyricetin induces apoptosis and inhibits proliferation in ...

www.ncbi.nlm.nih.gov/pmc/articles/PMC4156277

9 Jul 2014 ... Furthermore, it was found that DHM induced cell apoptosis in a ... Human hepatocellular carcinoma cell lines (HepG2, QGY7701, QGY7703, Cell growth inhibition rate of eleven different types of liver cell lines ... in HCC cells directly via the death receptor-mediated pathway, ... Mu R, Lu N, Wang J, et al.

所有结果

精确匹配

Dihydromyricetin induces mitochondria-mediated apoptosis in ...

https://www.ncbi.nlm.nih.gov/pubmed/28381351

17 Jan 2017 ... Dihydromyricetin induces mitochondria-mediated apoptosis in HepG2 cells through down-regulation of the Akt/Bad pathway. ... (DHM) was reported to induce apoptosis in human hepatocarcinoma HepG2 cells. ... proteins Bax and Bad, and inhibited the phosphorylation of Bad at Ser136 and Ser112,

Dihydromyricetin Enhances the Chemo-Sensitivity of Nedaplatin via ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4411137/

27 Apr 2015 ... The SMMC7721 and QGY7701 human hepatocellular carcinoma cell lines and 3.2 DHM enhanced NDP-induced tumor cell apoptosis but ... p53/Bcl-2 pathway was implicated in DHM and NDP induced dysfunction of mitochondria. ... the NDP treatment mediated cell viability inhibition in HL7702 cells.

Dihydromyricetin Reduced Bcl-2 Expression via p53 in Human ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▼

4 Nov 2013 ... Cell counting assay showed that DHM inhibited HepG2 cell growth ... DHM could induce human hepatocellular carcinoma HepG2 cells apoptosis by up-regulating Bax/Bcl-2 expression via p53 signal pathway. ... (2012) Ampelopsin reduces endotoxic inflammation via repressing ROS-mediated activation of ...

ATP检测试剂盒(S0026) - 碧云天

19-Jul-2017 02:28PM 2966 words • 22 matches • 10 sources FAQ 34562-.docx Quotes Excluded iThenticate[®] 13% Bibliography Excluded BY CALJE LU SIMIL AR Match Overview B= lili Crossref 106 words 3% Qingvu Zhang, Caijie Lu, Tao Fang, Yongcun Wang, Wen hua Hu, Jie Qiao, Bin Liu, Jie Liu, Nianping Chen, Mingvi Internet 102 words 3% Formatted crawled on 30-May-2016 www.spandidos-publications.com Dihydromyricetin-mediated inhibition of the Notch1 pathway induces apoptosis in QGY7701 and HepG2 hepatoma Cells Internet 84 words

Lu_Cl_et al. DihydromyricetinDHM induces hepatoma cells apoptosis by inhibiting Notch1

Cai-Jie Lu, Yi-Feng He, Wei-Zhuang Yuan, Li-Jun Xiang, Jian Zhang, Yan-Rui Liang, Juan Duan, Yun-He He, Ming-Yi Li

Abstract

AIM:

To investigate whether DHM_(Dihydromyricetin)—inhibits cell proliferation and promotes apoptosis by downregulating Notch1 expression

METHODS

Formatted: Font Italic

Formatted: Font Italic

Formatted: Font: Not Bold



Text-Only Report

⊕ 0 ⊕ 100%

Dihydromyricetin-mediated inhibition of the Notch1 pathway induces apoptosis in

全部

图书

找到约70条结果

时间不限

过去 1 小时内 过去 24 小时内 过去 1 周内 过去 1 个月内 过去1年内

所有结果 精确匹配

Dihydromyricetin induces mitochondria-mediated apoptosis in ...

www.journals.elsevierhealth.com/article/S0271_5/fulltext +

Dihydromyricetin induces mitochondria-mediated apoptosis in HepG2 cells through cells may come about by the inhibition of the Akt/Bad signaling pathway and ... Hepatocellular carcinoma (HCC) is the second leading cause of death from W., Duangnil, N., and Kongtawelert, P. Hesperidin from citrus seed induces ...

Silvbin-Mediated Inhibition of Notch Signaling Exerts Antitumor ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3873967/

27 Dec 2013 ... Hepatocellular carcinoma (HCC) is a global health burden that is associated with limited ... The Notch signaling pathway is highly conserved and regulates cell fate First, the mice were randomly divided into 3 groups (n = 6 per group): ... These results indicated that SIL induced apoptosis in HepG2 cells.

Notch1 Signaling Sensitizes Tumor Necrosis Factor-related ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2713568/

17 Apr 2009 ... HCC cells are resistant to apoptotic induction by tumor necrosis ... Inhibition of the Akt/Hdm2 pathway by Notch1 signaling was ... of TRAIL-induced apoptosis in p53-silenced HepG2 HCC cells and p53-defective Hep3B HCC cells. Human primary hepatocellular carcinoma cells were prepared as

Dihydromyricetin induces apoptosis and inhibits proliferation in ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4156277/

9 Jul 2014 ... Furthermore, it was found that DHM induced cell apoptosis in a ... Human hepatocellular carcinoma cell lines (HepG2, QGY7701, QGY7703, Cell growth inhibition rate of eleven different types of liver cell lines ... in HCC cells directly via the death receptormediated pathway. ... Mu R, Lu N, Wang J, et al.

Xanthohumol Inhibits Notch Signaling and Induces Apoptosis in ...





全部 图片 新闻 购物 地图 更多

设置 工具

找到约 41 条结果 (用时 0.54 秒)

您是不是要找: Dihydromyricetin-mediated inhibition of the Notch1 pathway induces apoptosis in **QGY 7701 n** HepG2 hepatoma cells

Dihydromyricetin induces apoptosis and inhibits proliferation in ...

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JIE LIU - 2014 - 被引用次数: 16 - 相关文章

2014年7月9日 - Furthermore, it was found that DHM induced cell apoptosis in a p53-dependent manner. ... Human hepatocellular carcinoma cell lines (HepG2, QGY7701, QGY7703, Cell growth inhibition rate of eleven different types of liver cell lines ... in HCC cells directly via the death receptor-mediated pathway.

缺少字词: notch1

Notch1 Signaling Sensitizes Tumor Necrosis Factor-related Apoptosis ...

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: C Wang - 2009 - 被引用次数: 103 - 相关文章

2009年4月17日 - Inhibition of the Akt/Hdm2 pathway by Notch1 signaling was ... promotion of TRAIL-induced apoptosis in p53-silenced HepG2 HCC cells and p53-defective Hep3B HCC cells. ... apoptosis in HCC cells by inhibiting Akt/Hdm2-mediated p53 Human primary hepatocellular carcinoma cells were prepared as ...

缺少字词: dihydromyricetin qgy7701

Silybin-Mediated Inhibition of Notch Signaling Exerts Antitumor Activity ...

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Zhang - 2013 - 被引用次数: 30 - 相关文章

2013年12月27日 - Hepatocellular carcinoma (HCC) is a global health burden that is associated ... The Notch signaling pathway is highly conserved and regulates cell fate These results indicated that SIL induced apoptosis in HepG2 cells.

缺少字词: dihydromyricetin ggy7701

Xanthohumol Inhibits Notch Signaling and Induces Apoptosis in ...

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Kunnimalaiyaan - 2015 - 被引用次数: 14 - 相关文章