

找到约 36,200 条结果 (用时 0.52 秒)

Google 学术 : Stromal cell-derived factor-1 α promotes recruitment and differentiation of nucleus pulposus-derived stem cells

Identification of mesenchymal progenitor cells in ... - Alsalameh - 被引用次数 : 464

Stem cell approaches to intervertebral disc ... - Wang - 被引用次数 : 21

Stromal Cell-Derived Factor-1 Delivery System: A ... - SAGE Journals

journals.sagepub.com/doi/pdf/10.1055/s-0034-1376645 - 翻译此页

作者 : CL Pereira - 2014 - 相关文章

Stromal Cell-Derived Factor-1 Delivery System: A New Approach for the Recruitment of Mesenchymal Stem Cells in Degenerating Intervertebral Disc ... improve cell viability, and also promoted cell differentiation into NP-like cells ... in the annulus fibrosus (AF) and nucleus pulposus (NP) was very similar, showing that cells ...

Stromal cell-derived factor-1 α -encapsulated albumin/heparin ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29597025> - 翻译此页

作者 : H Zhang - 2018 - 被引用次数 : 2 - 相关文章

2018年3月26日 - Stromal cell-derived factor-1 α -encapsulated albumin/heparin nanoparticles for induced stem cell migration and intervertebral disc regeneration in vivo. ... homing of bone marrow resident mesenchymal stem cells (MSCs), for protection ... of annulus fibrosus and nucleus pulposus, compared to SDF-1 α and ...

缺少字词 : recruitment differentiation

Stromal cell-derived factor-1 α and transforming growth factor- β 1 ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5446545/> - 翻译此页

作者 : Y Wang - 2017 - 被引用次数 : 2 - 相关文章

2017年5月15日 - Synovium-derived stem cells (SDSCs) are a potent cell source for cartilage ... Stromal cell-derived factor-1 α (SDF-1 α) acts as a potent stimulus in ... Meanwhile, the inhibition of P38 signal pathway promoted the SDSCs After cell recruitment, chondrogenic differentiation is another pivotal step for ...

Stromal cell-derived factor-1 induces matrix metalloproteinase ...

<https://www.spandidos-publications.com/ijmm/41/2/969> - 翻译此页

作者 : H Zhang - 2018 - 被引用次数 : 1 - 相关文章

2017年11月22日 - However, since the IVD is avascular, the migration of stem cells from blood vessels ... the release of factors that promote BMSC recruitment in ex vivo organ culture. NP, nucleus pulposus; SDF-1, stromal cell-derived factor-1. ... in response to SDF-1, adult neural stem/progenitor cells differentiated into ...

Name of Journal: *World Journal of Stem Cells*

Manuscript NO: 43395

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Stromal cell-derived factor-1 α promotes recruitment and differentiation of nucleus pulposus-derived stem cells

Jin-Wei Ying, Tian-Yong Wen, Shi-Shen Pei, Ling-Hao Su, Di-Ke Ruan

Abstract

BACKGROUND (no more than 100 words)

Intervertebral disc (IVD) degeneration is a condition characterized by a reduction in the

Match Overview

| | | |
|---|---|-----|
| 1 | Internet 41 words crawled on 22-Oct-2018 www.stem-art.com | 1% |
| 2 | Crossref 36 words Jing-Yi Liu, Xue Chen, Lin Yue, George T.-J. Huang, Yiao Ying Zou. "CYC Chemokine B | 1% |
| 3 | Internet 18 words crawled on 11-Nov-2016 www.mesoscale.com | <1% |
| 4 | Crossref 16 words Grad, S., M. Peroglio, Z. Li, and M. Alini. "En- degenerate Cell Homing for Intervertebral Dis | <1% |
| 5 | Internet 15 words crawled on 12-Nov-2018 link.springer.com | <1% |

找到约 23,800 条结果 (用时 0.53 秒)

Google 学术 : Stromal cell-derived factor-1 α promotes recruitment and differentiation of nucleus pulposus-derived stem cells

Identification of mesenchymal progenitor cells in ... - Alsalameh - 被引用次数 : 472

Stem cell approaches to intervertebral disc ... - Wang - 被引用次数 : 24

Stromal cell-derived factor-1 induces matrix metalloproteinase ...

<https://www.spandidos-publications.com/ijmm/41/2/969> - 翻译此页

作者 : H Zhang - 2018 - 被引用次数 : 1 - 相关文章

2017年11月22日 - Stromal cell-derived factor-1 induces matrix metalloproteinase expression in ... in degenerated cartilage endplate (CEP) and nucleus pulposus (NP). ... of bone marrow-derived mesenchymal stem cells (BMSCs) were recruited into ... release of factors that promote BMSC recruitment in ex vivo organ culture.

Stromal Cell-Derived Factor-1 Delivery System: A New Approach for ...

<https://journals.sagepub.com/doi/abs/10.1055/s-0034-1376645> - 翻译此页

作者 : CL Pereira - 2014 - 相关文章

... able to improve cell viability, and also promoted cell differentiation into NP-like cells (i.e., ... Cell migration was evaluated by fluorescence microscopy and cells were ... fibrosus (AF) and nucleus pulposus (NP) was very similar, showing that cells are ... Mesenchymal stem cell recruitment by stromal derived factor-1-delivery ...

Stromal cell-derived factor-1 induces matrix ... - ResearchGate

https://www.researchgate.net/.../321232097_Stromal_cell-derived_factor-1_i... - 翻译此页

Download Citation on ResearchGate | Stromal cell-derived factor-1 induces ... in explant culture, and the amelioration of nucleus pulposus degeneration in ... Stem cell migration toward the site of IVD degeneration for regeneration is ... Chemokine receptor 7 overexpression promotes mesenchymal

找到约 26,600 条结果 (用时 0.71 秒)

[Google 学术 : Stromal cell-derived factor-1 \$\alpha\$ promotes recruitment and differentiation of nucleus pulposus-derived stem cells](#)

Identification of mesenchymal progenitor cells in ... - Alsalameh - 被引用次数 : 474

Stem cell approaches to intervertebral disc ... - Wang - 被引用次数 : 24

[Stromal cell-derived factor-1 \$\alpha\$ and transforming growth factor- \$\beta\$ 1 ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5446545/> - 翻译此页

作者 : Y Wang - 2017 - 被引用次数 : 2 - 相关文章

2017年5月15日 - Synovium-derived stem cells (SDSCs) are a potent cell source for cartilage ...

Stromal cell-derived factor-1 α (SDF-1 α) acts as a potent stimulus in ... Meanwhile, the inhibition of P38 signal pathway promoted the SDSCs After cell recruitment, chondrogenic differentiation is another pivotal step for ...

[Stromal Cell-Derived Factor-1 Delivery System: A ... - SAGE Journals](#)

<journals.sagepub.com/doi/pdf/10.1055/s-0034-1376645> - 翻译此页

作者 : CL Pereira - 2014 - 相关文章

Stromal Cell-Derived Factor-1 Delivery System: A New Approach for the Recruitment of Mesenchymal Stem Cells in Degenerating Intervertebral Disc ... improve cell viability, and also promoted cell differentiation into NP-like cells ... in the annulus fibrosus (AF) and nucleus pulposus (NP) was very similar, showing that cells ...

[Stromal cell-derived factor-1 induces matrix metalloproteinase ...](#)

<https://www.spandidos-publications.com/10.3892/ijmm.2017.3278> - 翻译此页

作者 : H Zhang - 2018 - 被引用次数 : 1 - 相关文章

2017年11月22日 - Stromal cell-derived factor-1 induces matrix metalloproteinase expression in ... in degenerated cartilage endplate (CEP) and nucleus pulposus (NP). ... of bone marrow-derived mesenchymal stem cells (BMSCs) were recruited into ... release of factors that promote BMSC recruitment in ex vivo organ culture.

[Stromal cell-derived factor-1 induces matrix ... - ResearchGate](#)

https://www.researchgate.net/.../321232097_Stromal_cell-derived_factor-1_i... - 翻译此页

Download Citation on ResearchGate | Stromal cell-derived factor-1 induces ... in explant culture, and the amelioration of nucleus pulposus degeneration in ... Stem cell migration toward the site of IVD degeneration for regeneration is ... Chemokine receptor 7 overexpression promotes mesenchymal stem cell Recruiting.