

学术搜索

找到约 15,900 条结果 (用时0.15秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯**[HTML] Cystadenomas and cystadenocarcinomas of the pancreas: a multiinstitutional retrospective study of 398 cases**

J Le Borgne, L de Calan, C Partensky... - Annals of ..., 1999 - ncbi.nlm.nih.gov

... Table thumbnail. Table 3. SITES AND GROSS CHARACTERISTICS OF CYSTADENOMAS AND ... patients, the diagnosis of SCA was based on typical morphologic features and cyst fluid ... Serous cystadenomas are associated with another extrapancreatic neoplasm in up to 22% of ...

被引用次数: 448 相关文章 所有 8 个版本 引用 保存

nih.gov 中的 [HTML]

Pancreatic Cysts 3 cm or Smaller: How Aggressive Should Treatment Be? 1

DV Sahani, A Saokar, PF Hahn, WR Brugge... - Radiology, 2006 - pubs.rsna.org

... We attempted to determine whether morphologic features such as septa are associated with a ... and were treated conservatively had no interval cyst growth or change in cyst characteristics at follow ... prolonged period that reveals no change in the size or morphologic features of a ...

被引用次数: 133 相关文章 所有 10 个版本 引用 保存

rsna.org 中的 [HTML]

... mucinous tumors of the pancreas confined to secondary ducts show less aggressive pathologic features as compared with those involving the main pancreatic duct

B Terris, P Ponsot, F Paye, P Hammel... - The American journal ..., 2000 - journals.lww.com

... Because benign forms of IPMT have a low but well-documented malignant progression rate, an aggressive surgical approach is recommended mainly based on the report of series of IPMT with ... Pathologic Features. ... This pattern was always observed in associated branch ducts. ...

被引用次数: 377 相关文章 所有 7 个版本 引用 保存

Cystic lesions of the pancreas: selection criteria for operative and nonoperative management in 209 patients

PJ Allen, DP Jaques, M D'Angelica, WB Bowne... - Journal of ..., 2003 - Springer

... These typical features are not described; however, with an average follow-up of 38 ... adenomas were followed for 5 and 6 years prior to resection with associated cyst growth of 3 ... also with limited follow-up, have not found significant changes in the cyst characteristics of selected ...

被引用次数: 110 相关文章 所有 10 个版本 引用 保存

Progression of pancreatic intraductal neoplasias to infiltrating adenocarcinoma of the pancreas

DJ Brat, KD Lillemo, CJ Yeo, PB Warfield... - The American journal ..., 1998 - journals.lww.com

... infiltrating adenocarcinoma of the pancreas and of the initial events of tumor progression associated with these ... 10 In cases in which atypical features were documented but no infiltrating carcinoma ... opportunity to examine rare cases in which there is a progression from atypical ...

被引用次数: 281 相关文章 所有 8 个版本 引用 保存

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19599

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Features associated with progression of small pancreatic cystic lesions: A retrospective study

Tsai HM *et al.* Progression of Pancreatic Cystic Lesions

Hong-Ming Tsai, Chiao-Hsiung Chuang, Yan-Shen Shan, Yi-Sheng Liu,
Chiung-Yu Chen

Hong-Ming Tsai, Yi-Sheng Liu Department of Radiology, National Cheng Kung University Hospital, College of Medicine, National Cheng Kung University, Tainan 704, Taiwan

Match Overview

1	Internet 101 words crawled on 12-Aug-2015 www.ncbi.nlm.nih.gov	2%
2	CrossCheck 40 words Wagh, Mihir S. "Editorial: Pancreatic Cysts: More Answers ... More Questions"; <i>The American Journal of Gastroenterology</i>	1%
3	Internet 33 words crawled on 03-Dec-2014 www.hepatogastroenterology.org	1%
4	CrossCheck 24 words Liu, Yi-Sheng. "Development of biodegradable radiopaque ... microsphere for arterial embolization-a pig study"; <i>World Journal of Gastroenterology</i>	<1%

文章

我的图书馆

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

[HTML] Cystadenomas and cystadenocarcinomas of the pancreas: a multiinstitutional retrospective study of 398 cases

nih.gov 中的 [HTML]

J Le Borgne, L de Calan, C Partensky... - Annals of ..., 1999 - ncbi.nlm.nih.gov
 ... Table thumbnail. Table 3. SITES AND GROSS CHARACTERISTICS OF CYSTADENOMAS AND ...
 patients, the diagnosis of SCA was based on typical morphologic features and cyst fluid ... Serous
 cystadenomas are associated with another extrapancreatic neoplasm in up to 22% of ...

被引用次数: 447 相关文章 所有 9 个版本 引用 保存

Pancreatic Cysts 3 cm or Smaller: How Aggressive Should Treatment Be? 1

rsna.org 中的 [HTML]

DV Sahani, A Saokar, PF Hahn, WR Brugge... - Radiology, 2006 - pubs.rsna.org
 ... We attempted to determine whether morphologic features such as septa are associated with
 a ... and were treated conservatively had no interval cyst growth or change in cyst characteristics
 at follow ... prolonged period that reveals no change in the size or morphologic features of a ...

被引用次数: 141 相关文章 所有 12 个版本 引用 保存

... mucinous tumors of the pancreas confined to secondary ducts show less aggressive pathologic features as compared with those involving the main pancreatic duct

B Terris, P Ponsot, F Paye, P Hammel... - The American journal ..., 2000 - journals.lww.com
 ... Because benign forms of IPMT have a low but well-documented malignant progression rate,
 an aggressive surgical approach is recommended mainly based on the report of series of IPMT
 with ... Pathologic Features. This pattern was always observed in associated branch ducts. ...

被引用次数: 376 相关文章 所有 7 个版本 引用 保存

Cystic lesions of the pancreas: selection criteria for operative and nonoperative management in 209 patients

PJ Allen, DP Jaques, M D'Angelica, WB Bowne... - Journal of ..., 2003 - Springer
 ... These typical features are not described; how- ever, with an average follow-up of 38 ... adenomas
 were followed for 5 and 6 years prior to resection with associated cyst growth of 3 ... also with limited
 follow-up, have not found significant changes in the cyst characteristics of selected ...

被引用次数: 112 相关文章 所有 13 个版本 引用 保存

Progression of pancreatic intraductal neoplasias to infiltrating adenocarcinoma of the pancreas

DJ Brat, KD Lillemoe, CJ Yeo, PB Warfield... - The American journal ..., 1998 - journals.lww.com
 ... infiltrating adenocarcinoma of the pancreas and of the initial events of tumor progression
 associated with these ... 10 In cases in which atypical features were documented but no infiltrating
 carcinoma ... opportunity to examine rare cases in which there is a progression from atypical ...

被引用次数: 285 相关文章 所有 8 个版本 引用 保存

[网页](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 291,000 条结果 (用时 0.68 秒)

Google 学术 : Features associated with progression of small pancreatic cystic lesions: A retrospective study

... of the pancreas: a multiinstitutional retrospective study ... - Le Borgne - 被引用次数 : 447

Pancreatic Cysts 3 cm or Smaller: How Aggressive ... - Sahani - 被引用次数 : 141

Intraductal papillary mucinous tumors of the pancreas ... - Terris - 被引用次数 : 376

Su1464 Features Associated With Interval Progression of ...

[www.gastrojournal.org/article/S0016-5085\(15\)31735.../abstract](http://www.gastrojournal.org/article/S0016-5085(15)31735.../abstract) - 翻译此页

作者 : OB Panel - 被引用次数 : 95 - 相关文章

Su1464 Features Associated With Interval Progression of Small Pancreatic Cystic Lesions - A Retrospective Study. Chiung-Yu Chen. x. Chiung-Yu Chen.

Su1464 Features Associated With Interval Progression of ...

www.researchgate.net/.../276141574_Su1464_Features_Associa... - 翻译此页

Su1464 Features Associated With Interval Progression of Small Pancreatic Cystic Lesions - A Retrospective Study on ResearchGate, the professional network ...

Role of endosonography in the management of incidental ...

www.sciencedirect.com/science/article/.../S2213179514000169 ▾ 翻译此页

作者 : YMC Kelvin - 2014 - 被引用次数 : 2 - 相关文章

The management of incidental pancreatic cystic lesion (PCL) can be challenging. ... In the previous retrospective study, contrast-enhanced multidetector ... cyst size, number, and shape, state of cyst wall, internal cyst features, ... to be associated with