

Match Overview



1	CrossCheck (20 words) Liu, Jian-Zhong, Peng, Jie, Wang, Cheng, Peng, et al. <i>W</i> -Lactams, Oral, Sin, Cheng, Li, H, Zhou, Ya, Chen, Sh, Wu	5%
2	CrossCheck (27 words) Munoz-Gomez, M, et al. "A Randomized Controlled Trial of Bacterial Safety of Endoscopes." <i>Journal of Endoscopy</i> , 2012	2%
3	CrossCheck (24 words) Liu, Hong, "A New PPI, esomeprazole-Completed With One Study in the Treatment of Duodenal Ulcer." <i>Journal</i>	2%
4	CrossCheck (11 words) Liu, Hong, "The Effect of Esomeprazole on the Gastric Mucosa of Patients With Duodenal Ulcer."	1%
5	CrossCheck (11 words) Liu, Hong, "The Effect of Esomeprazole on the Gastric Mucosa of Patients With Duodenal Ulcer."	1%
6	Match (27 words) Liu, Hong, "The Effect of Esomeprazole on the Gastric Mucosa of Patients With Duodenal Ulcer."	1%
7	CrossCheck (21 words) "PPIs: Proton Pump Inhibitors." <i>Journal of Gastroenterology and Hepatology</i> , 2012	<1%
8	CrossCheck (12 words) "PPIs: Proton Pump Inhibitors." <i>Journal of Gastroenterology and Hepatology</i> , 2012	<1%

Name of journal: World Journal of Gastroenterology

ENFS Manuscript No: 16179

Column: ORIGINAL ARTICLE

Randomized Controlled Trial

Modified sequential therapy vs quadruple therapy as initial therapy in patients with *Helicobacter pylori* infection

Xiao-Min Luo, Guo-Hai Ning, Mei-Zu Chen, Xue-Ping Huang, Yan-Yan Cong, Yi-Ying Huang, Rui-Hu Wu, Jun-Qi Wei

Abstract

AIM: To evaluate the efficacy and safety of modified sequential therapy and to compare modified sequential therapy with standard quadruple therapy for *Helicobacter pylori* (*H. pylori*) eradication.

METHODS: In total, 200 consecutive patients who were diagnosed with *H. pylori*-induced chronic gastritis by electronic endoscopy and rapid urease test were from December 2013 to October 2014 were enrolled in this study. The



Modified sequential therapy vs quadruple therapy as initial therapy in pati



网页 图片 新闻 视频 更多 搜索工具

找到约 324,000 条结果 (用时 0.86 秒)

Google 学术: Modified sequential therapy vs quadruple therapy as initial therapy in patients with Helicobacter infection

... in the management of Helicobacter pylori infection: the ... - Malfertheiner - 被引用次数: 2277

Modified sequential Helicobacter pylori therapy: proton ... - Hsu - 被引用次数: 95

Sequential therapy for Helicobacter pylori eradication: ... - Gisbert - 被引用次数: 173

Ten day sequential versus 10 day modified bismuth ...

www.ncbi.nlm.nih.gov/pubmed/24295850 翻译此页

作者: KS Liu - 2014 - 被引用次数: 8 - 相关文章

2013年12月2日 - DESIGN: H pylori positive and treatment naive patients were randomly assigned to receive either 10 day SEQ (esomeprazole for 10 days, amoxicillin for an initial 5 days, ... or modified QUAD (esomeprazole, bismuth subcitrate, tetracycline ... Helicobacter Infections/drug therapy*; Helicobacter Infections/ ...

Eradication of Helicobacter pylori infection: Which regimen ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者: A Federico - 2014 - 被引用次数: 6 - 相关文章

2014年1月21日 - Core tip: First-line therapy for Helicobacter pylori infection should have an ... of two 10-d modified bismuth-containing sequential therapies consisting of a ... quadruple therapy or standard therapy, 78.3% of the patients who ...

Quadruple Versus Sequential Therapy for Helicobacter ...

https://clinicaltrials.gov/ct2/show/NCT01760824 翻译此页

2012年12月29日 - Quadruple Versus Sequential Therapy for Helicobacter Pylori

Eradication ... Up to 20% of patients infected with H. pylori may develop peptic ulcers. ...



quadruple therapy as initial therapy in patients with Helicobacter infection



网页 购物 图片 新闻 视频 更多 搜索工具

找到约 66,600 条结果 (用时 0.83 秒)

Google 学术 : Modified sequential therapy vs quadruple therapy as initial therapy in patients with Helicobacter infection

... in the management of *Helicobacter pylori* infection: the ... - Malfertheiner - 被引用次数 : 2278

Modified sequential *Helicobacter pylori* therapy: proton ... - Hsu - 被引用次数 : 95

Sequential therapy for *Helicobacter pylori* eradication: ... - Gisbert - 被引用次数 : 173

Ten day sequential versus 10 day modified bismuth ...

www.ncbi.nlm.nih.gov/pubmed/24295850 翻译此页

作者 : KS Liu - 2014 - 被引用次数 : 8 - 相关文章

2013年12月2日 - DESIGN: H *pylori* positive and treatment naïve patients were randomly assigned to receive either 10 day SEQ (esomeprazole for 10 days, amoxicillin for an initial 5 days, ... or modified QUAD (esomeprazole, bismuth subcitrate, tetracycline ... *Helicobacter Infections/drug therapy**; *Helicobacter Infections/* ...

Global eradication rates for *Helicobacter pylori* infection ...

www.bmj.com/content/347/bmj.f4587 翻译此页

作者 : L Gatta - 2013 - 被引用次数 : 70 - 相关文章

2013年8月7日 - 5666 patients were randomised to sequential therapy and 7866 to other (established and new) treatments. ... *Helicobacter pylori* infection causes peptic ulcers, gastric mucosa ... Initial studies of sequential therapy suggested that its superiority Sequential therapy versus non-bismuth quadruple therapy.

Quadruple Versus Sequential Therapy for *Helicobacter* ...

<https://clinicaltrials.gov/ct2/show/NCT01760824> 翻译此页

2012年12月29日 - Quadruple Versus Sequential Therapy for *Helicobacter Pylori*