

找到约 694,000 条结果 (用时 0.41 秒)

Google 学术: Current Status of Imaging in Nonalcoholic Fatty Liver Disease

... of nonalcoholic fatty liver disease and its association ... - Targher - 被引用次数: 905

... of nonalcoholic fatty liver disease in children and ... - Vajro - 被引用次数: 264

... scoring system for nonalcoholic fatty liver disease - Kleiner - 被引用次数: 4921

Non-invasive imaging techniques in assessing non-alcoholic fatty liver ...

<https://www.ncbi.nlm.nih.gov/pubmed/28255371> - 翻译此页

作者: AM Lăpădat - 2017 - 被引用次数: 6 - 相关文章

J Med Life. 2017 Jan-Mar;10(1):19-26. Non-invasive **imaging** techniques in assessing **non-alcoholic fatty liver disease**: a **current status** of available methods.

Noninvasive biomarkers in non-alcoholic fatty liver disease: current ...

<https://www.ncbi.nlm.nih.gov/pubmed/25152587> - 翻译此页

作者: E Fitzpatrick - 2014 - 被引用次数: 75 - 相关文章

2014年8月21日 - Noninvasive biomarkers in **non-alcoholic fatty liver disease**: **current status** ... **force imaging** are becoming more established as noninvasive methods of ... contribute to our understanding of the pathogenesis of the condition.

Radiologic Imaging in Nonalcoholic Fatty Liver Disease and ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29128063> - 翻译此页

作者: YB Esterson - 2018 - 相关文章

Clin Liver Dis. 2018 Feb;22(1):93-108. doi: 10.1016/j.cld.2017.08.005. Epub 2017 Oct 10. Radiologic **Imaging in Nonalcoholic Fatty Liver Disease** and ...

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 39915

Manuscript Type: REVIEW

Current status of imaging in nonalcoholic fatty liver disease

Qian Li, Manish Dhyani, Joseph R Grajo, Claude Sirlin, Anthony E Samir

Abstract

Non-alcoholic fatty liver disease (NAFLD) is the most common diffuse liver disease, with a worldwide prevalence of 20% to 46%. NAFLD can be subdivided into simple steatosis and nonalcoholic steatohepatitis. Most cases of simple steatosis are non-progressive, whereas nonalcoholic steatohepatitis may result in chronic liver injury and progressive fibrosis in a significant minority. Effective risk stratification and management of NAFLD requires evaluation of hepatic parenchymal fat, fibrosis, and inflammation. Liver biopsy remains the current gold standard, however, non-invasive imaging methods are rapidly evolving and may replace biopsy in some circumstances. These methods include well-established

Match Overview

| | | |
|---|--|-----|
| 1 | Internet 57 words crawled on 01-Jul-2017 www.wjgnet.com | 1% |
| 2 | Crossref 50 words J K Dyson, S McPherson, Q M Anstee. "Non-alcoholic fatty liver disease: non-invasive investigation and risk stratification" | 1% |
| 3 | Crossref 46 words Dulai, Parambir S., Claude B. Sirlin, and Rohit Loomba. "MRI and MRE for non-invasive quantitative assessment of liver fat" | 1% |
| 4 | Crossref 45 words Alex Benjamin, Rebecca Zubajlo, Kai Thomenius, Manish Dhyani, Kanakaraju Kaliannan, Anthony E. Samir, Brian | 1% |
| 5 | Internet 41 words crawled on 04-Jan-2016 mri-q.com | 1% |
| 6 | Crossref 34 words El-Kader, Shehab M Abd. "Non-alcoholic fatty liver disease: The diagnosis and management", <i>World Journal of Hepatology</i> | 1% |
| 7 | Crossref 33 words Sameer M. Mazhar, Masoud Shiehorteza, Claude B. Sirlin. "Noninvasive Assessment of Hepatic Steatosis", <i>Clinical</i> | 1% |
| 8 | Crossref 26 words Kühn, Jens-Peter, Diego Hernando, Birger Mensel, Paul C. Krüger, Till Ittermann, Julia Mayerle, Norbert Hosten, a | 1% |
| 9 | Crossref 20 words Cassidy, F. H., T. Yokoo, L. Aganovic, R. F. Hanna, M. Byrder, M. S. Middleton, G. Hamilton, A. D. Chavez, J. B. S | <1% |

[全部](#)[新闻](#)[图片](#)[视频](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 755,000 条结果 (用时 0.66 秒)

Google 学术 : Current status of imaging in nonalcoholic fatty liver disease

... of nonalcoholic fatty liver disease and its association ... - Targher - 被引用次数 : 908

... of nonalcoholic fatty liver disease in children and ... - Vajro - 被引用次数 : 271

... scoring system for nonalcoholic fatty liver disease - Kleiner - 被引用次数 : 5002

Non-invasive imaging techniques in assessing non-alcoholic fatty liver ...

<https://www.ncbi.nlm.nih.gov/pubmed/28255371> - 翻译此页

作者 : AM Läpädat - 2017 - 被引用次数 : 7 - 相关文章

J Med Life. 2017 Jan-Mar;10(1):19-26. Non-invasive imaging techniques in assessing non-alcoholic fatty liver disease: a current status of available methods.

Radiologic Imaging in Nonalcoholic Fatty Liver Disease and ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29128063> - 翻译此页

作者 : YB Esterson - 2018 - 相关文章

Clin Liver Dis. 2018 Feb;22(1):93-108. doi: 10.1016/j.cld.2017.08.005. Epub 2017 Oct 10. Radiologic Imaging in Nonalcoholic Fatty Liver Disease and ...

Current Status of Therapy in Nonalcoholic Fatty Liver Disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3002510/> - 翻译此页

作者 : S McNear - 2009 - 被引用次数 : 30 - 相关文章

Current Status of Therapy in Nonalcoholic Fatty Liver Disease found abnormal serum aminotransferases or radiographic imaging suggesting fatty liver.

References in Radiologic Imaging in Nonalcoholic Fatty Liver Disease ...

[www.liver.theclinics.com/article/S1089-3261\(17\)30066-1/references](http://www.liver.theclinics.com/article/S1089-3261(17)30066-1/references) - 翻译此页

2017年10月10日 - 4Bellentani, S. The epidemiology of non-alcoholic fatty liver disease. imaging techniques in chronic liver disease: current status and future ...



找到约 749,000 条结果 (用时 0.50 秒)

Google 学术 : Current status of imaging in nonalcoholic fatty liver disease

... of nonalcoholic fatty liver disease and its association ... - Targher - 被引用次数 : 908

... of nonalcoholic fatty liver disease in children and ... - Vajro - 被引用次数 : 271

... scoring system for nonalcoholic fatty liver disease - Kleiner - 被引用次数 : 5002

Non-invasive imaging techniques in assessing non-alcoholic fatty liver ...

<https://www.ncbi.nlm.nih.gov/pubmed/28255371> - 翻译此页

作者 : AM Lapadat - 2017 - 被引用次数 : 7 - 相关文章

J Med Life. 2017 Jan-Mar;10(1):19-26. Non-invasive imaging techniques in assessing non-alcoholic fatty liver disease: a current status of available methods.

Radiologic Imaging in Nonalcoholic Fatty Liver Disease and ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29128063> - 翻译此页

作者 : YB Esterson - 2018 - 相关文章

Clin Liver Dis. 2018 Feb;22(1):93-108. doi: 10.1016/j.cld.2017.08.005. Epub 2017 Oct 10. Radiologic Imaging in Nonalcoholic Fatty Liver Disease and ...

References in Radiologic Imaging in Nonalcoholic Fatty Liver Disease ...

[www.liver.theclinics.com/article/S1089-3261\(17\)30066-1/references](http://www.liver.theclinics.com/article/S1089-3261(17)30066-1/references) - 翻译此页

2017年10月10日 - 4Bellentani, S. The epidemiology of non-alcoholic fatty liver disease. imaging techniques in chronic liver disease: current status and future ...

Imaging of non alcoholic fatty liver disease: A road ... - ResearchGate

https://www.researchgate.net/.../259530825_Imaging_of_non_alcoholic_fatty_liver_dis...

2017年12月20日 - Full-Text Paper (PDF): Imaging of non alcoholic fatty liver disease: A road less travelled. ... 220 Hz, which results in OP condition at a TE of about 2.4 Nonalcoholic fatty liver disease: Synopsis of current developments.

Nonalcoholic fatty liver disease: Current status and future...

https://www.researchgate.net/.../282243738_Nonalcoholic_fatty_liver_diseas... - 翻译此页

Nonalcoholic fatty liver disease (NAFLD) has emerged as the most common chronic liver ... Current paradigm suggests a benign course for NAFL whereas NASH is resonance imaging for the assessment of non-alcoholic fatty liver disease.