

Fatty liver is associated with an increased risk of diabetes and cardiovascular dis



全部 图片 视频 新闻 购物 地图 图书

找到约 1,940,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Nonalcoholic Fatty Liver Disease and Risk of Diabetes and ... - NCBI](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4367006/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4367006/>

Nonalcoholic Fatty Liver Disease and Risk of Diabetes and Cardiovascular ... NAFLD is associated with insulin resistance and occurs with an increase in cluster ...

[Fatty liver is associated with insulin resistance, risk of coronary heart ...](http://www.ncbi.nlm.nih.gov/pubmed/19291789)

[www.ncbi.nlm.nih.gov/pubmed/19291789](http://www.ncbi.nlm.nih.gov/pubmed/19291789)

Fatty liver is associated with insulin resistance, risk of coronary heart disease, and early ... have a high risk of developing diabetes and cardiovascular diseases .

[Fatty liver disease in diabetes mellitus](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4405411/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4405411/>

Non-alcoholic fatty liver disease (NAFLD) is highly prevalent in type 2 diabetes .... was associated with an approximately 2-fold increased risk of cardiovascular ...

[Nonalcoholic Fatty Liver Disease is Associated with Increased ...](http://www.nature.com/articles/srep26805)

[www.nature.com/articles/srep26805](http://www.nature.com/articles/srep26805)

26 May 2016 ... A growing body of evidence suggests that NAFLD is associated with an increased risk of incident CVD events both in patients without diabetes ...

[\[PDF\] PDF\(410K\) - Wiley Online Library](http://onlinelibrary.wiley.com/doi/10.1002/hep.22845/pdf)

[onlinelibrary.wiley.com/doi/10.1002/hep.22845/pdf](http://onlinelibrary.wiley.com/doi/10.1002/hep.22845/pdf)

Patients with fatty liver (FL) disease have a high risk of developing diabetes and cardiovascular ... to be associated with increased CVD risk, and raises the .

[Nonalcoholic Fatty Liver Disease Is a Risk Factor for ... - Diabetes Care](http://care.diabetesjournals.org/content/30/11/2940)

[care.diabetesjournals.org/content/30/11/2940](http://care.diabetesjournals.org/content/30/11/2940)

The high prevalence of fatty liver in association with type 2 diabetes has been ... each of these

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29343

Manuscript Type: REVIEW

19

Fatty liver is associated with an increased risk of diabetes and cardiovascular disease

Lonardo Amedeo, Ballestri Stefano, Guaraldi Giovanni, Nascimbeni Fabio, Romagnoli Dante, Zona Stefano, Targher Giovanni

### Abstract

Fatty liver, which may frequently coexist with necro-inflammatory and fibrotic changes, may occur in the setting of nonalcoholic fatty liver disease (NAFLD) and chronic infections due to either hepatitis C virus (HCV) or human immunodeficiency virus (HIV). These three pathologic conditions are associated with an increased prevalence and incidence of cardiovascular disease (CVD) and type 2 diabetes (T2D). In this multidisciplinary clinical review, we aim to discuss the ever-expanding wealth of clinical and epidemiological

### Match Overview

1	Internet 246 words crawled on 17-Jul-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	3%
2	Internet 129 words crawled on 14-May-2016 <a href="http://hepatitisnewdrugs.blogspot.fr">hepatitisnewdrugs.blogspot.fr</a>	2%
3	Crossref 51 words Mantovani, Alessandro, Stefano Ballestri, Amedeo Lonardo, and Giovanni Targher. "Cardiovascular Disease ar ..."	1%
4	Publications 32 words "Researchers from Department of Medicine Report on ... ndings in Fatty Liver (NAFLD: A multisystem dise", Diabe	<1%
5	Crossref 29 words Amedeo Lonardo. "Hepatitis C and diabetes: the inevit ... ble coincidence?", Expert Review of Anti-infective Therap	<1%
6	Crossref 29 words Targher, Giovanni, Christopher D. Byrne, Amedeo Lonardo, Giacomo Zoppini, and Corrado Barbui. "Non-alcoh ..."	<1%
7	Publications 29 words "New Findings Reported from Azienda Ospedaliera Ur ... ersity Describe Advances in Fatty Liver (Non-alco", Obesi	<1%
8	Publications 25 words "Studies from Steno Diabetes Center Have Provided N ... w Data on Alcoholic Fatty Liver (Hepatic ceramide", Healt	<1%

Fatty liver is associated with an increased risk of diabetes and cardiovascular dis



全部 图片 视频 新闻 购物 地图 图书

找到约 1,940,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Nonalcoholic Fatty Liver Disease and Risk of Diabetes and ... - NCBI](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4367006/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4367006/>

Nonalcoholic Fatty Liver Disease and Risk of Diabetes and Cardiovascular ... NAFLD is associated with insulin resistance and occurs with an increase in cluster ...

[Fatty liver is associated with insulin resistance, risk of coronary heart ...](http://www.ncbi.nlm.nih.gov/pubmed/19291789)

[www.ncbi.nlm.nih.gov/pubmed/19291789](http://www.ncbi.nlm.nih.gov/pubmed/19291789)

Fatty liver is associated with insulin resistance, risk of coronary heart disease, and early ... have a high risk of developing diabetes and cardiovascular diseases .

[Fatty liver disease in diabetes mellitus](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4405411/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4405411/>

Non-alcoholic fatty liver disease (NAFLD) is highly prevalent in type 2 diabetes .... was associated with an approximately 2-fold increased risk of cardiovascular ...

[Nonalcoholic Fatty Liver Disease is Associated with Increased ...](http://www.nature.com/articles/srep26805)

[www.nature.com/articles/srep26805](http://www.nature.com/articles/srep26805)

26 May 2016 ... A growing body of evidence suggests that NAFLD is associated with an increased risk of incident CVD events both in patients without diabetes ...

[\[PDF\] PDF\(410K\) - Wiley Online Library](http://onlinelibrary.wiley.com/doi/10.1002/hep.22845/pdf)

[onlinelibrary.wiley.com/doi/10.1002/hep.22845/pdf](http://onlinelibrary.wiley.com/doi/10.1002/hep.22845/pdf)

Patients with fatty liver (FL) disease have a high risk of developing diabetes and cardiovascular ... to be associated with increased CVD risk, and raises the .

[Nonalcoholic Fatty Liver Disease Is a Risk Factor for ... - Diabetes Care](http://care.diabetesjournals.org/content/30/11/2940)

[care.diabetesjournals.org/content/30/11/2940](http://care.diabetesjournals.org/content/30/11/2940)

The high prevalence of fatty liver in association with type 2 diabetes has been ... each of these



全部 新闻 图片 视频 购物 更多 ▾ 搜索工具

找到约 2,620,000 条结果 (用时 0.50 秒)

### Non-Alcoholic Fatty Liver Disease and Cardiovascular Risk - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : VL Misra - 2009 - 被引用次数 : 79 - 相关文章

Nonalcoholic **fatty liver** disease (NAFLD) is a very common cause of chronic liver ... Conventional **risk** factor **increasing** CVD include age, hypertension, **diabetes**, ... [3] Hemostatic factors **associated** with **increased** cardiovascular **risk** include ...

### Fatty liver disease in diabetes mellitus

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : HB Bhatt - 2015 - 被引用次数 : 19 - 相关文章

Non-alcoholic **fatty liver disease** (NAFLD) is highly prevalent in type 2 **diabetes** .... was **associated** with an approximately 2-fold **increased risk** of **cardiovascular** ...

### Fatty liver is associated with insulin resistance, risk of coronary heart ...

<https://www.ncbi.nlm.nih.gov/pubmed/19291789> - 翻译此页

作者 : A Gastaldelli - 2009 - 被引用次数 : 257 - 相关文章

**Fatty liver is associated** with insulin resistance, **risk** of coronary **heart disease**, and early ... have a **high risk** of **developing diabetes and cardiovascular diseases**.

### Nonalcoholic Fatty Liver Disease and Risk of Diabetes and ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : MH Ahmed - 2015 - 被引用次数 : 8 - 相关文章

Nonalcoholic **Fatty Liver Disease** and **Risk of Diabetes and Cardiovascular** ... NAFLD is **associated** with insulin resistance and occurs with an **increase** in cluster ...

### Nonalcoholic Fatty Liver Disease is Associated with Increased Carotid ...

[www.nature.com](http://www.nature.com) > Scientific Reports > Articles - 翻译此页

作者 : L Zhang - 2016 - 相关文章

2016年5月26日 - A growing body of evidence suggests that NAFLD is **associated with an increased**