




国内版 | 国际版

Outpatient telephonic transitional care after hospital discharge improves survival i 

All Images Videos

翻译成中文 关闭取词

16,000 Results Any time ▾

Outpatient Telephonic Transitional Care After Hospital Discharge Improves Survival in Cirrhotic Patients Posted on **July 3, 2018 by Gastroenterology Journal** Measuring the effectiveness of transitional care interventions in improving outcomes in cirrhotic patients (CPs) after hospital discharge (HD) often focuses on 30-day readmission rate (RR).

03 | July | 2018 | Richard Peek | Page 2 - my.vanderbilt.edu
my.vanderbilt.edu/richardpeek/2018/07/03/page/2/

Is this answer helpful?  

Outpatient Telephonic Transitional Care After Hospital ...

[https://www.gastrojournal.org/article/S0016-5085\(18\)34700-0/fulltext](https://www.gastrojournal.org/article/S0016-5085(18)34700-0/fulltext)

In a new initiative at our center, CPs are provided **outpatient telephonic transitional care (OTTC)** by a **care coordinator** for 30 days **after hospital discharge**. **Outpatient Telephonic Transitional Care After Hospital Discharge Improves Survival in Cirrhotic Patients** - Gastroenterology

Author: Bhavana Bhagya Rao, Anastasia So... **Publish Year:** 2018

[PDF] Outpatient Telephonic Transitional Care After Hospital ...

[https://www.gastrojournal.org/article/S0016-5085\(18\)34700-0/pdf](https://www.gastrojournal.org/article/S0016-5085(18)34700-0/pdf)

Outpatient Telephonic Transitional Care After Hospital Discharge Improves Survival in Cirrhotic Patients Bhavana Bhagya Rao, Anastasia Sobotka, Rocio Lopez, Carlos Romero-Marrero, William Carey Department of Gastroenterology and Hepatology, Cleveland Clinic, Cleveland, Ohio
BACKGROUND & AIMS: Measuring the effectiveness of transi-

Transitional Care Strategies From Hospital to Home

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4272352>

Transitional care, or the **care patients** receive as they move between **health care settings** and providers, involves **bridging care** gaps across different **health care settings**, including **hospitalizations and outpatient** visits. 10,11 **Hospital-based transitional care interventions** aim to smooth the **transition** from the **inpatient** to the **outpatient** setting and prevent unnecessary readmissions and

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 45882

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Outpatient telephonic transitional care after hospital discharge improves survival in cirrhotic patients

Rao BB *et al.* Improving post discharge outcomes in cirrhotic

Bhavana Bhagya Rao, Anastasia Sobotka, Rocio Lopez, Carlos Romero-Marrero, William Carey

Abstract

Match Overview

1	Crossref 115 words Ping-I Hsu, Sung-Shuo Kao. "687 - The Safety of Pantoprazole Versus Famotidine Prophylaxis in Preventing Upper Ga	3%
2	Crossref 13 words "Oral Abstracts (Abstracts 1-299)", <i>Hepatology</i> , 2018	<1%
3	Crossref 12 words Bhavana Bhagya Rao, Anastasia Sobotka, Rocio Lopez, Carlos Romero-Marrero, William Carey. "Outpatient Teleph...	<1%

国内版

国际版

Outpatient telephonic transitional care after hospital discharge improves survival i 

All

Images

Videos

翻译成中文

开启取词

12,100 Results

Any time ▾

Outpatient Telephonic Transitional Care After Hospital Discharge Improves Survival in Cirrhotic Patients Posted on **July 3, 2018** by **Gastroenterology Journal** Measuring the effectiveness of transitional care interventions in improving outcomes in cirrhotic patients (CPs) after hospital discharge (HD) often focuses on 30-day readmission rate (RR).

03 | July | 2018 | Richard Peek | Page 2 - my.vanderbilt.edu

my.vanderbilt.edu/richardpeek/2018/07/03/page/2/

Is this answer helpful?  

Outpatient Telephonic Transitional Care After Hospital ...

[https://www.gastrojournal.org/article/S0016-5085\(18\)34700-0/fulltext](https://www.gastrojournal.org/article/S0016-5085(18)34700-0/fulltext)

In a new initiative at our center, CPs are provided **outpatient telephonic transitional care (OTTC)** by a **care coordinator** for 30 days **after hospital discharge**. **Outpatient Telephonic Transitional Care After Hospital Discharge Improves Survival in Cirrhotic Patients** - Gastroenterology

Author: Bhavana Bhagya Rao, Anastasia Sob... **Publish Year:** 2018

[PDF] Outpatient Telephonic Transitional Care After Hospital ...

[https://www.gastrojournal.org/article/S0016-5085\(18\)34700-0/pdf](https://www.gastrojournal.org/article/S0016-5085(18)34700-0/pdf)

Outpatient Telephonic Transitional Care After Hospital Discharge Improves Survival in Cirrhotic Patients Bhavana Bhagya Rao, Anastasia Sobotka, Rocio Lopez, Carlos Romero-Marrero, William Carey Department of Gastroenterology and Hepatology, Cleveland Clinic, Cleveland, Ohio **BACKGROUND & AIMS:** Measuring the effectiveness of transi-

03 | July | 2018 | Richard Peek | Page 2 - my.vanderbilt.edu

<https://my.vanderbilt.edu/richardpeek/2018/07/03/page/2/>