

Match Overview



1	Matched 21 words similarity 100% (100%) View Similarity Report	1%
2	Matched 21 words similarity 100% (100%) View Similarity Report	1%
3	Matched 21 words similarity 100% (100%) View Similarity Report	<1%

Name of journal World Journal of Gastroenterology

ESPS Manuscript NO: 15878

Column: ORIGINAL ARTICLE

Retrospective Study

Gadolinium-ethoxybenzyl-diethylethylenetriamine-pentaacetic acid-enhanced magnetic resonance imaging for bile duct intraductal papillary mucinous neoplasms

Shi-Hong Ying, Xiao-Dong Teng, Zhao-Ming Wang, Qi-Dong Wang, Yi-Lin Zhao, Feng Chen, Wen-Bo Xiao

Abstract

AIM: To investigate gadolinium-ethoxybenzyl-diethylethylenetriamine-pentaacetic acid (Gd-EOB-DTPA)-enhanced magnetic resonance imaging (MRI) of intraductal papillary mucinous neoplasms of the bile duct (IPMN-B).



Gadolinium-ethoxybenzyl-diethylenetriamine-pentaacetic acid-enhanced



网页 图片 新闻 购物 视频 更多 搜索工具

找到约 2,220 条结果 (用时 0.91 秒)

Google 学术: Gadolinium-ethoxybenzyl-diethylenetriamine-pentaacetic acid-enhanced magnetic resonance imaging for bile duct intraductal papillary mucinous neoplasms

... -ethoxybenzyl-diethylenetriamine pentaacetic acid- ... - Oki - 被引用次数: 5
... gadoxetic acid-enhanced magnetic resonance imaging - Motosugi - 被引用次数: 24
MR cholangiopancreatography: 1.5 T versus 3T - Schindera - 被引用次数: 17

Usefulness of gadolinium-ethoxybenzyl-diethylenetriamine ...
www.researchgate.net/.../51652229_Usefulness_of_gadolinium... - 翻译此页
IPMN-B, thought to be the counterpart of intraductal papillary mucinous ... pentaacetic acid-enhanced magnetic resonance cholangiography was useful for ... Article: Cystic tumor of the liver without ovarian-like stroma or bile duct ... Article: Visualization of bile movement using MRI spin-labeling technique: preliminary results.

Usefulness of gadolinium-ethoxybenzyl-diethylenetriamine ...
www.pubfacts.com/.../Usefulness-of-gadolinium-ethoxybenzyl-... - 翻译此页
IPMN-B, thought to be the counterpart of intraductal papillary mucinous ... pentaacetic acid-enhanced magnetic resonance cholangiography was useful ... Cyst-forming intraductal papillary neoplasm of the bile ducts: description of imaging and ...

Usefulness of gadolinium-ethoxybenzyl-diethylenetriamine ...
link.springer.com/article/10.1007%2Fs11604-011-0593-7 - 翻译此页
作者: H Oki - 2011 - 被引用次数: 5 - 相关文章
2011年10月1日 - Intraductal papillary mucinous neoplasm of the bile duct (IPMN-B); Gd-EOB-DTPA; MRI; Cholangiography; Mucin retention. Industry Sectors.

[网页](#) [图片](#) [购物](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 2,090 条结果 (用时 1.05 秒)

[Google 学术 : Gadolinium-ethoxybenzyl-diethylenetriamine-pentaacetic acid-enhanced magnetic resonance imaging for bile duct intraductal papillary mucinous neoplasms](#)

... -ethoxybenzyl-diethylenetriamine pentaacetic acid- ... - Oki - 被引用次数 : 5

... gadoxetic acid-enhanced magnetic resonance imaging - Motosugi - 被引用次数 : 24

MR cholangiopancreatography: 1.5 T versus 3T - Schindera - 被引用次数 : 17

[Usefulness of gadolinium-ethoxybenzyl-diethylenetriamine ...](#)

www.researchgate.net/.../51652229_Usefulness_of_gadolinium... - 翻译此页

IPMN-B, thought to be the counterpart of intraductal papillary mucinous ... pentaacetic acid-enhanced magnetic resonance cholangiography was useful for ... Article: Cystic tumor of the liver without ovarian-like stroma or bile duct ... Article: Visualization of bile movement using MRI spin-labeling technique: preliminary results.

[Usefulness of gadolinium-ethoxybenzyl-diethylenetriamine ...](#)

www.pubfacts.com/.../Usefulness-of-gadolinium-ethoxybenzyl-... - 翻译此页

IPMN-B, thought to be the counterpart of intraductal papillary mucinous ... pentaacetic acid-enhanced magnetic resonance cholangiography was useful ... Cyst-forming intraductal papillary neoplasm of the bile ducts: description of imaging and ...

[Usefulness of gadolinium-ethoxybenzyl-diethylenetriamine ...](#)

link.springer.com/article/10.1007%2Fs11604-011-0593-7 - 翻译此页

作者 : H Oki - 2011 - 被引用次数 : 5 - 相关文章

2011年10月1日 - IPMN-B, thought to be the counterpart of intraductal papillary mucinous ... papillary mucinous neoplasm. bile duct. gd-eob-dtpa-enhanced mri.