

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 17338

Columns: ORIGINAL ARTICLE

Retrospective Study

Correlation between nonalcoholic fatty liver and brachial-ankle pulse wave velocity

Zhu WH *et al.* Nonalcoholic fatty liver and brachial-ankle pulse wave velocity

Wen-Hua Zhu, Li-Zheng Fang, Chong-Rong Lu, Hong-Lei Dai, Jian-Hua Chen, Qiao-Hua Qiao, Li-Ying Chen

Wen-Hua Zhu, Li-Zheng Fang, Chong-Rong Lu, Hong-Lei Dai, Jian-Hua Chen, Qiao-Hua Qiao, Li-Ying Chen, Department of Family Medicine, Sir Run Run Shaw Hospital, Zhejiang University School of Medicine, Sir Run Run Shaw Institute of Clinical Medicine, Zhejiang University, Hangzhou 310016, Zhejiang

Match Overview

1	Internet 91 words crawled on 31-Mar-2015 office.wjgnet.com	1%
2	CrossCheck 24 words Gui-Zhou Xiao, "Central Lymph Node Metastasis as a Predictor of Lateral Node Involvement in Papillary Thyroid Car...	<1%
3	Internet 23 words crawled on 08-Jan-2011 lib.bioinfo.pl	<1%

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯您是不是要找: [Correlation between *non alcoholic* fatty liver with metabolic risk factors and brachial-ankle pulse wave velocity](#)[Cardiovascular risk factors and the metabolic syndrome in pediatric nonalcoholic fatty liver disease](#) ahajournals.org 中的 [HTML][JB Schwimmer, PE Pardee, JE Lavine, AK Blumkin...](#) - Circulation, 2008 - Am Heart Assoc... Thus, it is logical to anticipate a **relationship** with **metabolic** syndrome. ... Definitive diagnosis and assessment of **risk** for **nonalcoholic fatty liver** disease in children and ... **Relation between** elevated serum alanine aminotransferase and **metabolic** syndrome in Korean adolescents. ...被引用次数: 220 [相关文章](#) [所有 10 个版本](#) [引用](#) [保存](#)[Relationship between serum adiponectin concentration, pulse wave velocity and nonalcoholic fatty liver disease](#) eje-online.org 中的 [HTML][SG Kim, HY Kim, JA Seo, KW Lee, JH Oh, NH Kim...](#) - European Journal of ..., 2005 - EFES... The **correlations between** various hepatic enzymes and adiponectin or PWV were also examined. ... We found that serum adiponectin levels were inversely **correlated** with serum ALT and ... Actually, after controlling for age, there was a significant negative **correlation** ($r = -0.1829$, $P < 0.05$).被引用次数: 42 [相关文章](#) [所有 6 个版本](#) [引用](#) [保存](#)[Nonalcoholic fatty liver disease and carotid atherosclerosis in children](#) nature.com 中的 [HTML][L Pacifico, V Cantisani, P Ricci, JF Osborn...](#) - Pediatric ..., 2008 - nature.com... was included more than once and there was no family **connection between** the individuals ... HDL and LDL cholesterol, and triglyceride concentrations did not significantly **correlate** to carotid ... and baPWV, but they did not find a significant **correlation between** adiponectin values ...被引用次数: 127 [相关文章](#) [所有 5 个版本](#) [引用](#) [保存](#)[Arterial stiffness and cardiovascular risk factors in a population-based study](#) arteriograph.hu 中的 [PDF][J Amar, JB Ruidavets, B Chamontin...](#) - Journal of ..., 2001 - journals.lww.comSkip Navigation [Links](#) Home > March 2001 - Volume 19 - Issue 3 > Arterial stiffness and cardiovascular **risk factors** in a ... Since systolic, diastolic and mean blood pressures were closely **correlated** and, since systolic blood pressure had the highest **correlation** coefficient in ...被引用次数: 273 [相关文章](#) [所有 17 个版本](#) [引用](#) [保存](#)[The relationship between arterial stiffness and nonalcoholic fatty liver disease](#)[YJ Lee, JY Shim, BS Moon, YH Shin, DH Jung...](#) - Digestive diseases and ..., 2012 - Springer... The **Relationship Between** Arterial Stiffness and **Nonalcoholic** ... common form of chronic **liver** disease and some studies have documented its **link** with cardiovascular ... Moreover, in multivariate logistic regression analysis, a graded independent **relation** was found **between** higher ...



ty liver with metabolic risk factors and brachial-ankle pulse wave velocity



网页 图片 购物 视频 新闻 更多 搜索工具

找到约 20,900 条结果 (用时 0.88 秒)

Google 学术 : Correlation between nonalcoholic fatty liver with metabolic risk factors and brachial-ankle pulse wave velocity

... metabolic syndrome in pediatric nonalcoholic fatty liver ... - Schwimmer - 被引用次数 : 220

... , pulse wave velocity and nonalcoholic fatty liver ... - Kim - 被引用次数 : 43

Nonalcoholic fatty liver disease and carotid ... - Pacifico - 被引用次数 : 127

Association between non-alcoholic fatty liver disease and ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : X Yu - 2014 - 被引用次数 : 7 - 相关文章

2014年6月16日 - Age, obesity, hypertension, and diabetics are risk factors for arterial stiffness. ... arterial stiffness as measured by brachial-ankle pulse wave velocity (baPWV) ... Pulse wave velocity (PWV) can reflect arterial distensibility and the stiffness The association between nonalcoholic fatty liver disease, metabolic ...

Nonalcoholic fatty liver disease and vascular disease: State ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - 翻译此页

作者 : S Fargion - 2014 - 被引用次数 : 11 - 相关文章

2014年10月7日 - At least four studies examined the link between NAFLD, type 2 diabetes and ... Brachial-ankle pulse wave velocity is also widely used to screen for ... of conventional cardiovascular disease risk factors and metabolic syndrome Studies on the association between non-alcoholic fatty liver disease and ...

[PDF] Relationship between serum adiponectin concentration ...

www.eje.org/content/152/2/225.full.pdf - 翻译此页

作者 : SG Kim - 2005 - 被引用次数 : 42 - 相关文章