



15120-Review

BY YING DING

Quotes Excluded  
Bibliography Excluded

4%  
SIMILAR

**Name of journal:** World Journal of Gastroenterology

**ESPS Manuscript NO:** 15120

**Columns:** ORIGINAL ARTICLES

*Prospective Study*

**Usefulness of two-point Dixon fat-water separation technique in gadoxetic acid:  
Enhanced liver MR imaging**

Ying Ding, Sheng-Xiang Rao, Cai-Zhong Chen, Ren-Chen Li, Meng-Su Zeng

**Abstract**

**AIM:** To compare differences between volumetric interpolated breath-hold examination (VIBE) using two-point Dixon fat-water separation (Dixon-VIBE) and chemically

**Match Overview**

1	Internet 34 words crawled on 18-Dec-2012 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
2	CrossCheck 28 words Andrew B. Rosenkrantz. "Gadolinium-Enhanced Liver Magnetic Resonance Imaging Using a 2-Point Dixon Fat-Water"	1%
3	Internet 25 words crawled on 24-Sep-2013 <a href="http://intl-radiographics.rsna.org">intl-radiographics.rsna.org</a>	1%
4	Internet 19 words crawled on 28-Aug-2014 <a href="http://jds.oxfordjournals.org">jds.oxfordjournals.org</a>	1%
5	CrossCheck 19 words Rosenkrantz, A.B.. "Breath-hold T2-weighted MRI of the li... r at 3T using the BLADE technique: impact upon image qu	1%

[网页](#) [图片](#) [视频](#) [新闻](#) [更多](#) [搜索工具](#)

找到约 358 条结果 (用时 0.67 秒)

**Google 学术: Usefulness of two-point Dixon fat-water separation technique in gadoxetic acid: Enhanced liver magnetic resonance imaging**

... -enhanced liver magnetic resonance imaging using a 2 ... - Rosenkrantz - 被引用次数: 12

... Disease: Strategies for Hepatic CT and MR Imaging 1 - Boll - 被引用次数: 51

Hepatobiliary MRI: current concepts and controversies - Glockner - 被引用次数: 34

**PubMed Result**

[www.ncbi.nlm.nih.gov/pubmed?itool=pubmed...](http://www.ncbi.nlm.nih.gov/pubmed?itool=pubmed...) - [翻译此页](#)

Gadolinium-enhanced liver magnetic resonance imaging using a 2-point Dixon fat-water separation technique: impact upon image quality and lesion detection. ... gadoxetic acid (Gd-EOB-DTPA)-enhanced MRI of the liver: advantages over ...

**[PDF] MAGNETOM Flash - Siemens Healthcare**

[www.healthcare.siemens.com/.../@imaging/@mri/.../magnetom...](http://www.healthcare.siemens.com/.../@imaging/@mri/.../magnetom...) - [翻译此页](#)

2 MAGNETOM Flash | 3/2014 | [www.siemens.com/magnetom-world](http://www.siemens.com/magnetom-world) ... 20

CAIPIRINHA in Gadoxetic. Acid-Enhanced Liver MRI ... The responsible physician must evaluate the benefit of the MRI examination in ... parallel imaging techniques, imaging .... Dixon with in-phase, out-of-phase, water and fat only (5A-D) images ...

**Body - Joint Annual Meeting ISMRM-ESMRMB 2014**

[www.ismrm.org/14/program\\_files/TP08.htm](http://www.ismrm.org/14/program_files/TP08.htm) - [翻译此页](#)

The use of MRI to study gastric motor function is limited and has mostly ... and temporal resolution for dynamic contrast enhanced MRI imaging of the small bowel. .... We present a 3D 3-point Dixon liver fat imaging sequence with real-time ... based fat quantification and two imaging based water-fat separation methods for the

网页 图片 视频 购物 新闻 更多 ▾ 搜索工具

找到约 359 条结果 (用时 0.59 秒)

### Google 学术 : Usefulness of two-point Dixon fat-water separation technique in gadoxetic acid: Enhanced liver magnetic resonance imaging

... -enhanced liver magnetic resonance imaging using a 2 ... - Rosenkrantz - 被引用次数 : 12

... Disease: Strategies for Hepatic CT and MR Imaging 1 - Boll - 被引用次数 : 51

Hepatobiliary MRI: current concepts and controversies - Glockner - 被引用次数 : 34

### PubMed Result

[www.ncbi.nlm.nih.gov/pubmed?itool=pubmed...](http://www.ncbi.nlm.nih.gov/pubmed?itool=pubmed...) - 翻译此页

Gadolinium-enhanced liver magnetic resonance imaging using a 2-point Dixon fat-water separation technique: impact upon image quality and lesion detection. ...  
gadoxetic acid (Gd-EOB-DTPA)-enhanced MRI of the liver: advantages over ...

### [PDF] MAGNETOM Flash - Siemens Healthcare

[www.healthcare.siemens.com/.../@imaging/@mri/.../magnetom...](http://www.healthcare.siemens.com/.../@imaging/@mri/.../magnetom...) ▾ 翻译此页

2 MAGNETOM Flash | 3/2014 | [www.siemens.com/magnetom-world](http://www.siemens.com/magnetom-world) ... 20

CAIPIRINHA in Gadoxetic. Acid-Enhanced Liver MRI ... The responsible physician must evaluate the benefit of the MRI examination in ... parallel imaging techniques, imaging ..... Dixon with in-phase, out-of-phase, water and fat only (5A-D) images ...

### Body - Joint Annual Meeting ISMRM-ESMRMB 2014

[www.ismrm.org/14/program\\_files/TP08.htm](http://www.ismrm.org/14/program_files/TP08.htm) ▾ 翻译此页

The use of MRI to study gastric motor function is limited and has mostly ... and temporal resolution for dynamic contrast enhanced MRI imaging of the small bowel. ...  
We present a 3D 3-point Dixon liver fat imaging sequence with real-time ... based fat quantification and two imaging based water-fat separation methods for the ...

### Pelvic imaging using a T1W fat-suppressed three ...

[www.researchgate.net/.../5273597\\_Pelvic\\_imaging\\_using\\_a\\_T1...](http://www.researchgate.net/.../5273597_Pelvic_imaging_using_a_T1...) - 翻译此页