

学术搜索

找到约 158 条结果 (用时0.08秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

[HTML] **Cancer specific long noncoding RNAs show differential expression patterns and competing endogenous RNA potential in hepatocellular carcinoma**

J Zhang, D Fan, Z Jian, GG Chen, PBS Lai - PloS one, 2015 - journals.plos.org

... biological roles of **lncRNAs** have been conducted in various **cancers**, including HCC [1], **esophageal** squamous cell ... **ceRNA network construction** and KEEG pathway analysis. ... Importantly, we have **constructed** a **ceRNA network** to propose a new approach to **lncRNA** research in ...

被引用次数: 28 相关文章 所有 10 个版本 引用 保存 更多

时间不限

2017以来

2016以来

2013以来

自定义范围...

**Identification of lncRNA-associated competing triplets reveals global patterns and prognostic markers for cancer**

P Wang, S Ning, Y Zhang, R Li, J Ye... - Nucleic acids ..., 2015 - academic.oup.com

... Article Navigation. Identification of **lncRNA**-associated competing triplets reveals global patterns and prognostic markers for **cancer**. Peng Wang Peng Wang. College of Bioinformatics Science and Technology, Harbin Medical ...

被引用次数: 46 相关文章 所有 10 个版本 引用 保存

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

[HTML] **Long non-coding RNA HOTAIR, a c-Myc activated driver of malignancy, negatively regulates miRNA-130a in gallbladder cancer**

M Ma, C Li, Y Zhang, M Weng... - ... **cancer**, 2014 - molecular-cancer.biomedcentral. ...

... HOTAIR was previously shown to be an oncogene and negative prognostic factor in a variety of **cancers**. ... Plasmid **construction**. ... We manipulated the **expression** of c-Myc by transfecting pcDNA3.1-c-Myc (Figure 2A, B) or siRNA into gallbladder **cancer** cells GBC-SD (Figure 2D, E ...

被引用次数: 97 相关文章 所有 13 个版本 引用 保存 更多

 包括专利 包含引用 创建快讯

[HTML] **Construction and analysis of dysregulated lncRNA-associated ceRNA network identified novel lncRNA biomarkers for early diagnosis of human pancreatic ...**

M Zhou, Z Diao, X Yue, Y Chen, H Zhao, L Cheng... - Oncotarget, 2016 - ncbi.nlm.nih.gov

... in **lncRNA**-mediated **ceRNA network** will have important effects in **cancer**-related biological ...

**Construction** and analysis of dysregulated **lncRNA**-associated **ceRNA network**. ... dysregulated **lncRNA**-associated **ceRNA network** (DLCN) in PDAC was **constructed** based on "ceRNA ...

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 36116

Manuscript Type: Original Article

*Basic Study*

Construction of an oesophageal cancer-specific ceRNA network based on miRNA, lncRNA and mRNA expression data

Xue WH *et al.* Construction of an oesophageal cancer-specific ceRNA network

Wen Hua Xue, Zhi Rui Fan, Li Feng Li, Jing Li Lu, Bing Jun Ma, Jie Zhao

## Match Overview

1	<b>Crossref</b> 23 words Hong-wei Ma, Min Xie, Ming Sun, Tian-yu Chen et al. "The pseudogene derived long noncoding RNA DUXAP8 promo	1%
2	<b>Internet</b> 22 words crawled on 02-Aug-2012 <a href="http://www.subio.jp">www.subio.jp</a>	1%
3	<b>Crossref</b> 15 words Liu, Juan, Wei Wang, and Xionghui Zhou. "Construction and investigation of breast-cancer-specific ceRNA network I. ...	<1%
4	<b>Internet</b> 15 words crawled on 30-Jan-2016 <a href="http://www.mdpi.com">www.mdpi.com</a>	<1%
5	<b>Internet</b> 15 words crawled on 27-Dec-2016 <a href="http://office.wjgnet.com">office.wjgnet.com</a>	<1%
6	<b>Crossref</b> 12 words Jing Sui, Si-Yi Xu, Jiali Han, Song-Ru Yang, Cheng-Yun Li, Li-Hong Yin, Yue-Pu Pu, Ge-Yu Liang. "Integrated analysis	<1%
7	<b>Internet</b> 12 words crawled on 08-Sep-2017 <a href="http://www.e-sciencecentral.org">www.e-sciencecentral.org</a>	<1%



时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] **Cancer specific long noncoding RNAs show differential expression patterns and competing endogenous RNA potential in hepatocellular carcinoma**

[HTML] plos.org

J Zhang, D Fan, Z Jian, GG Chen, PBS Lai - PloS one, 2015 - journals.plos.org  
... biological roles of **lncRNAs** have been conducted in various **cancers**, including HCC [1], **esophageal squamous cell ... ceRNA network construction** and KEEG pathway analysis ... Importantly, we have **constructed a ceRNA network** to propose a new approach to **lncRNA** research in ...  
☆ 被引用次数: 33 相关文章 所有 10 个版本 >>

Identification of **lncRNA**-associated competing triplets reveals global patterns and prognostic markers for **cancer**

[HTML] oup.com

P Wang, S Ning, Y Zhang, R Li, J Ye... - Nucleic acids ..., 2015 - academic.oup.com  
... Article Navigation. Identification of **lncRNA**-associated competing triplets reveals global patterns and prognostic markers for **cancer**, Peng Wang Peng Wang. College of Bioinformatics Science and Technology, Harbin Medical ...  
☆ 被引用次数: 50 相关文章 所有 10 个版本

[HTML] Long non-coding RNA HOTAIR, a c-Myc activated driver of malignancy, negatively regulates **miRNA-130a** in gallbladder **cancer**

[HTML] biomedcentral.com

M Ma, C Li, Y Zhang, M Weng... - ..., **cancer**, 2014 - molecular-cancer.biomedcentral ...  
... HOTAIR was previously shown to be an oncogene and negative prognostic factor in a variety of **cancers** ... Plasmid **construction** ... We manipulated the **expression** of c-Myc by transfecting pcDNA3.1-c-Myc (Figure 2A, B) or siRNA into gallbladder **cancer** cells GBC-SD (Figure 2D, E ...  
☆ 被引用次数: 111 相关文章 所有 13 个版本 >>

[HTML] **Construction and analysis of dysregulated lncRNA-associated ceRNA network identified novel lncRNA biomarkers for early diagnosis of human pancreatic ...**

[HTML] nih.gov

M Zhou, Z Diao, X Yue, Y Chen, H Zhao, L Cheng... - Oncotarget, 2016 - ncbi.nlm.nih.gov  
... in **lncRNA**-mediated **ceRNA network** will have important effects in **cancer**-related biological

找到约 6,970 条结果 (用时 0.52 秒)

包含以下查询字词的结果：**Construction of an esophageal cancer-specific ceRNA network based on miRNA, lncRNA and mRNA expression data**  
仅搜索：**Construction of an oesophageal cancer-specific ceRNA network based on miRNA, lncRNA and mRNA expression data**

### Construction of differential mRNA-lncRNA crosstalk networks based ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5349869/> - 翻译此页

作者：S Yang - 2016 - 被引用次数：10 - 相关文章

2016年12月9日 - **Esophageal** squamous cell **carcinoma** (ESCC) as one of main forms of ... In addition, **cancer subtype-specific ceRNA network** was rarely considered before. ... by **miRNAs** were **constructed** to compare **lncRNA-related ceRNA networks** ..... **based on mRNA-lncRNA expression data** has never been reported.

### Construction and analysis of dysregulated lncRNA-associated ceRNA ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5302921/> - 翻译此页

作者：M Zhou - 2016 - 被引用次数：24 - 相关文章

2016年7月28日 - Paci et al. built two **miRNA-mediated lncRNA-mRNA networks** in normal ... insights into **ceRNA-mediated gene** regulation in gastric **cancer** and ovarian ... **Based** on the above observation, these 7 **lncRNAs** with **ceRNA** activity .... organ- and disease-**specific expression** patterns than protein-coding genes, ...

### Cancer Specific Long Noncoding RNAs Show Differential Expression ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4619599/> - 翻译此页

作者：J Zhang - 2015 - 被引用次数：33 - 相关文章

2015年10月22日 - **Based** on bioinformatics generated from miRcode, starBase, and miRTarBase, ... **esophageal** squamous cell carcinoma [2], colorectal cancer [3], renal cell ... Because the **mRNA, lncRNA, and miRNA expression profile data** were ... The **construction of ceRNA network** included three steps: (i) **cancer specific** ...

### A computationally constructed ceRNA interaction network based on a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5415789/> - 翻译此页

作者：J Sun - 2016 - 被引用次数：1 - 相关文章

2016年9月26日 - The most frequent subtype, **esophageal** squamous cell **carcinoma** (ESCC), has an obvious ... Through **gene expression data** analysis, Sumazin et al. found >7000 transcripts .... Briefly, we generated >17 million reads from strand-**specific, paired-end, ... lncRNA-miRNA-mRNA ceRNA**