

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19440

Manuscript Type: TOPIC HIGHLIGHT

2015 Advances in Gastric Cancer

Group II p21-activated kinases as therapeutic targets in gastrointestinal cancer

Shao YG *et al.* Group II PAKs in gastrointestinal cancer

Yang-Guang Shao, Ke Ning, Feng Li

Yang-Guang Shao, Ke Ning⁸ and Feng Li, Department of Cell Biology, Key Laboratory of Cell Biology, Ministry of Public Health and Key Laboratory of Medical Cell Biology, Ministry of Education, China Medical University, Shenyang 110122, Liaoning Province, China

Match Overview

1	Internet 99 words crawled on 18-Jul-2015 www.wjgnet.com	1%
2	CrossCheck 48 words Minden, Audrey. "PAK4-6 in cancer and neuronal development", <i>Cellular Logistics</i> , 2012.	<1%
3	CrossCheck 48 words Bettina Dummler. "Pak protein kinases and their role in cancer", <i>Cancer and Metastasis Reviews</i> , 06/2009	<1%
4	CrossCheck 46 words Guo, Q, N Su, J Zhang, X Li, Z Miao, G Wang, M Cheng, H Xu, L Cao, and F Li. "PAK4 kinase-mediated SCG10 ...	<1%
5	CrossCheck 44 words Dart, Anna E., and Claire M. Wells. "P21-activated kinase 4 - Not just one of the PAK", <i>European Journal of Cell Bi</i>	<1%
6	CrossCheck 36 words Song, Shuai, Xiaodong Li, Jing Guo, Chenzhou Hao, Yan Feng, Bingyu Guo, Tongchao Liu, Qiaoling Zhang, Zhe	<1%
7	CrossCheck 31 words Zhu, G, X Li, B Guo, Q Ke, M Dong, and F Li. "PAK5-mediated E47 phosphorylation promotes epithelial-mesenc ...	<1%
8	Internet 31 words crawled on 13-Mar-2014 nar.oxfordjournals.org	<1%
9	CrossCheck 27 words Y Liu. "The protein kinase Pak4 disrupts mammary acinar architecture and promotes mammary tumorigenesis", <i>O</i>	<1%
	CrossCheck 25 words	<1%

学术搜索

找到约 4,260 条结果 (用时0.09秒)

文章

我的图书馆

时间不限

- 2015以来
- 2014以来
- 2011以来
- 自定义范围...

按相关性排序

按日期排序

搜索所有网页

- 中文网页
- 简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置、指定搜索语言

Targeting the mitogen-activated protein kinase cascade to treat cancer

JS Sebolt-Leopold, R Herrera - Nature Reviews Cancer, 2004 - nature.com

... By inhibiting the post-translational addition of this farnesyl group to RAS by farnesyltransferase, it was ... patients in the Phase I trial, similar results were not observed in Phase II trials, so ... a ternary complex of enzyme, PD0325901-like inhibitor and MgATP 78 (Box 2). These studies ...

被引用次数: 849 相关文章 所有 7 个版本 引用 保存

nature.com 中的 [HTML]

p21-activated kinases in cancer

R Kumar, AE Gururaj, CJ Barnes - Nature Reviews Cancer, 2006 - nature.com

... p21-activated kinases. ... 4), which are members of the Rho GTPase family of proteins (a group of Ras-related small GTPases). ... There are several putative mechanisms by which PAK1 could influence mitotic regulation (Box 2). The overexpression of PAK1 in human breast cancer ...

被引用次数: 418 相关文章 所有 5 个版本 引用 保存

nature.com 中的 [HTML]

[HTML] TGFβ in cancer

J Massagué - Cell, 2008 - Elsevier

... Each Smad-cofactor combination coordinately regulates a synexpression group of target genes, ... receptor-II signaling (via Par6, and via LIMK1 in the case of BMPR-II). ... Within a TGFβ transcriptional program, this feature defines "synexpression groups" of coordinately regulated ...

被引用次数: 1872 相关文章 所有 15 个版本 引用 保存

sciencedirect.com 中的 [HTML]

Exploiting the PI3K/AKT pathway for cancer drug discovery

BT Hennessy, DL Smith, PT Ram, Y Lu... - Nature reviews Drug ..., 2005 - nature.com

... signalling molecules 1, 2, 3, 4, PTEN dephosphorylates the 3'OH group phosphorylated by ... large-scale gene sequencing of tyrosine kinases and phosphatases by three academic groups (see Sanger ... CCI-779 showed activity in Phase II clinical studies in patients with renal cell ...

被引用次数: 1340 相关文章 所有 8 个版本 引用 保存

nature.com 中的 [HTML]

LCH-7749944, a novel and potent p21-activated kinase 4 inhibitor, suppresses proliferation and invasion in human gastric cancer cells

J Zhang, J Wang, Q Guo, Y Wang, Y Zhou, H Peng... - Cancer letters, 2012 - Elsevier

... of CDK (cyclin-dependent kinases) were also identified as the inhibitors of group II PAKs [15]. ... binding energy configuration with the highest% frequency was selected as the group representative. ... However, LCH-7749944 has more polar chemical groups that can act as hydrogen ...

cancerletters.info 中的 [HTML]



Group II p21-activated kinases as therapeutic targets in gastrointestinal cancer



[网页](#) [图片](#) [购物](#) [新闻](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 62,100 条结果 (用时 0.64 秒)

Google 学术 : Group II p21-activated kinases as therapeutic targets in gastrointestinal cancer

... -activated protein kinase cascade to treat cancer - Sebolt-Leopold - 被引用次数 : 852

p21-activated kinases in cancer - Kumar - 被引用次数 : 420

TGFβ in cancer - Massagué - 被引用次数 : 1886

p21-activated kinases and gastrointestinal cancer

www.sciencedirect.com/science/article/.../S0167488912002972 ▾ [翻译此页](#)

作者 : H He - 2013 - 被引用次数 : 11 - [相关文章](#)

2012年10月22日 - p21-activated kinases (PAKs) were initially identified as effector proteins ... PAKs are attractive targets for new therapies for gastrointestinal cancers. Amongst group II PAKs, PAK4 is a key effector for Cdc42 and mediates ...

p21-activated Kinases and Gastrointestinal Cancer. (PDF ...

www.researchgate.net/.../232647733_p21-activated_Kinases_an... - [翻译此页](#)

Official Full-Text Publication: p21-activated Kinases and Gastrointestinal ... the way to the development of PAK-targeted therapies for cancer treatment. the kinase activity of group II PAKs in the absence of any GTPase (Fig. and drugable protein kinase, to be among the most promising targets for GEJ adenocarcinoma.

PAK as a therapeutic target in gastric cancer.

www.ncbi.nlm.nih.gov/pubmed/20146633 ▾ [翻译此页](#)

作者 : X Li - 2010 - 被引用次数 : 14 - [相关文章](#)

Expert Opin Ther Targets. ... PAK as a therapeutic target in gastric cancer. ...

P21-activated kinases (PAKs), regulators of cancer-cell signalling networks, play ...