

Acoustic radiation force impulse imaging for assessing liver fibrosis in alcohc



全部 图片 视频 新闻 购物 地图 图书

找到约 9,110 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Non-invasive diagnosis of alcoholic liver disease](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4209529/

28 Oct 2014 ... The two major end points of ALD are **alcoholic liver cirrhosis** and the rare and ... as transient elastography (Fibroscan), **acoustic radiation force impulse imaging** or ... stages of the Heidelberg cohort of **patients undergoing alcohol detoxification**.... Among those methods, hepatic steatosis **assessment** via US, ...

[Non-invasive assessment of liver fibrosis in patients with alcoholic ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4607904/

21 Oct 2015 ... **Alcoholic liver disease** (ALD) consists of a broad spectrum of disorders, ranging A diversified set of both serum and **imaging** potential markers has been ... In a 5-year **prospective study** by Castéra et al[21], which included 13369 ... **Acoustic radio force impulse** (ARFI) evaluates the elastic properties of a ...

[Non-invasive assessment of liver fibrosis](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3959378/

In parallel with this, noninvasive **assessment** of **liver fibrosis** has experienced per 0.10 increase in AST/ ALT ratio in **patients** with **non-alcoholic cirrhosis** [33]. ... APRI and Fibrotest are the most extensively **studied** serum markers. of **liver elastography** by **acoustic radiation force impulse imaging** (ARFI) Dig Liver Dis.

1

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 24804

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Acoustic radiation force impulse imaging for assessing liver fibrosis in alcoholic liver disease

Anita Kiani, Vanessa Brun, Fabrice Lainé, Bruno Turlin, Jeff Morcet, Sophie Michalak, Antonia Le Gruyer, Ludivine Legros, Edouard Bardou-Jacquet, Yves Gandon, Romain Moirand

Match Overview

1	CrossCheck 44 words Zhang, Dakun, Peng Li, Min Chen, Liping Liu, Yang Liu, Yu anyuan Zhao, and Ruifang Wang. "Non-invasive assessme	1%
2	CrossCheck 33 words Victor de L??dinghen. "Diagnosis of Hepatic Fibrosis and C irrhosis by Transient Elastography in HIV/Hepatitis C Viru ...	1%
3	Publications 17 words Bota, Simona; Sporea, Ioan; Şirli, Roxana; Popescu, Alina and Gradinaru-Taşcău, Oana. "How useful are ARFI elasto	<1%
4	CrossCheck 14 words Tada, Toshifumi, Takashi Kumada, Hidenori Toyoda, Takan ori Ito, Yasuhiro Sone, Seiji Okuda, Nozomi Tsuji, and Yumi	<1%

Acoustic radiation force impulse imaging for assessing liver fibrosis in alcohc



全部 图片 视频 新闻 购物 地图 图书

找到约 48,900 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Acoustic radiation force impulse imaging for assessing liver fibrosis in alcoholic liver disease](#)

[... assessment with acoustic radiation force impulse ...](#) - Friedrich-Rust - 被引用次数: 514

[... disease: US-based acoustic radiation force impulse ...](#) - Yoneda - 被引用次数: 229

[... of Acoustic Radiation Force Impulse imaging for the ...](#) - Friedrich - Rust - 被引用次数: 232

[Acoustic radiation force impulse-imaging and transient elastography ...](#)

www.ncbi.nlm.nih.gov/pubmed/22119555

26 Nov 2011 ... Acoustic radiation force impulse-imaging and transient elastography for non-invasive assessment of liver fibrosis and steatosis in NAFLD. ... of severe fibrosis, and 0.93, 0.93, 0.74 and 0.90 for the diagnosis of cirrhosis, respectively. ... Male; Middle Aged; Non-alcoholic Fatty Liver Disease; ROC Curve.

[Comparison of acoustic radiation force impulse imaging \(ARFI\) - NCBI](#)

www.ncbi.nlm.nih.gov/pubmed/20720270

Comparison of acoustic radiation force impulse imaging (ARFI) to liver biopsy ... who underwent liver biopsy for assessment of fibrosis in chronic liver disease. ... Hepatitis B (HBV) = 1, both HCV and HBV = 1 Alcoholic liver disease (ALD) = 1, ...

[Liver fibrosis: noninvasive assessment with acoustic radiation force](#)

全部 图片 购物 新闻 视频 更多 ▾ 搜索工具

找到约 47,200 条结果 (用时 0.43 秒)

Google 学术 : Acoustic radiation force impulse imaging for assessing liver fibrosis in alcoholic liver disease

... assessment with acoustic radiation force impulse ... - Friedrich-Rust - 被引用次数 : 516

... disease; US-based acoustic radiation force impulse ... - Yoneda - 被引用次数 : 231

... of Acoustic Radiation Force Impulse imaging for the ... - Friedrich-Rust - 被引用次数 : 233

Acoustic radiation force impulse-imaging and transient ...

www.ncbi.nlm.nih.gov/pubmed/22119555 ▾ 翻译此页

作者 : M Friedrich-Rust - 2012 - 被引用次数 : 101 - 相关文章

2011年11月26日 - Acoustic radiation force impulse-imaging and transient elastography for non-invasive assessment of liver fibrosis and steatosis in NAFLD. ... of severe fibrosis, and 0.93, 0.93, 0.74 and 0.90 for the diagnosis of cirrhosis, respectively. ... Male; Middle Aged; Non-alcoholic Fatty Liver Disease; ROC Curve.

Comparison of acoustic radiation force impulse imaging ...

www.ncbi.nlm.nih.gov/pubmed/20720270 ▾ 翻译此页

作者 : M Haque - 2010 - 被引用次数 : 51 - 相关文章

Comparison of acoustic radiation force impulse imaging (ARFI) to liver biopsy ... who underwent liver biopsy for assessment of fibrosis in chronic liver disease. ... Hepatitis B (HBV) = 1, both HCV and HBV = 1 Alcoholic liver disease (ALD) = 1, ...

Non-invasive assessment of liver fibrosis in patients with ...

www.ncbi.nlm.nih.gov/pubmed/24811766 - 翻译此页

作者 : D Zhang - 2015 - 被引用次数 : 7 - 相关文章

Abdom Imaging. 2015 Apr;40(4):723-9. doi: 10.1007/s00261-014-0154-5. Non-invasive assessment of liver fibrosis in patients with alcoholic liver disease using