

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 33838

Manuscript Type: Review

Diabetes-induced mechanophysiological changes in the small intestine and colon

Mirabella Zhao, Donghua Liao, Jingbo Zhao

Abstract

The disorders of gastrointestinal (GI) tract including intestine and colon are common in the patients with diabetes mellitus (DM). DM induced intestinal and colonic structural and biomechanical remodeling in animals and humans. The remodeling is closely

Match Overview

Rank	Source	Words	Matched	Percentage
1	Internet	130 words	4 words	2%
	crawled on 04-Jun-2014 ashkanheydarian.com			
2	Internet	72 words	1 word	1%
	crawled on 10-Apr-2014 jck.zj.edu.cn			
3	Crossref	68 words	1 word	1%
	Kahn, Ellen, and Fredric Daum. "Anatomy, Histology, Embryology, and Developmental Anomalies of the Small and Large ..."			
4	Internet	47 words	1 word	1%
	crawled on 09-Dec-2015 office.wjnet.com			
5	Internet	40 words	1 word	1%
	crawled on 14-Apr-2016 www.wjnet.com			
6	Internet	16 words	0 words	<1%
	crawled on 03-Mar-2016 clinicalgate.com			

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 244 条结果 (用时 0.79 秒)

您是不是要找：Diabetes-induced *mechanic physiological* changes in the small intestine and colon

Diabetes-related dysfunction of the small intestine and the colon: focus ...

<https://www.ncbi.nlm.nih.gov/pubmed/26374571> - 翻译此页

作者：VJ Horváth - 2015 - 被引用次数：4 - 相关文章

Diabetes-related dysfunction of the **small intestine** and the **colon**: focus on motility. ... loss of function is closely related to the symptoms in diabetes, but **changes** of ... years of the **diabetes-induced** dysfunctions in the small and **large intestine** ...

Intestinal glucose uptake in normal, untreated and insulin-treated ...

<https://www.ncbi.nlm.nih.gov/pubmed/16749339> - 翻译此页

作者：AR Alada - 2005 - 被引用次数：6 - 相关文章

Intestinal glucose uptake in normal, untreated and insulin-treated **diabetic** dogs. ... **Diabetes** was **induced** by i.v injection of alloxan (60 mg/kg). A vein ... From the results, it was concluded that the **small intestine** increased its glucose uptake in ...

[PDF] Experimental Type 2 Diabetes Induces Enzymatic Changes in ... - N...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2478599/.../EDR-04-119.pdf> ... 翻译此页

作者：IM Martínez - 2003 - 被引用次数：8 - 相关文章

Experimental Type 2 **Diabetes Induces** Enzymatic **Changes** ... **intestinal** disaccharidases (maltase and sucrase) and of 6-phosphofructo-1-kinase (PFK-1) in enterocytes isolated from the **small intestine** of male Wistar rats (2.5 to 3 months).

Diabetic gastrointestinal motility disorders and the role of enteric ...

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 250 条结果（用时 0.66 秒）

您是不是要找: **Diabetes-induced *mechanic physiological* changes in the small intestine and colon**

Diabetes-induced mechanophysiological changes in ... - ResearchGate

https://www.researchgate.net/.../305951595_Diabetes-induced_mechanophys... - 翻译此页

References, authors & citations for 'Diabetes-induced mechanophysiological ... DM induces mechanostuctural remodeling in the esophagus of humans and animal Morphometric and biomechanical remodeling of the **small intestine** during ... 547 **Intestinal** Morphometric and Biomechanical **Changes** During Aging in Rats.

Diabetes-related dysfunction of the small intestine and the colon: focus ...

<https://www.ncbi.nlm.nih.gov/pubmed/26374571> - 翻译此页

作者: VJ Horváth - 2015 - 被引用次数: 5 - 相关文章

Diabetes-related dysfunction of the **small intestine** and the **colon**: focus on motility. ... loss of function is closely related to the symptoms in diabetes, but **changes** of ... years of the **diabetes-induced** dysfunctions in the small and **large intestine** ...

Diabetes is predominantly an intestinal disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: D Sanyal - 2013 - 被引用次数: 4 - 相关文章

[2] In mice with substantial **changes** in their gut microbiome were unable to make ... Incretin hormones are insulinotropic, that is, they **induce** insulin secretion at ... possible contribution of proximal **small bowel** to pathophysiology of **diabetes**, ...

Morphofunctional changes underlying intestinal dysmotility in diabetic ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 248 条结果 (用时 0.75 秒)

您是不是要找: **Diabetes-induced *mechanic physiological* changes in the small intestine and colon**

Diabetes-induced mechanophysiological changes in ... - ResearchGate

https://www.researchgate.net/.../305951595_Diabetes-induced_mechanophys... - 翻译此页

References, authors & citations for 'Diabetes-induced mechanophysiological ... DM induces mechanostuctural remodeling in the esophagus of humans and animal Morphometric and biomechanical remodeling of the **small intestine** during ... 547 **Intestinal** Morphometric and Biomechanical **Changes** During Aging in Rats.

Diabetes-related dysfunction of the small intestine and the colon: focus ...

<https://www.ncbi.nlm.nih.gov/pubmed/26374571> - 翻译此页

作者: VJ Horváth - 2015 - 被引用次数: 5 - 相关文章

Diabetes-related dysfunction of the **small intestine** and the **colon**: focus on motility. ... loss of function is closely related to the symptoms in diabetes, but **changes** of ... years of the **diabetes-induced** dysfunctions in the small and **large intestine** ...

Diabetes is predominantly an intestinal disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: D Sanyal - 2013 - 被引用次数: 4 - 相关文章

[2] In mice with substantial **changes** in their gut microbiome were unable to make ... Incretin hormones are insulinotropic, that is, they **induce** insulin secretion at ... possible contribution of proximal **small bowel** to pathophysiology of **diabetes**, ...

Morphofunctional changes underlying intestinal dysmotility in diabetic ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Domènech - 2011 - 被引用次数: 27 - 相关文章