




国内版 国际版

Usefulness of serum lipase for early diagnosis of post-endoscopic retrograde chol. 



All Images Videos

翻译成中文 关闭取词

29,500 Results Any time ▾

[PDF] Prediction of Post-Endoscopic Retrograde ...

<https://synapse.koreamed.org/Synapse/Data/PDFData/0063JKMS/jkms-32-1814.pdf>

Endoscopic Retrograde Cholangiopancreatography Serum Amylase and Lipase Levels Early post-endoscopic retrograde cholangiopancreatography (ERCP) pancreatitis (PEP) prediction may allow safe same-day outpatients discharge after ERCP and earlier proper management. This study aimed to assess the usefulness of the 4-hour post-ERCP serum amylase and lipase levels for PEP early prediction ...

Post-endoscopic retrograde cholangiopancreatography ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324870>

Nov 17, 2014 · Acute pancreatitis remains the most common complication of endoscopic retrograde cholangiopancreatography (ERCP). It is reported to occur in 2–10% of unselected patient samples and up to 40% of high-risk patients. The purpose of this article is ...

Cited by: 13 Author: Adarsh M. Thaker, Jeffrey D. Mosko, Tyle...

Publish Year: 2015

Post-endoscopic retrograde cholangiopancreatography ...

<https://academic.oup.com/gastro/article/3/1/32/589252> ▾

Nov 17, 2014 · Predictors of post-ERCP pancreatitis. Observational studies have determined that serum amylase or lipase levels of less than 1.5 and 4 times the upper limit of normal, respectively, 2–4 hours post-ERCP, have a very high negative predictive value for post-ERCP pancreatitis. Guidelines have therefore suggested that,...

Cited by: 13 Author: Adarsh M. Thaker, Jeffrey D. Mosko, Tyle...

Publish Year: 2015

Assessment of Trypsinogen-2 Levels as an Early Diagnostic ...

https://www.researchgate.net/publication/51523839_Assessment_of_Trypsinogen-2_Levels...

The objective of the present study was to assess the use of serum trypsinogen-2 (TRY-2) measurements in early diagnosis of pancreatitis after endoscopic retrograde cholangiopancreatography (ERCP).

Post-endoscopic Retrograde Cholangiopancreatography ...

https://www.researchgate.net/publication/266377800_Post-endoscopic_Retrograde...

The objective of the present study was to assess the use of serum trypsinogen-2 (TRY-2) measurements in early diagnosis of pancreatitis after endoscopic retrograde cholangiopancreatography (ERCP).

Match Overview

1 Internet 17 words
crawled on 08-Jul-2019
f6publishing.blob.core.windows.net

1%

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 50142

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Usefulness of serum lipase for early diagnosis of post-endoscopic retrograde cholangiopancreatography pancreatitis

Tadehara M *et al.* Usefulness of s-Lip for post-ERCP pancreatitis

Abstract

BACKGROUND

Post-endoscopic retrograde cholangiopancreatography (ERCP) pancreatitis (PEP) is new onset acute pancreatitis after ERCP. This complication is sometimes fatal. As such,



[PDF] Prediction of Post-Endoscopic Retrograde ...

<https://synapse.koreamed.org/Synapse/Data/PDFData/0063JKMS/jkms-32-1814.pdf>

Amylase and **Lipase** Levels **Early** post-endoscopic **retrograde cholangiopancreatography** (ERCP) **pancreatitis** (PEP) prediction may allow safe same-day outpatients discharge after ERCP and earlier proper management. This study aimed to assess the **usefulness** of the 4-hour post-ERCP **serum** amylase and **lipase** levels for PEP **early** prediction and to ...

Post-endoscopic retrograde cholangiopancreatography ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324870>

Nov 17, 2014 · **Definition** and classification of **post-ERCP pancreatitis**. **Serum amylase levels** may be elevated after **ERCP** in up to 75% of patients, regardless of **symptoms** [1]. As such, consensus criteria were developed to help standardize the definition and classification of **post-ERCP pancreatitis** ...

Cited by: 14 **Author:** Adarsh M. Thaker, Jeffrey D. Mosko, Tyle...

Publish Year: 2015

Post-endoscopic retrograde cholangiopancreatography ...

<https://academic.oup.com/gastro/article/3/1/32/589252> ▾

< **Introduction** Definition and Classification o... Pathogenesis of Post-Ercp >

Endoscopic retrograde cholangiopancreatography (ERCP) plays an ever-expanding role in the management of diseases involving the bile duct and pancreatic duct but, as an invasive procedure, it carries significant risks to the patient. The most common complication is acute pancreatitis, which is reported to occur in 2–10% of patients overall (ranging from 2–4% in low-risk patients up to 8–40% in high-risk patients) [1, 2]. A recent meta-analysis of 108 randomized, controlled trials (RCTs) report...

[See more on oup.com](#)

Cited by: 14 **Author:** Adarsh M. Thaker, Jeffrey D. Mosko, Tyle...

Publish Year: 2015 **Published:** Nov 17, 2014

Prediction of Post-Endoscopic Retrograde ...

<https://www.ncbi.nlm.nih.gov/pubmed/28960034>

This study aimed to assess the **usefulness** of the 4-hour post-ERCP **serum** amylase and **lipase** levels for PEP **early** prediction and to investigate predictive cut-off values for 4-hour post-ERCP **serum** amylase

검색결과 약 70,700개 (0.59초)

Usefulness of serum lipase for early diagnosis of post-endoscopic retrograde cholangiopancreatography pancreatitis에 대한 학술자료

... retrograde cholangiopancreatography by the 4-h post ... - Thomas - 59회 인용

AGA Institute technical review on acute pancreatitis - Forsmark - 718회 인용

... endoscopic retrograde cholangiopancreatography - Devière - 275회 인용

🔗 <https://www.ncbi.nlm.nih.gov/pmc/PMC4324870> ▾ 이 페이지 번역하기

Post-endoscopic retrograde cholangiopancreatography pancreatitis

AM Thaker 저술 - 2015 - 40회 인용 - 관련 학술자료

2014. 11. 17. - This includes the use of a guide wire for cannulation, minimizing the number of ... The first is careful patient selection in order to avoid unnecessary exposure ... Post-ERCP pancreatitis is diagnosed when patients develop signs and ... (i) abdominal pain consistent with acute pancreatitis, (ii) serum lipase or ...

[Definition and classification ...](#) · [Risk factors and predictors ...](#) · [Preventive strategies](#)

관련 질문

How long does post ERCP pancreatitis last? ▾

What is Post ERCP pancreatitis? ▾

What is ERCP test for pancreatitis? ▾