

Appendix 1

- 1 Inflammatory bowel disease.af.
 - 2 Exp Colitis, Ulcerative/
 - 3 Crohn Disease/
 - 4 Epidemiology/cl, di, sn [Classification, Diagnosis, Statistics & Numerical Data]
 - 5 Ethnic Groups/ or African Americans/
 - 6 Ethnicity.mp.
 - 7 Migration.mp.
 - 8 Race.mp.
 - 9 Immigrants.mp. or "Emigrants and Immigrants"/
 - 10 1 and 6
 - 11 Incidence.mp. or Incidence/
 - 12 Prevalence/ or prevalence.mp.
 - 13 Phenotype/ or phenotype.mp.
 - 14 1 or 2 or 3
 - 15 4 or 11 or 12 or 13
 - 16 5 or 6 or 7 or 8 or 9
 - 17 14 and 15 and 16
-

Appendix 2

Data extraction form

Reference (First author/Year of publication)

Country:

Region:

Years of study:

Disease:

Ulcerative colitis or Crohn's disease

Population studied:

Adult or Paediatric

Montreal classification:

Crohn's or UC:

Sample size:

No. of confirmed IBD cases by chosen diagnostic criteria

Time interval:

No. of years

Design:

Retrospective or Prospective:

Hospital- or Population-based

Incidence:

Ethnicity:

Cases per 100000:

Prevalence:

Ethnicity (ethnic group *vs* indigenous)

Cases per 100000

Appendix 3

Paris classification

Disease location

L1: Distal 1/3 ileum limited caecal disease

L2: Colonic

L3: Ileocolonic

L4a: Upper GI proximal to ligament of Treitz

L4b: Upper GI distal ligament to Treitz

Behaviour

B1: Non-stricturing, non-penetrating

B2: Stricturing

B3: Penetrating

Montreal classification

Disease location

L1: Terminal ileal plus/minus limited caecal disease

L2: Colonic

L3: Ileocolonic

L4: Isolated upper disease

Behaviour

B1: non-stricturing, non-penetrating disease

B2: Stricturing

B3: Penetrating

p: Perianal disease modifier
