

World Journal of *Clinical Cases*

World J Clin Cases 2024 August 26; 12(24): 5448-5635



Contents

Thrice Monthly Volume 12 Number 24 August 26, 2024

EDITORIAL

- 5448 Diagnostic challenges from conflicting results of tests and imaging
Yu R
- 5452 Are case reports valuable? Exploring their role in evidence based medicine and patient care
Suvvari TK
- 5456 Recent advances in managing obstructive sleep apnea
Nag DS, Chatterjee A, Patel R, Sen B, Pal BD, Wadhwa G
- 5462 Importance of risk assessment, endoscopic hemostasis, and recent advancements in the management of acute non-variceal upper gastrointestinal bleeding
Maity R, Dhali A, Biswas J
- 5468 Navigating treatment resistance: Janus kinase inhibitors for ulcerative colitis
Soldera J
- 5473 Clues for diagnosing misplaced central venous catheter in the right ascending lumbar vein during right femoral venous access
Tokumine J, Moriyama K, Yorozu T

MINIREVIEWS

- 5476 Exploration of the complex origins of primary constipation
Zeng XL, Zhu LJ, Yang XD

ORIGINAL ARTICLE

Retrospective Study

- 5483 Influence of humanistic care-based operating room nursing on safety, recovery, and satisfaction after radical surgery for colorectal carcinoma
Wang XP, Niu M
- 5492 Correlation between TEX14 and ADAM17 expressions in colorectal cancer tissues of elderly patients and neoplasm staging, invasion, and metastasis
Chen G, Cong LH, Gu CJ, Li P
- 5502 Assessment of early factors for identification or prediction severe acute pancreatitis in pregnancy
Mei LF, Gan Q, Hu J, Li YX, Tian R, Shi CJ
- 5513 Application value of machine learning models in predicting intraoperative hypothermia in laparoscopic surgery for polytrauma patients
Zhu K, Zhang ZX, Zhang M

Clinical Trials Study

- 5523** Effectiveness of the A3 robot on lower extremity motor function in stroke patients: A prospective, randomized controlled trial

Zhang LJ, Wen X, Peng Y, Hu W, Liao H, Liu ZC, Liu HY

- 5534** Effect of dietary with Zhibai dihuang pills and gonadotropin-releasing-hormone-analogue on girls with precocious and rapidly progressive puberty

Wang XM, Li W, Yang LQ, Luo R, Zhang CC

Randomized Controlled Trial

- 5542** Clinical efficacy, bone density, and follow-up in implant and orthodontic treatment for inclined adjacent teeth

Yang Y, Zhou SC, Ma YH, Wang X, Dong QS

- 5549** Information-motivation-behavioral guided nursing for stroke patients with pulmonary dysfunction: A randomized controlled trial

Peng X, Ni HQ, Liu YM, Zhu JL, Bai YT

- 5558** Application of buried auricular point combined with Wenjing Sanhan prescription in arteriosclerosis obliterans patients with resting pain

Li YP, Su T, Xue XL, Shi HR, Su ZH, Li J

Clinical and Translational Research

- 5568** Computed tomography-based radiomics predicts the fibroblast-related gene *EZH2* expression level and survival of hepatocellular carcinoma

Yu TY, Zhan ZJ, Lin Q, Huang ZH

CASE REPORT

- 5583** Endometrial carcinoma with cervical stromal invasion: Three case reports

Liu MM, Liang YT, Jin EH

- 5589** IgG4-related sclerosing cholangitis associated with essential thrombocythemia: A case report

Wu ZN, Ji R, Xiao Y, Wang YD, Zhao CY

- 5596** Are all primary omental infarcts truly idiopathic? Five case reports

Kar H, Khabbazazar D, Acar N, Karasu Ş, Bağ H, Cengiz F, Dilek ON

- 5604** Seven-years post allogeneic hematopoietic stem cell transplantation pure red cell aplastic anemia cured with daratumumab: A case report and review of literature

Deng B, Gao R, Yang B, Lei WB, Xue MF, Wang JS, Zhao P

- 5613** Splenic subcapsular hematoma following endoscopic retrograde cholangiopancreatography: A case report and review of literature

Guo CY, Wei YX

- 5622** “Keyboard sign” and “coffee bean sign” in the prenatal diagnosis of ileal atresia: A case report
Fei ZH, Zhou QY, Fan L, Yin C
- 5628** Treatment of nasopharyngeal carcinoma and prevention of non-alcoholic Wernicke’s disease: A case report and review of literature
Ma YY, He XC, Gao Y, Ma TT, Cheng G, Yue CW

ABOUT COVER

Peer Reviewer of *World Journal of Clinical Cases*, Madhukar Mittal, FACE, MBBS, MD, Professor, Endocrinology and Metabolism, All India Institute of Medical Sciences Jodhpur, Jodhpur 342005, India. mittalspace@gmail.com

AIMS AND SCOPE

The primary aim of *World Journal of Clinical Cases* (WJCC, *World J Clin Cases*) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The WJCC is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Journal Citation Reports/Science Edition, Current Contents®/Clinical Medicine, PubMed, PubMed Central, Reference Citation Analysis, China Science and Technology Journal Database, and Superstar Journals Database. The 2024 Edition of Journal Citation Reports® cites the 2023 journal impact factor (JIF) for WJCC as 1.0; JIF without journal self cites: 0.9; 5-year JIF: 1.1; JIF Rank: 168/325 in medicine, general and internal; JIF Quartile: Q3; and 5-year JIF Quartile: Q3.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Zi-Hang Xu, Production Department Director: Xu Guo, Cover Editor: Jin-Lei Wang.

NAME OF JOURNAL

World Journal of Clinical Cases

ISSN

ISSN 2307-8960 (online)

LAUNCH DATE

April 16, 2013

FREQUENCY

Thrice Monthly

EDITORS-IN-CHIEF

Bao-Gan Peng, Salim Surani, Jerzy Tadeusz Chudek, George Kontogeorgos, Maurizio Serati

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/2307-8960/editorialboard.htm>

PUBLICATION DATE

August 26, 2024

COPYRIGHT

© 2024 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>



Clues for diagnosing misplaced central venous catheter in the right ascending lumbar vein during right femoral venous access

Joho Tokumine, Kiyoshi Moriyama, Tomoko Yorozu

Specialty type: Anesthesiology

Provenance and peer review:

Invited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's classification

Scientific Quality: Grade A

Novelty: Grade A

Creativity or Innovation: Grade A

Scientific Significance: Grade A

P-Reviewer: Guler S

Received: March 18, 2024

Revised: April 29, 2024

Accepted: May 14, 2024

Published online: August 26, 2024

Processing time: 114 Days and 19.9 Hours



Joho Tokumine, Kiyoshi Moriyama, Tomoko Yorozu, Department of Anesthesiology, Kyorin University School of Medicine, Mitaka 181-8611, Tokyo, Japan

Corresponding author: Joho Tokumine, MD, PhD, Professor, Department of Anesthesiology, Kyorin University School of Medicine, 6-20-2 Sinkawa, Mitaka 181-8611, Tokyo, Japan.
ii36469@wa2.so-net.ne.jp

Abstract

The right ascending lumbar vein is difficult to detect on anteroposterior abdominal radiographs because it overlaps with the inferior vena cava on anteroposterior radiographs. Intensive observation by medical providers may be a cue for diagnosis. However, knowledge of catheter misplacement of the right ascending lumbar vein is also necessary, because misplacement cannot be suspected without that awareness.

Key Words: Central venous catheter; Ascending lumbar vein; Femoral vein; Catheter misplacement; Anteroposterior abdominal X-ray

©The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: Intensive observation by medical providers is important to ensure early detection of a misplaced central venous catheter in the right ascending lumbar vein. However, knowledge of catheter misplacement of the right ascending lumbar vein is also necessary, because without that awareness, misplacement cannot be suspected.

Citation: Tokumine J, Moriyama K, Yorozu T. Clues for diagnosing misplaced central venous catheter in the right ascending lumbar vein during right femoral venous access. *World J Clin Cases* 2024; 12(24): 5473-5475

URL: <https://www.wjgnet.com/2307-8960/full/v12/i24/5473.htm>

DOI: <https://dx.doi.org/10.12998/wjcc.v12.i24.5473>




Figure 1 Anatomy of the ascending lumbar veins. IVC: Inferior vena cava; Rt-ALV: Right ascending lumbar vein; Lt-ALV: Left ascending lumbar vein; CLV: Common iliac vein.

INTRODUCTION

Zhu *et al*[1] reported a case in which a central venous catheter was mistakenly placed in the right ascending lumbar vein without symptoms or complications. Since the ascending lumbar vein is small, it can rupture and cause retroperitoneal hemorrhage if an irritant drug is administered through the misplaced catheter. Even without a rupture, catheter misplacement in the ascending lumbar vein may cause neurological symptoms because of its connection to the vertebral venous plexus[2]. Zhang *et al*[2] reported that complications caused by catheter misplacement in the ascending lumbar vein were observed in > 70% of the cases. Additionally, approximately 20% of the cases involved death due to complications[2].

ANATOMIC CONSIDERATIONS OF THE RIGHT ASCENDING LUMBAR VEIN

It is well-documented that a central venous catheter is misplaced in the left ascending lumbar vein during left femoral venous catheterization[2-7]. In contrast, it is extremely rare for a central venous catheter inserted through the right femoral vein to be misplaced in the right ascending lumbar vein[2,8-10]. The left common iliac vein runs curvature significantly before joining the inferior vena cava (Figure 1). Therefore, it is anatomically understandable that a catheter inserted from the left femoral vein would proceed to the left ascending lumbar vein, which is more in the straight direction. Conversely, a catheter inserted from the right femoral vein might be considered to pass through the confluence of the right ascending lumbar vein and the right common iliac vein.

WHAT'S THE CLUES FOR DIAGNOSING MISPLACEMENT?

The ascending lumbar vein runs along the lateral aspect of the vertebral body. Therefore, the left ascending lumbar vein is separated from the inferior vena cava and is more likely to be detected on an anteroposterior abdominal X-ray image[2-7]. In contrast, the right ascending lumbar vein is difficult to detect on anteroposterior abdominal radiographs because it overlaps with the inferior vena cava on anteroposterior radiographs[2,8-10]. Zhang *et al*[2] recommend the use of lateral abdominal X-ray images before computed tomography scan examination for efficacy and economy. However, in the absence of symptoms caused by catheter misplacement, there is no reason to suspect it, negating the need for additional lateral abdominal X-rays. Conversely, once symptoms appear, the patient's condition can rapidly deteriorate.

CONCLUSION

Intensive observation by medical providers is important in these cases. However, knowledge of catheter misplacement of the right ascending lumbar vein is also necessary, because without that awareness, misplacement cannot be suspected.

FOOTNOTES

Author contributions: Tokumine J, Moriyama K, and Yoroze T contributed to this paper; Tokumine J wrote the original draft; Tokumine J and Moriyama K contributed to the conceptualization of the article; Yoroze T contributed to the review of literature and data validation.

Conflict-of-interest statement: Joho Tokumine is a technical adviser of the CardinalHealth Japan Co. and has done an ultrasound-guided technical training course held by the company.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country of origin: Japan

ORCID number: Joho Tokumine 0000-0003-3481-2085; Tomoko Yoroze 0000-0002-2161-4525.

S-Editor: Liu JH

L-Editor: A

P-Editor: Xu ZH

REFERENCES

- 1 **Zhu XJ**, Zhao L, Peng N, Luo JM, Liu SX. Lower extremity peripherally inserted central catheter placement ectopic to the ascending lumbar vein: A case report. *World J Clin Cases* 2024; **12**: 1430-1436 [PMID: 38576810 DOI: 10.12998/wjcc.v12.i8.1430]
- 2 **Zhang X**, Chen H, Feng L, Cai Y, Yin W, Hu X, Liu C. Central venous catheters misplaced in paraspinal veins: A systematic literature review based on case reports. *Nurs Crit Care* 2021; **26**: 262-273 [PMID: 32869464 DOI: 10.1111/nicc.12539]
- 3 **Lavandosky G**, Gomez R, Montes J. Potentially lethal misplacement of femoral central venous catheters. *Crit Care Med* 1996; **24**: 893-896 [PMID: 8706473 DOI: 10.1097/00003246-199605000-00030]
- 4 **Carrion E**, Hertzog JH, Gunter AW, Lu T, Ruff C, Hauser GJ. Misplacement of a femoral venous catheter into the ascending lumbar vein: repositioning using ultrasonographic guidance. *Intensive Care Med* 2001; **27**: 240-242 [PMID: 11280642 DOI: 10.1007/s001340000670]
- 5 **Pichereau C**, Ait-Oufella H, Maury E, Guidet B. Unusual misplacement of a femoral central venous catheter. *Intensive Care Med* 2011; **37**: 1714-1715 [PMID: 21688099 DOI: 10.1007/s00134-011-2283-4]
- 6 **Göcse I**, Müller-Wille R, Stroszczyński C, Schlitt HJ, Bein T. Accidental cannulation of the left ascending lumbar vein through femoral access-still often unrecognized. *ASAIO J* 2012; **58**: 435-437 [PMID: 22635011 DOI: 10.1097/MAT.0b013e3182578fa6]
- 7 **Çelik E**, Çora AR. One patient, two malpositioned hemodialysis catheters, (hepatic vein and ascending lumbar vein), no fluoroscopy. *Hemodial Int* 2023; **27**: E12-E14 [PMID: 36380530 DOI: 10.1111/hdi.13056]
- 8 **Zenker M**, Rupperecht T, Hofbeck M, Schmiedl N, Vetter V, Ries M. Paravertebral and intraspinal malposition of transfemoral central venous catheters in newborns. *J Pediatr* 2000; **136**: 837-840 [PMID: 10839887 DOI: 10.1016/S0022-3476(00)10868-6]
- 9 **Izuishi K**, Hashimoto S, Uchinomura S, Usuki H, Masaki T, Maeta H. Malposition of femoral venous cannulation. *Am J Surg* 2005; **189**: 47-48 [PMID: 15701490 DOI: 10.1016/j.amjsurg.2004.04.010]
- 10 **Ishihara Y**, Fukui H, Fukaguchi K, Sekine I, Yamagami H. Intravascular Catheter Accidentally Placed into the Right Lumbar Vein from the Right Femoral Vein: A Case Report. *Am J Case Rep* 2022; **23**: e936275 [PMID: 35857715 DOI: 10.12659/AJCR.936275]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: office@baishideng.com

Help Desk: <https://www.f6publishing.com/helpdesk>

<https://www.wjgnet.com>

