

8
Name of Journal: *World Journal of Diabetes*

Manuscript NO: 59561

Manuscript Type: ORIGINAL ARTICLE

7
Randomized Controlled Trial

Effectiveness of cognitive behavior therapy for sleep disturbance and glycemic control in persons with type 2 diabetes mellitus: A group community-based randomized controlled trial in China

Huai-Zhong Zhang, Pan Zhang, Gui-Qiu Chang, Quan-Yong Xiang, Huan Cao, Jin-Yi Zhou, Zong-Mei Dong, Cheng Qiao, Chun-Rong Xu, Yu Qin, Pei-An Lou

Match Overview

1	Internet 63 words crawled on 10-Sep-2020 www.nature.com	1%
2	Internet 48 words crawled on 09-Nov-2019 baker.edu.au	1%
3	Crossref 45 words Xiaowei Zuo, Zongmei Dong, Peng Zhang, Pan Zhang et al. "Effects of cognitive behavioral therapy on sleep disturba	1%
4	Internet 40 words crawled on 06-Jul-2020 idoc.pub	1%
5	Crossref 31 words Choueiry, Nour, Tracy Salamoun, Hicham Jabbour, Nada E I Osta, Aline Hajj, and Lydia Rabbaa Khabbaz. "Insomnia ...	1%
6	Internet 13 words crawled on 12-May-2020	<1%



ALL

IMAGES

VIDEOS

23,300 Results

Any time ▾

Effects of cognitive behavioral therapy on sleep ...

<https://www.sciencedirect.com/science/article/pii/S0939475320302532>

Jul 02, 2020 · Introduction. **Sleep disturbance**, such as poor **sleep** quality, is common in individuals with **type 2 diabetes mellitus** (T2DM), with a prevalence of 25–70% in different populations [,], and patients with T2DM had more frequency of **sleep disturbance** than controls without T2DM matched by age and sex [1,4].**Diabetes**-related symptoms were reported to have a strong relationship with **sleep** ...

Author: Xiaowei Zuo, Zongmei Dong, Peng Zha... **Publish Year:** 2020

The Effect of Cognitive Behavioral Therapy for Insomnia on ...

<https://www.researchgate.net/publication/336030257...>

The Effect of **Cognitive Behavioral Therapy** for Insomnia on Individuals with **Type 2 Diabetes** and Insomnia Symptoms: A Protocol for a **Randomized Controlled Trial** (Preprint)

Cognitive behavior therapy for older adults with insomnia ...

<https://academic.oup.com/sleep/article/41/8/zsy104/5003056> ▾

May 24, 2018 · An 8-week **randomized controlled** clinical **trial** was conducted within community mental health services, Victoria, Australia. Seventy-two older adults (56% female, M age 75 ± 7 years) with diagnosed comorbid insomnia and depression participated. Three conditions were tested using a **group** ...

Search Tools

Turn on Hover Translation (开启取词)

国内版

国际版

Effectiveness of cognitive behavior therapy for sleep disturbance an



ALL

IMAGES

VIDEOS

22,300 Results

Any time ▾

[Effects of cognitive behavioral therapy on sleep ...](#)

<https://www.sciencedirect.com/science/article/pii/S0939475320302532>

Jul 02, 2020 · Introduction. **Sleep disturbance**, such as poor **sleep** quality, is common in individuals **with type 2 diabetes mellitus** (T2DM), with a prevalence of 25–70% in different populations [, ,], and patients with T2DM had more frequency of **sleep disturbance** than controls without T2DM matched by age and sex [1,4].**Diabetes**-related symptoms were reported to have a strong relationship with **sleep** ...

Author: Xiaowei Zuo, Zongmei Dong, Peng Zh... **Publish Year:** 2020

[The Effect of Cognitive Behavioral Therapy for Insomnia on ...](#)

<https://www.researchgate.net/publication/336030257...>

The Effect of **Cognitive Behavioral Therapy** for Insomnia on Individuals **with Type 2 Diabetes** and Insomnia Symptoms: A Protocol for a **Randomized Controlled Trial** (Preprint)

[The effectiveness of patient activation intervention on ...](#)

<https://www.sciencedirect.com/science/article/pii/S1751991819302657>

Feb 01, 2020 · This systematic review of **randomized controlled** trials is conducted to address this gap by assessing the **effectiveness** of patient activation intervention on **type 2 diabetes glycemic control** (HbA_{1c}) and self-management behaviors (linked to digital health) in individuals with type 2 diabetes.

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

21,900 Results

Any time ▾

[Effects of cognitive behavioral therapy on sleep ...](#)

<https://www.sciencedirect.com/science/article/pii/S0939475320302532>

Jul 02, 2020 · Introduction. **Sleep disturbance**, such as poor **sleep** quality, is common in individuals **with type 2 diabetes mellitus** (T2DM), with a prevalence of 25–70% in different populations [,], and patients with T2DM had more frequency of **sleep disturbance** than controls without T2DM matched by age and sex [1,4].**Diabetes**-related symptoms were reported to have a strong relationship with **sleep** ...

Author: Xiaowei Zuo, Zongmei Dong, Peng Zha... **Publish Year:** 2020

[The Effect of Cognitive Behavioral Therapy for Insomnia on ...](#)

<https://www.researchgate.net/publication/336030257...>

The Effect of **Cognitive Behavioral Therapy** for Insomnia on Individuals **with Type 2 Diabetes** and Insomnia Symptoms: A Protocol for a **Randomized Controlled Trial** (Preprint)

[The Relationship Between Sleep Disturbance and Glycemic ...](#)

<https://www.researchgate.net/publication/317189731...>

Request PDF | The Relationship Between **Sleep Disturbance** and **Glycemic Control** in Adults **With Type 2 Diabetes**: An Integrative Review | Aims and objectives: To explore and synthesize current ...

[Cognitive Behavioral Therapy for Depression in Older ...](#)

<https://agsjournals.onlinelibrary.wiley.com/doi/...>

Ronald Smith, Viviana Wuthrich, Carly Johnco, Jessica Belcher, Effect of **Group Cognitive Behavioural Therapy** on Loneliness in a Community Sample of Older Adults: A Secondary Analysis of a **Randomized Controlled Trial**, *Clinical Gerontologist*, 10.1080/07317115.2020.1836105, (1-11), (2020).

[Effectiveness of the Chronic Care Model in Type 2 Diabetes ...](#)

<https://www.hindawi.com/journals/jdr/2019/6516581> ▾

Objective . The Chronic Care Model, based on core elements of team-centered care in chronic diseases, has widely been accented. This study was aimed at evaluating the **effectiveness** of the Chronic Care