

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 17,500 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Randomized trial in malignant biliary obstruction: Plastic vs partially ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3870509/>

14 Dec 2013 ... Time to **stent failure** was 385.3 ± 52.5 d in the SEMS and 153.3 ... The only significant **predictor** was **treatment** allocation, relating to the time to **stent failure** (P ...
Keywords: Randomized, **Biliary**, **Obstruction**, **Stent**, Plastic, Metal, ... Both plastic and **self-expandable metallic stents** can palliate **malignant biliary** ...

[Current Status of Biliary Metal Stents - NCBI - NIH](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4821525/>

25 Feb 2016 ... **Endoscopic stent placement** has become the primary management therapy to ... Compared with plastic **stents**, a **self-expandable metallic stent** (SEMS) ... **Biliary obstruction** can result from various benign and **malignant** diseases, **Predictive factors** for survival of patients with inoperable **malignant distal** ...

[Management of an occluded biliary metallic stent - NCBI - NIH](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3355237/>

16 May 2012 ... In patients with a **malignant biliary obstruction** who require biliary drainage, a **self-expandable metallic stent** (SEMS) provides longer ... **Endoscopic treatment** involves mechanical cleaning with a balloon and a ... **stent** patency time (50%) in patients with **hilar** block when compared to non-**hilar** block[24].

[\[PDF\] Pancreatic and biliary stents - ASGE](#)<https://www.asge.org/.../doc-pancreatic-and-biliary-stents.pdf?...>

Biliary and pancreatic **stents** are tubular devices made of plastic or metal covered **self-expandable metal stents** (PCMS) in **malignant biliary** stricture: an ...

[Su1384 A Newly Designed Large Cell Stent for Endoscopic Bilateral ...](#)https://www.researchgate.net/.../273870137_Su1384_A_Newly_Designed_Large_Cell_Stent_for_Endoscopic_Bilateral_Stent-in-Stent_Placement_in_...

13 Jan 2017 ... patients **treated** with a metal **stent** for Klatskin tumor were enrolled. The ... since metal **stent placement** to the onset of cholecystitis. We found that ... **biliary** SEMS for **malignant hilar obstruction** from January 2010 to August 2012 ... newly designed **stent** is laser-

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 34586

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Predictive ² factors for the failure of endoscopic stent-in-stent self-expandable metallic stent placement to treat malignant hilar biliary obstruction

¹ Mitsuru Sugimoto, Tadayuki Takagi, Rei Suzuki, Naoki Konno, Hiroyuki Asama, Ko Watanabe, Jun Nakamura, Hitomi Kikuchi, Yuichi Waragai, Mika Takasumi, Yuki Sato, Takuto Hikichi, Hiromasa Ohira

Abstract

AIM

Match Overview

1	Internet 24 words crawled on 11-Jun-2017 www.wjgnet.com	1%
2	Crossref 23 words Inoue, Tadahisa, Itaru Naitoh, Fumihiko Okumura, Takanori Ozeki, Kaiki Anbe, Hiroyasu Iwasaki, Hirotada Nishie, Taka	1%
3	Crossref 11 words Kawakubo, Kazumichi, Hiroshi Kawakami, Yoshihide Toyokawa, Koichi Otani, Masaki Kuwatani, Yoko Abe, Shuhei Ka	<1%

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 15,700 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Randomized trial in malignant biliary obstruction: Plastic vs partially ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3870509/>

14 Dec 2013 ... Time to **stent failure** was 385.3 ± 52.5 d in the SEMS and 153.3 ... The only significant **predictor** was **treatment** allocation, relating to the time to **stent failure** (P ...

Keywords: Randomized, **Biliary**, **Obstruction**, **Stent**, Plastic, Metal, ... Both plastic and **self-expandable metallic stents** can palliate **malignant biliary** ...

Abstract - MATERIALS AND METHODS - RESULTS - DISCUSSION

[Current Status of Biliary Metal Stents - NCBI - NIH](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4821525/>

25 Feb 2016 ... **Endoscopic stent placement** has become the primary management therapy to ... Compared with plastic **stents**, a **self-expandable metallic stent** (SEMS) ... **Biliary obstruction** can result from various benign and **malignant** diseases, **Predictive factors** for survival of patients with inoperable **malignant distal** ...

[\[PDF\] Biliary stenting - European Society of Gastrointestinal Endoscopy](#)https://www.esge.com/.../2012_clinical_guideline_for_biliary_stenting.pdf

1 Feb 2012 ... drainage of **hilar** strictures, retrieval of migrated ... **stent** or a **self-expandable metal stent** (SEMS) (Evidence level 1+) ... In the case of initial **failure**, multiple **treatment** op- ... For palliation of **malignant CBD obstruction**, **endoscopic biliary** **placement** of multiple plastic **stents** is technically feasible in >90%.

[Stage of Hilar Cholangiocarcinoma Predicts Recurrence of Biliary ...](#)[www.cghjournal.org/article/S1542-3565\(13\)00873-2/fulltext](http://www.cghjournal.org/article/S1542-3565(13)00873-2/fulltext)

1 Jul 2013 ... ² **Endoscopic placement** of bilateral uncovered **self-expanding metallic** ... ⁹ Because **stent** patency in patients with HC is an important **factor** **hilar cholangiocarcinoma**: efficacy of **self-expandable metallic** Wallstents. ... **treatment** of **malignant hilar biliary obstruction**: a prospective and randomized trial.

[\[PDF\] Pancreatic and biliary stents - Gastrointestinal Endoscopy](#)[www.giejournal.org/article/S0016-5107\(12\)02753-8/pdf](http://www.giejournal.org/article/S0016-5107(12)02753-8/pdf)

Biliary and pancreatic **stents** are tubular devices made of plastic or metal covered **self-**

[全部](#)[新闻](#)[购物](#)[视频](#)[图片](#)[更多](#)[设置](#)[工具](#)

找到约 6,600 条结果 (用时 0.31 秒)

Gastric mucosa-associated lymphoid tissue lymphoma and ...

<https://biomarkerres.biomedcentral.com/articles/10.../s40364-016-0068-1> - 翻译此页

作者：Q Hu - 2016 - 被引用次数：3 - 相关文章

2016年7月27日 - Gastric mucosa-associated tissue lymphoma (MALT lymphoma) is a rare ... Current issues in the diagnosis and management of the disease are also discussed. plasma cells and a few small loose lymphoid aggregates, indicating ... API2 gene, and 3 major breakpoints were identified in the MALT1 gene.

Therapy of gastric mucosa associated lymphoid tissue lymphoma

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者：A Morgner - 2007 - 被引用次数：53 - 相关文章

2007年7月14日 - Gastric mucosa associated lymphoid tissue (MALT) lymphoma has ... with gastric MALT lymphoma may seem, proper patient management is nevertheless crucial. 11 with the MALT1 (MALT lymphoma-associated translocation) gene on ... lymphoma spread to other lymphatic or extra-lymphatic organs.

Clinical impact of genetic aberrations in gastric MALT lymphoma: a ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者：S Nakamura - 2007 - 被引用次数：62 - 相关文章

2007年5月24日 - The presence of extra copies of MALT1 was significantly associated with ... of mucosa-associated lymphoid tissue (MALT lymphoma) of the stomach is the ... Although most patients with gastric MALT lymphoma experience an ... and for new genetic biomarkers able to guide prognosis and management.

Clinical impact of genetic aberrations in gastric MALT lymphoma - Gut

gut.bmj.com > Volume 56, Issue 10 - 翻译此页

作者：S Nakamura - 2007 - 被引用次数：62 - 相关文章

2007年5月24日 - Clinical impact of genetic aberrations in gastric MALT lymphoma: a ... Background and aims: There is a need for genetic biomarkers to guide prognosis and management of gastric mucosa-associated lymphoid tissue (MALT) lymphomas. ... The presence of extra copies of MALT1 was significantly associated ...