

1 / 29

10

**Name of Journal:** *World Journal of Gastrointestinal Oncology*

**Manuscript NO:** 53678

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Endoscopic mucosal resection versus endoscopic submucosal dissection for superficial non-ampullary duodenal tumors**

Mitsuru Esaki, Kazuhiro Haraguchi, Kazuya Akahoshi, Naru Tomoeda, Akira Aso, Soichi Itaba, Haruei Ogino, Yusuke Kitagawa, Hiroyuki Fujii, Kazuhiko Nakamura, Masaru Kubokawa, Naohiko Harada, Yosuke Minoda, Sho Suzuki, Eikichi Ihara, Yoshihiro Ogawa

**Abstract**

BACKGROUND

Match Overview

1	<b>Internet</b> 68 words crawled on 22-Apr-2020 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
2	<b>Internet</b> 52 words crawled on 25-Feb-2018 <a href="http://discovery.ucl.ac.uk">discovery.ucl.ac.uk</a>	1%
3	<b>Crossref</b> 50 words Mitsuru Esaki, Yasuyo Hayashi, Hisatomo Ikehara, Eikichi Ihara et al. "The effect of scissor-type versus non-scissor-type"	1%
4	<b>Internet</b> 47 words crawled on 24-Dec-2019 <a href="http://tcr.amegroups.com">tcr.amegroups.com</a>	1%
5	<b>Crossref</b> 37 words Konstantinos Filis, George Galyfos, Fragiska Sigala, Georgios Zografos. "Utilization of low-temperature helium plasma"	1%
6	<b>Internet</b> 36 words crawled on 27-Dec-2016 <a href="http://office.wjgnet.com">office.wjgnet.com</a>	1%
7	<b>Crossref</b> 29 words Motoi Azumi, Manabu Takeuchi, Youhei Koseki, Masaru Kumagai et al. "The search, coagulation, and clipping (SCC) ..."	1%
8	<b>Crossref</b> 19 words Suzuki, Sho, Takuji Gotoda, Chika Kusano, Kunio Iwatsuka	<1%

国内版 | 国际版  
Endoscopic mucosal resection vs. endoscopic submucosal dissection fo

登录

网页 | 图片 | 视频 | 学术 | 词典 | 地图

检测到您输入了英文，试试切换到国际版? 搜英文结果更丰富更准确

3,750 条结果 | 时间不限

### Feasibility study comparing underwater endoscopic ... 翻译此页

Cited by: 2 | Author: Yoshiyuki Kiguchi, Motohiko Kato, Atsushi ...  
Publish Year: 2019  
Underwater endoscopic mucosal resection (UEMR) has been reported as an alternative to conventional EMR for superficial non-ampullary duodenal epithelial tumors (SNADET). However, the detailed outcomes are unclear. This study aimed to compare the clinical outcomes between UEMR and EMR for SNADET <20 mm. Patients and methods  
<https://onlinelibrary.wiley.com/doi/full/10.1111/den.13524>

### A novel technique of endoscopic submucosal ... 翻译此页

Author: Krishna C. Gurram, Erin Ly, Xiaocen Z... | Publish Year: 2020  
2019-11-14 · Ileocecal valve (ICV) lesions are difficult to resect endoscopically and patients are often referred for laparoscopic colectomy. ICV involvement has been shown to be related to technical failure and tumor recurrence after endoscopic mucosal resection (EMR) and represents a challenge for endoscopic submucosal dissection (ESD). Few publications have focused specifically on endoscopic ...  
<https://link.springer.com/article/10.1007/s00464-019-07202-1>

### Endoscopic Mucosal Resection and Endoscopic ... 翻译此页

Cited by: 28 | Author: Sergio Coda, Sun-Young Lee, Takuji Gotoda  
Publish Year: 2007 | 位置: 8600 Rockville Pike, Bethesda, MD  
Indications for Endoscopic Mucosal Resection / Endoscopic Submucosal Dissection in Early Gastrointestinal Cancers In Europe, there is a report from Germany on ESD using a new double-channel



Endoscopic mucosal resection vs endoscopic submucosal dissectio



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

15,800 Results Any time

### Endoscopic Submucosal Dissection and Endoscopic Mucosal ...

<https://www.ncbi.nlm.nih.gov/pubmed/28052275>

BACKGROUND: **Endoscopic submucosal resection** (ESD) and **endoscopic mucosal resection** (EMR) are well established as curable and safety procedures for treating **superficial tumors** of the stomach, esophagus and colon. However, a majority of **endoscopic resection** strategies for **non-ampullary superficial duodenal tumors** (NASDTs) remains undefined.

Cited by: 25 Author: Shu Hoteya, Tsukasa Furuhashi, Toba Tak...

Publish Year: 2017

### Clinical outcomes of endoscopic resection for superficial ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7035028>

Background and study aims Because **superficial non-ampullary duodenal epithelial tumors** (SNADETs) are relatively rare, studies evaluating the outcomes of **endoscopic resection** (ER) for SNADETs are limited. Therefore, this study aimed to evaluate the clinical validity of ER for SNADETs. Patients and methods The study participants included 163 consecutive patients (108 men; mean age, ...

Author: Kazutaka Kuroki, Yoji Sanomura, Shir... Publish Year: 2020

### Feasibility study comparing underwater endoscopic mucosal ...

<https://onlinelibrary.wiley.com/doi/abs/10.1111/den.13524?af=R>

Underwater **endoscopic mucosal resection** (UEMR) has been reported as an alternative to conventional EMR for **superficial non-ampullary duodenal epithelial tumors** (SNADET). However, the detailed outcomes are unclear. This study aimed to compare the clinical outcomes between UEMR and EMR for SNADET <20 mm. Patients and methods

Cited by: 3 Author: Yoshiyuki Kiguchi, Motohiko Kato, Atsushi...

Publish Year: 2019

### Management of perforation related to endoscopic submucosal ...

<https://www.sciencedirect.com/science/article/pii/S0016510719322916>

The prevalence of **superficial duodenal epithelial tumors** (SDETs) is not as high as that of other organs

## Endoscopic Mucosal Resection

A procedure to remove cancerous or other abnormal lesions just beneath the mucosal wall.

**Type of procedure:** Minimally invasive

**Recovery time:** Can take several days

**Duration:** Few minutes

**Hospital stay:** Typically a few hours

### May treat

[See all \(5+\)](#)

#### Barrett's Esophagus

Very common

Barrett's esophagus is a condition in which there is an abnormal change in ...

[Read more](#)

#### Colon Cancer

Common

Colorectal cancer, also known as bowel cancer, colon cancer, or rectal ...

[Read more](#)

### What to expect before procedure

- Provide a list of all current medications. The doctor might ask to stop some of them at least two weeks before surgery. Mention about allergies if any.
- The doctor asks to stop eating several hours before surgery.
- Depending on the site of resection, a laxative or enema may be given on the day of surgery to clear the bowel.

### What to expect during procedure

A sedative is given intravenously. Local anesthesia may be given.