

## Match Overview

1	<b>Crossref</b> 24 words Zeng, Wei-Gen, Zhi-Xiang Zhou, Jian-Wei Liang, Zheng Wang, Hui-Rong Hou, Hai-Tao Zhou, Xing-Mao Zhang, and Jun-J	<1%
2	<b>Internet</b> 15 words crawled on 06-Sep-2017 <a href="http://openaccess.leidenuniv.nl">openaccess.leidenuniv.nl</a>	<1%
3	<b>Crossref</b> 14 words Weipeng Sun, Ruoxu Dou, Jiaohua Chen, Sicong Lai et al. "I mpact of Long-Course Neoadjuvant Radiation on Postoperat	<1%
4	<b>Internet</b> 14 words crawled on 21-Sep-2017 <a href="http://preview-bmcsurg.biomedcentral.com">preview-bmcsurg.biomedcentral.com</a>	<1%

**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript No:** 42847

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Nomograms for predicting the pathological response to neoadjuvant treatments in patients with rectal cancer**

Ren DL *et al.* Predicting PR to NT in LARC

Dong-Lin Ren, Juan Li, Hui-Chuan Yu, Shao-Yong Peng, Wei-Da Lin, Xiao-Lin Wang, Roshan Ara Ghoorun, Yan-Xin Luo

### Abstract

#### BACKGROUND

In recent decades, neoadjuvant therapy (NT) has been the standardized treatment for locally advanced rectal cancer (LARC). Approximately 8%-35% of patients with LARC who received NT were reported to have achieved complete pathological response (pCR). If the pathological response can be accurately predicted, these patients may not need surgery. In addition, no response after NT implies that the tumor is destructive, resistant to both chemotherapy and radiotherapy, and prone to having a high metastatic potential. Therefore, developing accurate models to predict pathological response (PR) has great clinical significance and can help to achieve

找到约 36,900 条结果 (用时 0.56 秒)

## Google 学术: Nomograms for Predicting the Pathological Response to Neoadjuvant Treatments in Patients with Rectal Cancer

Nomograms for predicting local recurrence, distant ... - Valentini - 被引用次数: 252

Surgical resection of colorectal carcinoma metastases ... - Nordlinger - 被引用次数: 1709

... for pathological complete response of rectal cancer ... - van Stiphout - 被引用次数: 93

### 6047 Development of nomograms for prediction of pathologic ...

[https://www.redjournal.org/article/S1359-6349\(09\)71142-5/pdf](https://www.redjournal.org/article/S1359-6349(09)71142-5/pdf) - 翻译此页

作者: R van Stiphout - 2009

treatment of rectal cancer and may help to draw future programs and investigational protocols ... advanced rectal cancer patients (pts) treated with neoadjuvant chemo- ... a low pre-surgical SUV value could predict the pathological response in.

### A nomogram predicting pathological complete response to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5620207/> - 翻译此页

作者: Y Sun - 2017 - 被引用次数: 5 - 相关文章

2017年6月28日 - A total of 522 locally advanced rectal cancer patients undergoing nCRT ..... to predict the response to neoadjuvant treatment in LARC patients.

### Nomogram including pretherapeutic parameters for prediction of early ...

[ascopubs.org/doi/abs/10.1200/jco.2016.34.4\\_suppl.716](http://ascopubs.org/doi/abs/10.1200/jco.2016.34.4_suppl.716) - 翻译此页

作者: J Zhang - 2016

Pathological Complete Response Rates After Neoadjuvant Short-Course RT Followed by ... Nomogram including pretherapeutic parameters for prediction of early response after neoadjuvant treatment in rectal cancer: Results from a ... prediction of response to different preoperative treatment for patients with rectal cancer.

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 44,900 条结果 (用时 0.57 秒)

## Google 学术: Nomograms for predicting the pathological response to neoadjuvant treatments in patients with rectal cancer

Nomograms for predicting local recurrence, distant ... - Valentini - 被引用次数: 258

Surgical resection of colorectal carcinoma metastases ... - Nordlinger - 被引用次数: 1719

... for pathological complete response of rectal cancer ... - van Stiphout - 被引用次数: 96

## A nomogram predicting pathological complete response to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5620207/> - 翻译此页

作者: Y Sun - 2017 - 被引用次数: 5 - 相关文章

A nomogram predicting pathological complete response to neoadjuvant ... A total of 522 locally advanced rectal cancer patients undergoing nCRT and curative ..... CEA has been widely used to predict the response to neoadjuvant treatment in ...

## Nomogram basing pre-treatment parameters predicting early ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4826265/> - 翻译此页

作者: J Zhang - 2016 - 被引用次数: 6 - 相关文章

2015年12月4日 - Keywords: neoadjuvant chemotherapy, nomogram, predictive, rectal cancer ...

Thirty-two patients were enrolled with the pathological complete response ... To avoid the damage of radiotherapy for rectal cancer patients, we ...

## (PDF) A nomogram predicting pathological complete response to ...

[https://www.researchgate.net/.../318037966\\_A\\_nomogram\\_predicting\\_patho...](https://www.researchgate.net/.../318037966_A_nomogram_predicting_patho...) - 翻译此页

2017年6月28日 - Methods: A total of 522 locally advanced rectal cancer patients... A nomogram predicting pathological complete response to ... rectal cancer patients treated with neoadjuvant chemoradiotherapy (nCRT), and develop a predictive nomogram. .... of patients, post-CRT clinicopathologic and treatment-.

## (PDF) Nomogram basing pre-treatment parameters predicting early ...

[https://www.researchgate.net/.../286445513\\_Nomogram\\_basing\\_pre-treatme...](https://www.researchgate.net/.../286445513_Nomogram_basing_pre-treatme...) - 翻译此页

2018年7月31日 - response for locally advanced rectal cancer with Neoadjuvant ... de ned as good

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 50,800 条结果 (用时 0.55 秒)

## Google 学术: Nomograms for predicting the pathological response to neoadjuvant treatments in patients with rectal cancer

Nomograms for predicting local recurrence, distant ... - Valentini - 被引用次数: 258

Surgical resection of colorectal carcinoma metastases ... - Nordlinger - 被引用次数: 1719

... for pathological complete response of rectal cancer ... - van Stiphout - 被引用次数: 96

## A nomogram predicting pathological complete response to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5620207/> - 翻译此页

作者: Y Sun - 2017 - 被引用次数: 5 - 相关文章

A nomogram predicting pathological complete response to neoadjuvant ... A total of 522 locally advanced rectal cancer patients undergoing nCRT and curative ..... CEA has been widely used to predict the response to neoadjuvant treatment in ...

## Nomogram basing pre-treatment parameters predicting early ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4826265/> - 翻译此页

作者: J Zhang - 2016 - 被引用次数: 6 - 相关文章

2015年12月4日 - Keywords: neoadjuvant chemotherapy, nomogram, predictive, rectal cancer ...

Thirty-two patients were enrolled with the pathological complete response ... To avoid the damage of radiotherapy for rectal cancer patients, we ...

## (PDF) Nomogram basing pre-treatment parameters predicting early ...

[https://www.researchgate.net/.../286445513\\_Nomogram\\_basing\\_pre-treatme...](https://www.researchgate.net/.../286445513_Nomogram_basing_pre-treatme...) - 翻译此页

2018年7月31日 - response for locally advanced rectal cancer with Neoadjuvant ... de ned as good regression, and pathological TNM stage (ypTNM) 0-I after neoadjuvant. treatment was ... help in patient selection for optimized treatment.

## (PDF) A nomogram predicting pathological complete response to ...

[https://www.researchgate.net/.../318037966\\_A\\_nomogram\\_predicting\\_patho...](https://www.researchgate.net/.../318037966_A_nomogram_predicting_patho...) - 翻译此页

2017年6月28日 - Methods: A total of 522 locally advanced rectal cancer patients... A nomogram predicting pathological complete response to ... rectal cancer patients treated with neoadjuvant