

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 23196

Manuscript Type: Minireviews

**Human Albumin Solution for patients with cirrhosis and acute on chronic liver failure;
beyond simple volume expansion**

Christopher Valerio, MBBS¹, Eleni Theocharidou, MD², Andrew Davenport, MD³, Banwari Agarwal, MD¹

Match Overview

1	CrossCheck 34 words Miguel Navasa. "Bacterial infections in cirrhosis". <i>Liver International</i> , 8/2004	<1%
2	CrossCheck 34 words Diet and Nutrition in <i>Critical Care</i> , 2015.	<1%
3	CrossCheck 29 words Thomas, Michael C, Nicole M Acquisto, Asad E Patanwal a, Kyle A Weant, and Stephanie N Baker. "Key Articles an	<1%
4	Internet 25 words crawled on 27-Jul-2014 www.gene-profiles.org	<1%
5	Internet 24 words crawled on 08-Nov-2003 bj.a.oupjournals.org	<1%
6	Internet 23 words crawled on 28-Jun-2014 www.ncbi.nlm.nih.gov	<1%

学术搜索

找到约 5,480 条结果 (用时0.11秒)

小提示: 只搜索**中文(简体)**结果, 可在 [学术搜索设置](#) 指定搜索语言**Acute kidney injury in cirrhosis**G Garcia - Tsao, [CR Parikh](#), A Viola - Hepatology, 2008 - Wiley Online Library

... volume expansion should be performed with intravenous albumin rather than saline solution; and (4 ... 2 days of diuretic withdrawal and expansion of plasma volume with albumin (1 g ... renal dysfunction undergoing OLT.59 There is specific concern that some patients who undergo ...

被引用次数: 251 相关文章 所有 6 个版本 引用

wiley.com 中的 [HT

[PDF] The therapeutic use of albumin

GE Hastings, PG Wolf - Archives of family medicine, 1992 - triggered.clockss.org

... are la- beled "indicated."Those not supported by results of clinical studies in humans are labeled ... One controlled17 and one uncon- trolled18 human study showed pul- monary edema to occur ... The albumin- treated patients required more than twice as many days of assisted ven ...

被引用次数: 23 相关文章 所有 5 个版本 引用

clockss.org 中的 [P

New Management Options for End-Stage Chronic Liver Disease and Acute Liver FailureD Debray, N Yousef, [P Durand](#) - Pediatric Drugs, 2006 - Springer

... remove albumin-bound molecules, such as bilirubin, bile acids, ... humans.[61] Nevertheless, further clinical studies using porcine cell ... 2000, Circe Biomedical, Inc., Lexington, MA, with late fetal loss or early neonatal death.[62-65] Neonatal USA), or C3A human hepatoma cell ...

被引用次数: 20 相关文章 所有 3 个版本 引用

[HTML] Review article: management of ascites and associated complications in patients with cirrhosis

JJ Kuiper, RA De Man... - Alimentary pharmacology ..., 2007 - Wiley Online Library

... albumin are the high cost and the risk of transmitting an infectious agent as human albumin is a ... the initial therapeutic approach is a fluid challenge with an albumin (1 g/kg) solution or 1 ... PubMed. 21 Avidan B. The use of albumin in all patients with decompensated cirrhosis is not ...

被引用次数: 43 相关文章 所有 9 个版本 引用

wiley.com 中的 [HT

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用



全部

新闻

图片

视频

更多 ▾

搜索工具

找到约 156,000 条结果 (用时 0.68 秒)

Clinical use of albumin in hepatology

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: M Garcovich - 2009 - 被引用次数: 15 - [相关文章](#)

The first report of administration of **albumin** to **patients with cirrhosis** was published by ... **Albumin**, with its multiple physiological effects of **volume expansion**, ... **expansion** with **human albumin** in **patients with cirrhosis** are the treatment of ... Moreover the role of **albumin** in acute/**acute-on-chronic liver failure** and in other less ...

Albumin for End-Stage Liver Disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: JS Lee - 2012 - 被引用次数: 9 - [相关文章](#)

2012年2月28日 - **Albumin** has been widely used in **patients with cirrhosis** in an attempt to ... In sepsis, the administration of **human albumin** led to significantly increased ... of vasoconstrictors and plasma **volume expansion** with **albumin** results in a ... in **patients** with **acute** and **chronic liver failure**, is a clinical application for ...

缺少字词: **beyond**

Albumin: Not Just a Plasma Expander - Karger

<https://www.karger.com/Article/Pdf/319177> - [翻译此页](#)

Human serum **albumin** is important for health and normal metabolic function. ... of **albumin** to both **patients** with **liver disease**, and for a wide variety of other indications, shows beneficial effects that go far **beyond simple** fluid resuscitation. ... **volume** expansion and can cause **acute renal failure** with a high associated



[全部](#) [新闻](#) [图片](#) [视频](#) [更多](#) [搜索工具](#)

找到约 154,000 条结果 (用时 0.79 秒)

Clinical use of albumin in hepatology

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: M Garcovich - 2009 - 被引用次数: 15 - [相关文章](#)

The first report of administration of albumin to patients with cirrhosis was published by Albumin, with its multiple physiological effects of volume expansion, ... expansion with human albumin in patients with cirrhosis are the treatment of ... Moreover the role of albumin in acute/acute-on-chronic liver failure and in other less ...

Albumin for End-Stage Liver Disease

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: JS Lee - 2012 - 被引用次数: 9 - [相关文章](#)

2012年2月28日 - Albumin has been widely used in patients with cirrhosis in an attempt to ... In sepsis, the administration of human albumin led to significantly increased ... of vasoconstrictors and plasma volume expansion with albumin results in a ... in patients with acute and chronic liver failure, is a clinical application for ...

缺少字词: beyond

Albumin: Not Just a Plasma Expander - Karger

<https://www.karger.com/Article/Pdf/319177> - [翻译此页](#)

of albumin to both patients with liver disease, and for a wide variety of other indications, shows beneficial effects that go far beyond simple fluid resuscitation. ... Human serum albumin (HSA) comprises over half of the plasma extracellular protein. (40–50 ... volume paracentesis and can cause acute renal failure with a high ...

Albumin (human) 25% Information from Drugs.com

<https://www.drugs.com/drp/albumin-human-25.html> ▾ [翻译此页](#)

Albumin (human) 25% is a sterile, aqueous solution for intravenous use ... that of