

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 39,900 条结果 (用时 0.55 秒)

Seatbelt Injury to the Common Iliac Artery: Case Report | Request PDF

https://www.researchgate.net/.../13773298_Seatbelt_Injury_to_the_Common... - 翻译此页

We report a case of blunt abdominal trauma related to the type of seat belt worn.... have produced shearing forces causing a vascular wall discontinuity and/or an intimal flap. ... Blunt Traumatic Occlusion of the Common Iliac Artery Repaired With ... secondary to blunt abdominal trauma: Case report and review of literature.

Blunt disruption of the abdominal aorta: Report of a case and review of ...

<https://www.sciencedirect.com/science/article/pii/S0741521497702258> - 翻译此页

作者: GP Naude - 1997 - 被引用次数: 63 - 相关文章

Thoracic aortic injuries are much more common (20 times) than abdominal injuries. ... Complete transection of the duodeno-jejunal junction, several small bowel ... leading to aortic occlusion, or dissection progressing down one or both iliac arteries (Fig. aortic injuries from blunt trauma: case reports and literature review.

^[PDF] Blunt Injury to the Common Iliac Artery - Core

<https://core.ac.uk/download/pdf/82019078.pdf> ▼ 翻译此页

作者: JJ Tuech - 2000 - 被引用次数: 14 - 相关文章

Objectives and design: iliac artery lesion after blunt trauma is uncommon, with only 12 previously ... cases in the English literature. 1–9 We report nine further.

Jejunal transection after blunt abdominal trauma: a report of two cases

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2579620/> ▼ 翻译此页

作者: NA Sandiford - 2006 - 被引用次数: 20 - 相关文章

Small bowel injuries are uncommon after blunt abdominal trauma and are ... We report on two cases of jejunal transection that occurred after apparently trivial ... corresponded to a 3×2-cm superficial abrasion caused by the handlebar. ... In both cases, external signs of localised trauma to the central abdomen were evident.

缺少字词: iliac artery occlusion literature

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 46881

Manuscript Type: CASE REPORT

Common iliac artery occlusion with transection of small intestine caused by blunt abdominal trauma: A case report

Zhou YX *et al.* Trauma-induced common iliac artery occlusion

You-Xin Zhou, Yong Ji, Jing Chen, Xin Yang, Qing Zhou, Jian Lv

Abstract

BACKGROUND

Most major abdominal vascular injuries are caused by penetrating injuries. A common iliac artery occlusion caused by blunt force trauma is rare, and very few cases have been reported. Because of this low incidence, atypical symptoms, and frequent association with other severe injuries, the proper diagnosis tends

Match Overview

Rank	Match Type	Words	Source	Similarity
1	Crossref	94 words	Tuech, J.J. "Blunt Injury to the Common Iliac Artery", <i>European Journal of Vascular & Endovascular Surgery</i> , 200	4%
2	Crossref	50 words	P. F. Blacklay. "Vascular trauma", <i>British Journal of Surgery</i> , 12/1987	2%
3	Crossref	43 words	Navyash Gupta. "Seat Belt-Related Injury to the Common Iliac Artery", <i>The Journal of Trauma Injury Infection and</i>	2%
4	Crossref	26 words	Henrietta Poon, Abhilashaben Patel, Santhosh Vijay, Richard Downing. "Endovascular Repair for Left Common Iliac Artery Occlusion", <i>Journal of Endovascular Therapy & Techniques</i>	1%
5	Crossref	22 words	V Radonic. "War injuries of the femoral artery and vein: a report on 67 cases", <i>Cardiovascular Surgery</i> , 1997	1%
6	Internet	21 words	crawled on 14-Apr-2018 tpp.uah.edu	1%
7	Internet	19 words	crawled on 01-May-2016 spandidos-publications.com	1%
8	Internet	16 words	crawled on 15-Feb-2017 www.e-sciencecentral.org	1%
9	Internet	14 words	crawled on 16-Mar-2016 www.turkishneurosurgery.org.tr	1%
10	Internet	13 words	crawled on 13-Jun-2017 www.wjgnet.com	1%
11	Crossref	12 words	Chen, K., J.-Y. Huang, L. Wang, and X.-T. Zheng. "Femoral ofemoral bypass allowed limb preservation after late dia	<1%



All

Images

Videos

翻译成中文

关闭取词

22,500 Results

Any time ▾

Traumatic right common femoral artery occlusion caused by ...

<https://surgicalcasereports.springeropen.com/articles/10.1186/s40792-019-0628-3> ▾

Apr 22, 2019 · Occlusion of the **external iliac artery (EIA)** or **common femoral artery (CFA)** following **blunt trauma** to the **inguinal** region by a bicycle or motorcycle handlebar without **concomitant bone fracture** ...

Author: Kenshi Yoshimura, Hirotsugu Hamam... **Publish Year:** 2019

TL 2018 Random Flashcards | Quizlet

<https://quizlet.com/260892272/tl-2018-random-flash-cards> ▾

A history of constipation or **trauma caused** by hard stool is the most **common** etiology. However, an anal fissure can be seen in the anterior midline specially in women. When fissures occur in atypical locations, other diagnoses should be suspected such as Crohn's disease, tuberculosis, syphilis, HIV/AIDS, or ...

Common Iliac Artery Injury from Blunt Trauma

https://www.researchgate.net/.../20432626_Common_Iliac_Artery_Injury_from_Blunt_Trauma

We describe two cases of **common iliac artery injury from blunt abdominal trauma resulting in occlusion** in one case and aneurysm in the other. The diagnosis of such **injuries** is based on clinical ...

Seatbelt injury to the common iliac artery: Case report

<https://www.academia.edu/18654128> ▾

There is only one other report ABSTRACT: In traffic accident victims, the **seat belt syndrome** is a well known injury which rarely involves the common iliac in the literature of **iliac artery seat belt injury** without other **associ- artery due** to its posterior anatomical position and to protection by **ated injuries** ...

(PDF) Isolated Common Femoral Artery Injury Caused by ...

https://www.researchgate.net/publication/24039362_Isolated_Common_Femoral_Artery...

PDF | The authors **report** an isolated **common femoral artery injury caused by blunt trauma** with dissection and secondary ischaemia. A 21-year-old man was admitted to hospital after being stabbed ...