

Match Overview

1	Crossref 14 words B. Braden. "Comparison of new faecal antigen test with 13 C-urea breath test for detecting <i>Helicobacter pylori</i> infecti...	<1%
2	Internet 14 words crawled on 05-Oct-2017 real.mtak.hu	<1%
3	Internet 13 words crawled on 26-Mar-2016 www.journalslibrary.nihr.ac.uk	<1%
4	Crossref 12 words MACONI. "Is routine histological evaluation an accurate test for <i>Helicobacter pylori</i> infection?", <i>Alimentary Pharmacolog</i>	<1%

2
 Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 39524

Manuscript Type: ORIGINAL ARTICLE

Clinical Trials Study

New fecal test for non-invasive *Helicobacter pylori* detection: A diagnostic accuracy study

Andrea Iannone, Floriana Giorgio, Francesco Russo, Giuseppe Riezzo, Bruna Girardi, Maria Pricci, Suetonia C Palmer, Michele Barone, Mariabeatrice Principi, Giovanni FM Strippoli, Alfredo Di Leo, Enzo Ierardi

Abstract


AIM

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 1,720 条结果 (用时 0.59 秒)

您是不是要找：***THE* fecal test for non-invasive Helicobacter pylori detection: A diagnostic accuracy study**

Non-invasive tests for the diagnosis of H. pylori infection. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/15029105>  [翻译此页](#)

作者：N Vakil - 2004 - 被引用次数：47 - [相关文章](#)

Helicobacter pylori infection can be diagnosed by invasive techniques requiring endoscopy and biopsy (eg, histological **examination**, culture, polymerase chain reaction) and by ... Some **non-invasive tests**, such as the urea breath **test** and the **stool antigen test**, **detect** active infection; these are called "active **tests**."

缺少字词：[thd accuracy study](#)

Noninvasive molecular analysis of Helicobacter pylori: Is it time for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5394508/> - [翻译此页](#)

作者：E Ierardi - 2017 - 被引用次数：5 - [相关文章](#)

跳到**NONINVASIVE MOLECULAR TESTS** - In detail, two **studies**[35,38] have been performed in children. Booka et al[35] found a 91% of **diagnostic accuracy** in reference to *H. pylori* **antigen stool** and a 31% prevalence of clarithromycin resistance in Japanese children. A similar result was obtained by Vécsei ...

Diagnosis of Helicobacter pylori infection - Bessède - 2017 ...

onlinelibrary.wiley.com/doi/10.1111/hel.12404/full - [翻译此页](#)

2017年2月10日 - Wiley Online Library on [REDACTED] 10.1111/hel.12404



New fecal test for non-invasive Helicobacter pylori detection: A diagnostic



全部

新闻

图片

视频

更多

设置

工具

找到约 148,000 条结果 (用时 0.42 秒)

Non-invasive diagnostic tests for Helicobacter pylori infection. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29543326> - 翻译此页

作者 : LM Best - 2018

2018年3月15日 - The confirmatory **diagnosis** of *H pylori* is by endoscopic biopsy, followed by ... about the **diagnostic accuracy** of **non-invasive tests** for **diagnosis** of *H pylori*. ... serology; 29 **studies** (2988 participants) evaluated **stool antigen test**; ...

Accuracy of the stool antigen test for the diagnosis of childhood ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/12591044> - 翻译此页

作者 : S Kato - 2003 - 被引用次数 : 97 - 相关文章

Recently, another **noninvasive test**, a **new** enzyme immunoassay for *H. pylori* ... **study** was to evaluate the **diagnostic accuracy** of the **stool antigen test** in ...

Non-invasive techniques for the diagnosis of Helicobacter pylori ...

<https://www.sciencedirect.com/science/article/pii/S1198743X14639987> - 翻译此页

作者 : L Gatta - 2003 - 被引用次数 : 75 - 相关文章

However, recent **studies** have demonstrated that a strategy of '**testing** and treating' for *H. ... tests* are commonly used: the urea breath **test**, and the **stool antigen test**. ... There are several **non-invasive tests** for the **diagnosis** of *H. pylori* infection. ... Thus, the **accuracy** of these **tests** is no longer adequate to justify their use on ...

[PDF] Diagnosis of Helicobacter pylori - MDPI

www.mdpi.com/2079-9721/3/3/122/pdf - 翻译此页

作者 : B Kalali - 2015 - 被引用次数 : 6 - 相关文章

2015年6月29日 - **Diagnosis** of *Helicobacter pylori*: Changes towards the Future ... out that novel **non-invasive tests** may not only cover the requirements of gold standard ... **accuracy**, sensitivity, and specificity, they should also be applicable in As mentioned above, **new** promising **studies** have



New fecal test for non-invasive Helicobacter pylori detection: A diagnosti



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 126,000 条结果 (用时 0.42 秒)

Non-invasive diagnostic tests for Helicobacter pylori infection. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29543326> - 翻译此页

作者: LM Best - 2018

2018年3月15日 - The confirmatory **diagnosis** of *H pylori* is by endoscopic biopsy, followed by ... about the **diagnostic accuracy** of **non-invasive tests** for **diagnosis** of *H pylori*. ... serology; 29 **studies** (2988 participants) evaluated **stool antigen test**; ...

Accuracy of the stool antigen test for the diagnosis of childhood ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/12591044> - 翻译此页

作者: S Kato - 2003 - 被引用次数: 97 - 相关文章

Recently, another **noninvasive test**, a **new** enzyme immunoassay for *H. pylori* ... **study** was to evaluate the **diagnostic accuracy** of the **stool antigen test** in ...

Non-invasive techniques for the diagnosis of Helicobacter pylori ...

<https://www.sciencedirect.com/science/article/pii/S1198743X14639987> - 翻译此页

作者: L Gatta - 2003 - 被引用次数: 75 - 相关文章

However, recent **studies** have demonstrated that a strategy of '**testing** and treating' for *H. pylori* ... **tests** are commonly used: the urea breath **test**, and the **stool antigen test**. ... There are several **non-invasive tests** for the **diagnosis** of *H. pylori* infection. ... Thus, the **accuracy** of these **tests** is no longer adequate to justify their use on ...

Efficacy of Noninvasive Tests in the Diagnosis of Helicobacter pylori ...

<https://jamanetwork.com/journals/jamapediatrics/fullarticle/485952> - 翻译此页

作者: T Sabbi - 2005 - 被引用次数: 62 - 相关文章

Children present an ideal population for **studying** the interaction between *H pylori* and gastric ... The **detection** of *H pylori* **antigen** in **feces** is considered useful for **diagnosis** and to ... The **accuracy** of **noninvasive tests** was evaluated through sensitivity, ... Ernst PBGold BD *Helicobacter pylori* in childhood: **new** insights into the ...

[PDF] Diagnosis of Helicobacter pylori - MDPI